



Alle Preise zzgl. ges. MwSt.



**EN. Light, according to Kdln, is poetry and beauty, functionality and technique, simplicity and character. A universal language, a unique and versatile style, that draws on the past in an interpretation that is original and contemporary. From domestic to contract, each project is consistent with the company's identity. Key values: attention to quality, reliability and concreteness. Together with an out-of-the-box creativity that Kdln shares with established designers as well as with emerging talents.**

**IT. La luce secondo Kdln è poesia e bellezza, funzionalità e tecnica, semplicità e carattere. Un linguaggio universale, uno stile unico e versatile, che attinge al passato in una lettura originale e contemporanea. Dal domestico al contract, ogni progetto è coerente con l'identità dell'azienda. Valori chiave: attenzione alla qualità, affidabilità e concretezza. Insieme a una creatività fuori dagli schemi che Kdln condivide con designer affermati e talenti emergenti.**

**FR. La lumière, selon Kdln est poésie et beauté, fonctionnalité et technique, simplicité et caractère. Un langage universel, un style unique et polyvalent, qui puise dans le passé dans une lecture originale et contemporaine. Du résidentiel au contract, chaque projet est cohérent avec l'identité de l'entreprise. Les valeurs-clés : attention à la qualité, fiabilité et caractère concret. Avec une créativité hors des sentiers battus que Kdln partage avec des designers confirmés et des talents émergents.**

**D. Für Kdln ist Licht Poesie und Schönheit, Funktionalität und Technik, Schlichtheit und Charakter. Eine universelle Sprache, ein einzigartiger und vielseitiger Stil, der sich in einer originellen und zeitgenössischen Interpretation auf die Vergangenheit stützt. Vom Wohnbereich bis hin zum Contract-Bereich steht jedes Projekt im Einklang mit der Identität des Unternehmens. Schlüsselwerte: besonderes Augenmerk auf die Qualität, Zuverlässigkeit und Konkretheit. Gemeinsam mit einer unkonventionellen Kreativität, die Kdln mit etablierten Designern und aufstrebenden Talenten teilt.**

**ES. La luz según Kdln es poesía y belleza, funcionalidad y técnica, simplicidad y carácter. Un lenguaje universal, un estilo único y versátil, que recurre al pasado en una lectura original y contemporánea. Desde el doméstico al contract, cada proyecto es coherente con la identidad de la empresa. Valores clave: atención a la calidad, confiabilidad y concreción. Junto a una creatividad fuera de los esquemas que Kdln comparte con diseñadores establecidos y talentos emergentes.**

## FLOOR

p. 8

### BIRD FLOOR

p. 8

### EVITA

p. 8

### E.T.A.

p. 8

### KUSHI FLOOR

p. 9

### KUSHI XL FLOOR

p. 9

### KYUDO

p. 9

### MODEL T

p. 10

### OPYO FLOOR

p. 10

### POISE FLOOR

p. 10

### SHAKTI

p. 11

### TRIPOD FLOOR

p. 11

### TYLA

p. 11

## TABLE

p. 12

### ATOMIUM

p. 12

### BIRD TABLE

p. 12

### HIVE

p. 12

### KUSHI MOBILE

p. 13

### KUSHI TABLE

p. 13

### KUSHI XL TABLE

p. 14

### LANNÀ TABLE

p. 14

### POISE

p. 15

### TATU

p. 15

## CEILING & SUSPENSION

p. 16

### ATOMIUM SUSPENSION

p. 16

### BIRD CEILING

p. 16

### BOLHA

p. 17

### CLOVER

p. 17

### DALA

p. 18

### DALA LINEAR

p. 19

### DEW

p. 20

### DEW 3

p. 20

### DEW CHANDELIER

p. 21-22

### E.T.A. SAT

p. 22

### FLOED

p. 23

### FLOED 2

p. 23

### FLOW

p. 23

### FLOW CEILING

p. 24

### GIASS

p. 24

### JER

p. 25

### KATE

p. 25

### KATE SUSPENSION

p. 26

### KOOI

p. 26

### KUSHI CEILING

p. 27

### KUSHI SUSPENSION

p. 28

### LANNÀ SUSPENSION

p. 29

### LILLI

p. 29

### LOUIS

p. 29

### MINIMAL

p. 30

### MITOS

p. 30

### MOTUS

p. 31

### NAMI

p. 31

### OPYO SUSPENSION

p. 31

### POISE CEILING

p. 32

### SLING

p. 32

### SPILLO SUSPENSION

p. 33

### TRIPOD SUSPENSION

p. 33

### VICEVERSA

p. 34

### YUMA

p. 34

## WALL

p. 35

### ATOMIUM WALL

p. 35

### AZOU 3

p. 35

### AZOU 5

p. 36

### AZOU 7

p. 37

### FRAME

p. 37

### NAMI WALL

p. 38

### PASTILLA

p. 38

### PIXEL

p. 38

### TUA

p. 39

## ACCESSORIES

p. 40

## SPECIAL CANOPIES

p. 41

## PACKAGING

p. 42-45

## FAMILY COLLECTION

ATOMIUM p. 12

ATOMIUM SUSPENSION p. 16

ATOMIUM WALL p. 35

BIRD FLOOR p. 8

BIRD TABLE p. 12

BIRD CEILING p. 16

DALA p. 18

DALA LINEAR p. 19

DEW p. 20

DEW 3 p. 20

DEW CHANDELIER p. 21-22

E.T.A. p. 8

E.T.A. SAT p. 22

FLOW p. 23

FLOW CEILING p. 24

KATE p. 25

KATE SUSPENSION p. 26

KUSHI FLOOR p. 9

KUSHI XL FLOOR p. 9

KUSHI 16 MOBILE p. 13

KUSHI 16 TABLE p. 13

KUSHI 33 TABLE p. 13

KUSHI XL TABLE p. 14

KUSHI 16 CEILING p. 27

KUSHI 33 CEILING p. 27

KUSHI XL CEILING p. 27

KUSHI 16 SUSPENSION p. 28

KUSHI 33 SUSPENSION p. 28

KUSHI XL SUSPENSION p. 28

LANNÀ TABLE p. 14

LANNÀ SUSPENSION p. 29

NAMI p. 31

NAMI WALL p. 38

OPYO FLOOR p. 10

OPYO SUSPENSION p. 31

POISE FLOOR p. 10

POISE p. 15

POISE CEILING p. 32

TRIPOD FLOOR p. 11

TRIPOD SUSPENSION p. 33

# TECHNICAL INFO

## GLOSSARY

bulbs . lampadine . ampoules . Leuchtmittel . bombillas  
cable length . lunghezza cavo . longueur de câble . Kabellänge . longitud del cable  
canopy . rosone . rosace . Baldachin . plafón  
certifications . certificazioni . certifications . Zertifizierungen . certificaciones  
colours . colori . couleurs . Farben . colores  
code . codice . code . Artikelnummer . código  
description . descrizione . description . Beschreibung . descripción  
dimensions . dimensioni . dimensions . Größe . dimensiones  
dimnable . dimmerabile . dimmable . dimmbar . regulable  
dimmer . dimmer . variateur . Dimmer . dimmer  
feeding . alimentazione . alimentation . Spannung . tensión de red  
finish . finitura . finitions . Oberflächen . acabados  
materials . materiali . matériaux . Materialien . materiales  
packaging . imballo . emballage . Verpackung . embalaje  
price vat excl. . prezzo iva esc. . prix ht . Preis ohne MwSt . precio iva excluida

## LIGHT DIRECTION



Direct and indirect lighting  
Luce diretta e indiretta  
Lumière directe et indirecte  
Direktes und indirektes Licht  
Luz directa y indirecta



Indirect lighting  
Luce indiretta  
Lumière indirecte  
Indirektes Licht  
Luz indirecta



Direct lighting  
Luce diretta  
Lumière directe  
Direktes Licht  
Luz directa



Indirect and spot lighting  
Luce indiretta e spot  
Lumière indirecte et spot  
Indirektes und fokussiertes Licht  
Luz indirecta y puntual



Direct and spot lighting  
Luce diretta e spot  
Lumière directe et spot  
Direktes und fokussiertes Licht  
Luz directa y puntual



Diffused lighting  
Luce diffusa  
Lumière diffuse  
Verbreitetes Licht  
Luz difusa



amber  
 ambr  
 ambre  
 Bernstein  
 ámbar



black  
 nero  
 noir  
 Schwarz  
 negro



black marble  
 marmo nero  
 marbre noir  
 schwarz Marmor  
 mármol negro



black nickel  
 nichel nero  
 nickel noir  
 schwarzes Nickel  
 níquel negro



black tin  
 stagno nero  
 étain noir  
 schwarzem Zinn  
 estaño negro



brass  
 ottone  
 laiton  
 Messing  
 latón



bronze  
 bronzo  
 bronze  
 Bronze  
 bronce



chrome  
 cromo  
 chrome  
 Chrom  
 cromado



copper  
 rame  
 cuivre  
 Kupfer  
 cobre



coral  
 corallo  
 corail  
 Koralle  
 coral



dark blue  
 blu scuro  
 bleu foncé  
 dunkel Blau  
 azul oscuro



dark grey + concrete finish  
 grigio scuro + finitura cemento  
 gris foncé + finition ciment  
 dunkel Grau + Zementoberfläche  
 gris oscuro + acabado de cemento



dark grey + copper  
 grigio scuro + rame  
 gris foncé + cuivre  
 dunkel Grau + Kupfer  
 gris oscuro + cobre



dark grey + wood finish  
 grigio scuro + finitura legno  
 gris foncé + finition bois  
 dunkel Grau + Holzoberfläche  
 gris oscuro + acabado de madera



dove-grey  
 grigio tortora  
 gris tourterelle  
 Taubengrau  
 gris paloma



ecrù  
 ecru  
 écru  
 Ecrú  
 ecru



gold leaf  
 foglia oro  
 feuille d'or  
 Gold Blatt  
 hoja de oro



green onyx  
 onice verde  
 onyx vert  
 grüner Onyx  
 ónix verde



inox  
 inox  
 inox  
 Inox  
 inox



moka  
 moka  
 moka  
 Mokka  
 moka



orange  
 arancione  
 orange  
 Orange  
 naranja



pop  
 pop  
 pop  
 Pop  
 pop



red  
 rosso  
 rouge  
 Rot  
 rojo



sand + copper  
 sabbia + rame  
 sable + cuivre  
 Sand + Kupfer  
 arena + cobre



sand + concrete finish  
 sabbia + finitura cemento  
 sable + finition ciment  
 Sand + Zementoberfläche  
 arena + acabado de cemento



sand + wood finish  
 sabbia + finitura legno  
 sable + finition bois  
 Sand + Holzoberfläche  
 arena + acabado de madera



smokey blue  
 blu fumè  
 bleu fumé  
 rauch Blau  
 azul ahumado



smokey brown  
 marrone fumè  
 marron foncé  
 rauch Braun  
 marrón ahumado



smokey green  
 verde fumè  
 vert fumé  
 rauch Grün  
 verde ahumado



smokey grey  
 grigio fumè  
 gris fumé  
 Rauchgrau  
 gris ahumado



warm white  
 bianco caldo  
 blanc chaud  
 Warmweiß  
 blanco roto



white  
 bianco  
 blanc  
 Weiß  
 blanco



white marble  
 marmo bianco  
 marbre blanc  
 weiss Marmor  
 mármol blanco

## CODES

<sup>EN</sup> The codes in this price list are referred to devices with voltage feeding 220-240 V and are produced according to the standards in compliance with **CE** directives. Where the abbreviation / GB is mentioned it states the possibility to order devices with plug adaptor suitable for the UK market (type G, standard IEC). The devices without plug do not require any different fitting from **CE** standard for being used in the UK market.

<sup>FR</sup> I codici riportati in questo listino si riferiscono ad apparecchi funzionanti con tensioni di alimentazione a 220- 240 V realizzati secondo gli standard in conformità alle direttive comunitarie **CE**.

Ove presente la sigla / GB si indica la possibilità di ordinare apparecchi dotati di spine adatte per il mercato UK (tipo G, standard IEC). Gli apparecchi non dotati di spina non richiedono allestimenti diversi dagli standard **CE** per essere utilizzati nel mercato UK.

<sup>FR</sup> Les codes dans ce tarif font référence aux luminaires à tension 220-240 V uniquement, qui sont fabriqués en conformité des normes **CE**.

Le paragraphe / GB signale la possibilité de commander des lampes sur pied avec des fiches appropriées pour le marché britannique (type G, standard IEC). Les appareils sans fiches sont utilisables en Grande Bretagne sans modifications par rapport aux standards **CE**.

<sup>DE</sup> Die in dieser Preisliste aufgeführten Artikelnummer beziehen sich auf Geräte mit der Versorgungsspannung von 220-240 V, die unter der Einhaltung des **CE** Standards hergestellt wurden.

Die Abkürzung / GB ermöglicht die Bestellung der Geräte mit den Steckern, die für den britischen Markt (Typ G, Standard IEC) bestimmt sind. Geräte ohne Stecker erfordern für den britischen Markt keine besondere Ausrüstung, die unterschiedlich vom **CE** Standard ist.

<sup>ES</sup> Los códigos que aparecen en esta tarifa, se refieren a aparatos que funcionan con tensión de alimentación a 220-240 V realizados según los standards con conformidad a las directivas comunitarias de la **CE**.

Donde esté presente las siglas / GB se indica la posibilidad de pedir aparatos dotados de enchufe adaptado para el mercado UK (tipo G, standard IEC). Los aparatos que no están dotados con enchufe no necesitan complementos diversos a los estándares **CE** para ser utilizados en el mercado UK.

## NOTES

<sup>EN</sup> Goods delivery have to be considered Ex Factory.

Goods are carefully and accurately packaged, Kdln S.r.l. declines all responsibilities for any damage caused by the transport.

All merchandise is shipped at the dealer's risk, even if free of carriage.

Any claim related to apparent and occult defects has to be communicated to Kdln by mail or fax within 8 days from the date of receipt of the goods.

Kdln reserves the right to alter any of the above conditions, at its own discretion and without notice.

Suspension lamps are supplied with 180 cm (70.9 in) long cables. Different lengths can be produced on demand. The company reserves the right to change the design of the canopies and the cable length without notice.

The dimmability of suspension and wall lamps with E27 (E26) and E14 (E12) bulb sockets depends on the dimmability of the chosen light source.

Product colors can differ from what is shown in the catalogue and from batch to batch.

The listed light emission in Lumen is nominal.

For any disputes the involved Forum is Milan (Italy).

<sup>FR</sup> La merce si intende franco fabbrica.

La merce è attentamente e accuratamente imballata, Kdln S.r.l. declina ogni responsabilità per danni causati dal trasporto.

La merce viaggia a rischio e pericolo del committente, anche se spedita in porto franco.

Reclami per difetti apparenti ed occulti devono essere comunicati via mail o fax entro 8 giorni dal ricevimento della merce.

Kdln si riserva il diritto di modificare qualsiasi delle suddette condizioni, a propria discrezione e senza alcun preavviso.

Le lampade a sospensione sono dotate di cavi lunghi 180 cm (70.9 in).

Eventuali misure diverse possono essere prodotte su richiesta. La società si riserva comunque il diritto di variare il disegno dei rosconi e la lunghezza dei cavi senza alcun preavviso.

La dimmerabilità delle lampade a sospensione e delle lampade da parete con attacco E27 (E26) e E14 (E12) dipende dalla dimmerabilità della sorgente luminosa scelta.

I colori dei prodotti possono variare rispetto a quanto rappresentato nel catalogo e da lotto a lotto.

I lumen indicati sono da considerarsi nominali.

Per qualsiasi controversia sarà competente il Foro di Milano, Italia.

<sup>FR</sup> La marchandise est livrée à la condition 'départ usine'.

Toutes les marchandises voyagent aux risques et périls du revendeur, même si elles sont rendues franco de port.

Les réclamations pour défauts apparents et occultes doivent être notifiés par mail ou fax dans les 8 jours suivant la réception de la marchandise.

Kdln se réserve le droit de modifier n'importe laquelle des clauses précédentes sans préavis, en fonction de ses exigences.

Les lampes à suspension sont équipées de câbles d'une longueur de 180 cm (70.9 in). D'éventuelles autres mesures peuvent être produites sur demande. La société se réserve toutefois le droit de modifier le dessin des rosaces et la longueur des câbles sans aucun préavis.

La variation de lumière des suspensions et appliques E27 (E26) et E14 (E12) dépend de la source lumineuse choisie.

Les couleurs des produits peuvent varier par rapport à ce qui est présenté dans le catalogue ainsi que de lot à lot.

Les lumens indiqués s'entendent nominaux.

Le Tribunal de Milan (Italie) sera le seul compétent pour toutes contestations.

<sup>DE</sup> Die Ware wird ab Werk verkauft.

Die Ware wird sorgfältig und gründlich verpackt. Kdln S.r.l. lehnt jegliche Haftung für Transportschäden ab.

Sämtliche Waren werden auf Risiko und Gefahr des Einzelhändlers transportiert, auch im Falle von Verschickung frei Bestimmungsort.

Jegliche Reklamationen der Waren müssen innerhalb von 8 Tagen nach Erhalt der Lieferung per Post oder Fax mitgeteilt werden.

Kdln behält sich das Recht vor, alle oben genannten Bedingungen nach eigenem Ermessen und ohne vorherige Ankündigung zu ändern.

Die Hängelampen verfügen über 180 cm (70.9 in). lange Kabel.

Andere Längen können auf Anfrage hergestellt werden. Das Unternehmen behält sich in jedem Falle das Recht vor, das Design der Rosetten und die Länge der Kabel ohne Vorankündigung zu ändern.

Die Dimmbarkeit der Pendel- und Wandleuchten mit den E27-Fassungen (E26) und E14-Fassungen (E12) ist von der Dimmbarkeit der gewählten Lichtquelle abhängig.

Die Farben der Produkte können sich von den Abbildungen im Katalog unterscheiden und von einem Fertigungslos zum anderen variieren.

Die angegebenen Lumen sind Nominalwerte.

Der zuständige Gerichtshof ist Mailand (Italien).



ES: La mercancía se entiende a portes debidos.

La mercancía está atentamente y cuidadosamente embalada, Kdln srl declina cualquier responsabilidad por los daños causados por el transporte.

Todas las mercancías viajan a riesgo del comerciante aunque se hayan franqueado por el destinatario.

Las reclamaciones por defectos aparentes y ocultos tienen que ser comunicados por mail o por fax dentro de 8 días del recibo de la mercancías.

Kdln se reserva el derecho de modificar cualquiera de las cláusulas precedentes sin aviso previo en caso de necesidades, decisiones o exigencias propias.

Las lámparas de suspensión cuentan con cables de 180 cm (70.9 in).

Bajo petición, se pueden producir diversas medidas.

De todas formas, la sociedad se reserva el derecho de cambiar el diseño de los florones y la longitud de los cables sin previo aviso.

La dimabilidad de las lámparas a suspensión y de las lámparas a pared con enchufe E27 (E26) y E14 (E12) depende de la dimabilidad de la fuente de luz elegida.

Los lúmenes indicados son nominales.

Los colores de los productos pueden variar respecto a lo que se muestra en el catálogo y de un lote a otro. Para toda pendencia el Forum implicado es Milán (Italia).

## MARKING



Class I luminaire: it's necessary to connect the device to the yellow/green protective conductor (earthing).

Apparecchio in Classe I: è obbligatoria la connessione al conduttore di protezione giallo/verde (messa a terra).

Classe I: il est obligatoire de relier l'appareil à la terre.

Schutzklasse I: alle berührbaren Metallteile sind elektrisch leitend miteinander verbunden und werden mit dem Netzschutzleiter verbunden.

Aparato en clase I: es obligatoria la conexión al conductor de protección amarillo/verde (toma de tierra).



Class II luminaire: appliance with double insulation.

Apparecchio in Classe II: apparecchio in doppio isolamento.

Classe II: appareil dote de double isolation.

Schutzklasse II: gerat mit doppelter isolierung.

Aparato en clase II: aparato provisto de aislamiento doble.



Class III luminaire: appliance in which protection against electrical shock is guaranteed by the extremely lowvoltage power supply.

Apparecchio in Classe III: apparecchio in cui la protezione contro la scossa elettrica si basa sulla alimentazione a bassissima tensione di sicurezza.

Classe III: appareil avec protection contre les décharges életriques basée sur l'alimentation à une tension de sécurité très basse.

Schutzklasse III: Zum Schutz vor elektrischen Schlägen mit Niedervolt gespeistes Gerät.

Aparato en clase III: aparato en el cual la protección contra la descarga eléctrica se debe a la alimentación a muy baja tensión.

## IP20

Device protected against the penetration of solid objects greater than 12mm.

Apparecchio protetto contro la penetrazione di corpi solidi di dimensioni maggiori a 12mm.

Protégé contre la pénétration des corps solides aux dimensions supérieures à 12mm.

Gegen das Eindringen von Festkörpern größer als 12mm geschützt.

Protección contra la penetración de cuerpos sólidos de un tamaño superior a 12mm.

## CE

It certifies the conformity of the product to the European community directives.

Attesta la conformità del prodotto alle disposizioni della Comunità Europea.

Il atteste la conformité du produit aux directives de la Communauté Européenne.

Das Zeichen bescheinigt die Konformität des Produktes mit den Bestimmungen der Europäischen Gemeinschaft.

Certifica la conformidad del producto con las disposiciones de la Comunidad Europea.

## EAC

It certifies the conformity of the product to the Eurasian Customs Union directives.

Attesta la conformità del prodotto alle disposizioni dell'Unione doganale eurasiatica.

Il atteste la conformité du produit aux directives de l'union douanière eurasiatique.

Das Zeichen bescheinigt die Konformität des Produktes mit den Bestimmungen der Eurasischen Zollunion.

Certifica la conformidad del producto con las disposiciones de la Unión Aduanera Euroasiática.



It certifies the conformity of the product to the North American market directives.

Attesta la conformità del prodotto alle disposizioni del mercato nordamericano.

Il atteste la conformité du produit aux directives du marché nord-américain.

Das Zeichen bescheinigt, dass das Produkt den Vorschriften des nordamerikanischen Marktes entspricht.

Certifica la conformidad del producto con las disposiciones del mercado norteamericano. Marca de conformidad U.S.A. y Canada.



# BIRD FLOOR

Jordi Pla / 2024

code colour PRICE vat excl.

514439NEU / GB	● black RAL9005	470 €
514439BEU / GB	● white RAL9010	
514439REU / GB	● brick red	

feeding	dimmer	certifications	materials
220-240 / 120 V	yes	◇ IP20 CE	metal

light source included light direction

board LED 1x6 W

2700 K - 660 lm - CRI>90



min 32 / max 39 cm



126 cm

ø 23 cm



# EVITA

AquiliaAlberg / 2011

code colour PRICE vat excl.


K155060B / GB	● warm white RAL1013	1700 €
K155060N / GB	● black RAL9005	
K155060T / GB	● dove-grey RAL7006	
K155060R / GB	● red RAL3003	

feeding	dimmer	certifications	materials
220-240 / 120 V	yes	⊕ IP20 CE ENEC	metal + technopolymers

light source included light direction

2x54 W - T5 fluorescent

or compatible LED light source



190 cm

ø 34.5 cm



# E.T.A.

Guglielmo Berchicci / 1997

code colour PRICE vat excl.


0171596BIEU / GB	● white	1500 €
0171596AREU / GB	● orange	

feeding	dimmer	certifications	materials
220-240 / 120 V	yes	⊕ IP20 CE ENEC	fiberglass + metal

light source not included light direction

3x40 W max - E14 (E12) +

1x100 W max - E27 (E26)



200 cm

ø 40 cm




# KUSHI FLOOR

Alberto Saggia & Valerio Sommella / 2016

code	colour	PRICE vat excl.
K2281059N / GB	● black RAL9005	1150 €
K2281059O / GB	● brass	
K2281059R / GB	● copper	

feeding	dimmer	certifications	materials
100-240 V	yes	☐ IP20 CE ENEC	glass + metal
light source included			light direction
board LED 3x4.6W 2700 K - 1900 lm - CRI>90			




# KUSHI XL FLOOR

Alberto Saggia & Valerio Sommella / 2019

code	colour	PRICE vat excl.
K219105N / GB	● black RAL9005	1280 €
K219105O / GB	● brass	
K219105R / GB	● copper	

feeding	dimmer	certifications	materials
220-240 / 120 V	yes	☐ IP20 CE ENEC	glass + metal
light source not included			light direction
2x70 W max - E27 - Ø 6cm max			




# KYUDO

Hansandfranz / 2009

code	colour	PRICE vat excl.
K048133BIEU / GB	● white RAL9016	1750 €
K048133NEEU / GB	● black RAL9005	
K048133AREU / GB	● orange RAL2007	

feeding	dimmer	certifications	materials
100-240 V	yes	☐ IP20 CE ENEC	aluminium
light source included			light direction
strip LED 1x36 W 2700 K - 4515 lm - CRI>90			






# MODEL T

Francesca Smiraglia / 2023

code	colour	PRICE vat excl.
K511435N / GB	● black RAL9005	980 €
K511435POP / GB	● pop	
K511435INOX / GB	● inox	1250 €

feeding	dimmer	certifications	materials
100-240 V	yes	□ IP20 CE	metal + plexiglass

light source included	light direction
board LED 1x65W 2700 K - 6600 lm - CRI>90	




# OPYO FLOOR

Cristina Celestino / 2019

code	colour	PRICE vat excl.
K350355B / GB	● white RAL9010	920 €
K350355C / GB	● coral RAL3012	
K350355O / GB	● brass	

feeding	dimmer	certifications	materials
220-240 / 120 V	yes	□ IP20 CE ENEC	glass + metal

light source not included	light direction
1x70 W max - E27 (E26)	




# POISE FLOOR

Robert Dabi / 2022

code	colour	PRICE vat excl.
505425N / GB	● black RAL9005	550 €

feeding	dimmer	certifications	materials
220-240 / 120 V	yes	□ IP20 CE	metal

light source included	light direction
strip LED 1x28 W 2700 K - 3600 lm - CRI>90	






# SHAKTI

Marzio Rusconi Clerici / 2001


code	colour	PRICE vat excl.	
SHAKTI 200			
KSA110BIEU / GB	● white + satin base	780 €	
KCR110BIEU / GB	● white + polished base	830 €	
SHAKTI 250			
KSA111BIEU / GB	● white + satin base	950 €	
feeding	dimmer	certifications	materials
220-240 / 120 V	yes	☐ IP20 CE ENEC	plexiglass + metal
light source not included			light direction
2x100 W max - E27 (E26)			



# TRIPOD FLOOR

Christophe Pillet / 2002


code	colour	PRICE vat excl.	
K947BIEU / GB	● white	1100 €	
K947BEEU / GB	● ecru		
K947MOEU / GB	● moka		
feeding	dimmer	certifications	materials
220-240 / 120 V	yes	☐ IP20 CE ENEC	metal + fabric
light source not included			light direction
3x70 W max - E27 (E26)			



# TYLA

Marc Sadler / 2021

code	colour	PRICE vat excl.	
K501418B / GB	● white RAL9010	935 €	
K501418BLU / GB	● dark blue RAL5004		
K501418RO / GB	● red RAL3004		
feeding	dimmer	certifications	materials
220-240 / 120 V	yes	☐ IP20 CE ENEC	glass + metal
light source not included			light direction
1x70W max - E27 (E26)			






# ATOMIUM

Hopf&Wortmann - Büro Für Form / 2006

code	colour	PRICE vat excl.
011890BIEU / GB	white	660 €

feeding	dimmer	certifications	materials
220-240 / 120 V	no	IP20   EAC	polyethylene
<b>light source</b> not included			<b>light direction</b>
6x40 W max - E14 (E12)			




# BIRD TABLE

Jordi Pla / 2024

code	colour	PRICE vat excl.
514438NEU / GB	black RAL9005	350 €
514438BEU / GB	white RAL9010	
514438REU / GB	brick red	

feeding	dimmer	certifications	materials
220-240 / 120 V	yes	IP20   EAC	metal
<b>light source</b> included			<b>light direction</b>
board LED 1x6 W max 2700 K - 660 lm - CRI>90			




# HIVE

Ini Archibong / 2017

code	colour	PRICE vat excl.
K390325B / GB	white	550 €
K390325N / GB	black	
K390325R / GB	red	

feeding	dimmer	certifications	materials
220-240 / 120 V	no	IP20   EAC	glass + ceramic
<b>light source</b> not included			<b>light direction</b>
1x30 W max - E27			






## KUSHI 16 MOBILE

Alberto Saggia & Valerio Sommella / 2016

code	colour	PRICE vat excl.
K2291059N	● black RAL9005	340 €
K2291059O	● brass	
K2291059R	● copper	

feeding	dimmer	certifications	materials
rechargeable battery 5 V min 500 mA	no	◇ IP20 CE ENEC	glass + metal
light source included	battery life	light direction	
board LED 1x1.3W 2700 K - 150 lm - CRI>90	5h 30min		




## KUSHI 16 TABLE

Alberto Saggia & Valerio Sommella / 2015

code	colour	PRICE vat excl.
K227105N / GB	● black RAL9005	270 €
K227105O / GB	● brass	
K227105R / GB	● copper	

feeding	dimmer	certifications	materials
220-240 / 120 V	no	□ IP20 CE ENEC	glass + metal
light source not included	light direction		
1x25 W max - G9			




## KUSHI 33 TABLE

Alberto Saggia & Valerio Sommella / 2015

code	colour	PRICE vat excl.
K222105N / GB	● black RAL9005	510 €
K222105O / GB	● brass	
K222105R / GB	● copper	

feeding	dimmer	certifications	materials
220-240 / 120 V	yes	□ IP20 CE ENEC Ⓜ	glass + metal
light source not included	light direction		
1x30 W max - E27			






# KUSHI XL TABLE

Alberto Saggia & Valerio Sommella / 2019

code	colour	PRICE vat excl.
K223105N / GB	● black RAL9005	680 €
K223105O / GB	● brass	
K223105R / GB	● copper	

feeding	dimmer	certifications	materials
220-240 / 120 V	yes	IP20 CE ENEC	glass + metal
<b>light source</b> not included			<b>light direction</b>
1x70 W max - E27			




# LANNÀ TABLE

Noé Duchaufour Lawrance / 2017

code	colour	PRICE vat excl.
K385320N / GB	● black RAL9005	520 €
K385320 / GB	● brass	

feeding	dimmer	certifications	materials
220-240 / 120 V	no	IP20 CE ENEC	glass + metal
<b>light source</b> not included			<b>light direction</b>
1x20 W max - E27 Ø 6cm max			







# POISE


Robert Dabi / 2021

code	colour	PRICE vat excl.
505424N / GB	● black RAL9005	360 €

feeding	dimmer	certifications	materials
220-240 / 120 V	yes	☐ IP20 CE ENEC	metal

light source included	light direction
strip LED 1x17.5 W 2700 K - 1050 lm - CRI>90	

**movement options**




# TATU

MrSmith Studio / 2019

code	colour	PRICE vat excl.
K360375N / GB	● black RAL9005	780 €
K360375O / GB	● brass	

feeding	dimmer	certifications	materials
220-240 / 120 V	yes	☐ IP20 CE ENEC	glass + metal

light source not included	light direction
1x105 W max - E27 (E26)	






# ATOMIUM SUSPENSION

Hopf&Wortmann - Büro Für Form / 2006

code	colour	PRICE vat excl.	
011892BIEU	● white	650 €	
feeding	dimmable	certifications	materials
220-240 / 120 V	yes	⊕ IP20 CE ENEC	polyethylene
light source not included	canopy	light direction	
6x40 W max - E14 (E12)	white		




# BIRD CEILING


Jordi Pla / 2024

code	colour	PRICE vat excl.	
514440NEU	● black RAL9005 - 2 tiges included	250 €	
514440BEU	● white RAL9010 - 2 tiges included		
514440REU	● brick red - 2 tiges included		
514-AC1N	● black RAL9005 - tige 50.5 cm	35 €	
514-AC1B	● white RAL9010 - tige 50.5 cm		
514-AC1R	● brick red - tige 50.5 cm		
514-AC2N	● black RAL9005 - tige 110.5 cm	50 €	
514-AC2B	● white RAL9010 - tige 110.5 cm		
514-AC2R	● brick red - tige 110.5 cm		
feeding	dimmable	certifications	materials
220-240 / 120 V	phase cut	⊕ IP20 CE	metal
light source included	light direction		
board LED 1x6 W max 2700 K - 660 lm - CRI>90			

BIRD STANDARD LENGTHS  
2 TIGES INCLUDED



BIRD + TIGE 50.5 CM      BIRD + TIGE 110.5 CM










# BOLHA

Valerio Sommella & Anonima Luci / 2021

code	colour	PRICE vat excl.
K502419A	 <b>amber</b>	<b>1450 €</b>




feeding	dimmable	certifications	materials
220-240 / 120 V	phase cut	⊕ IP20  	glass + aluminium
light source included		canopy	light direction
board LED 1x22W 2700 K - 2200 lm - CRI>90		brown	





# CLOVER

Brodie Neill / 2011

code	colour	PRICE vat excl.
140049LED	 <b>white RAL9016</b>	<b>1800 €</b>

feeding	dimmable	certifications	materials
110-240 V	1-10V or Push	⊕ IP20  	polyurethane + aluminium
light source included		canopy	light direction
220-240 V: board LED 1x20 W 2700 K - 1980 lm - CRI>90 110-120 V: board LED 1x18 W 2700 K - 1650 lm - CRI>90		white	





# DALA

Francesca Smiraglia / 2021


code	colour	PRICE vat excl.
<b>DALA 2700 K</b>		
K503420GL	dark grey + wood finish	950 €
K503420SL	sand + wood finish	
K503420GC	dark grey + concrete finish	
K503420SC	sand + concrete finish	
K503420GR	dark grey + copper	
K503420SR	sand + copper	
K503420BB	white	840 €
<b>DALA 3000 K</b>		
K503420GL30	dark grey + wood finish	950 €
K503420SL30	sand + wood finish	
K503420GC30	dark grey + concrete finish	
K503420SC30	sand + concrete finish	
K503420GR30	dark grey + copper	
K503420SR30	sand + copper	
K503420BB30	white	840 €

feeding	dimmable	certifications	materials
220-240 / 120 V	phase cut	⊕ IP20 CE ENEC	metal + polyethylene

### light source included

DALA 2700 K:  
board LED 1x42W - 2700 K - 4200 lm - CRI>90  
DALA 3000 K:  
board LED 1x42W - 3000 K - 4350 lm - CRI>90

### light direction





# DALA LINEAR



Francesca Smiraglia / 2022

code	colour	PRICE vat excl.
<b>DALA LINEAR 2700 K</b>		
K503427GL	dark grey + wood finish	950 €
K503427SL	sand + wood finish	
K503427GC	dark grey + concrete finish	
K503427SC	sand + concrete finish	
K503427GR	dark grey + copper	
K503427SR	sand + copper	

<b>DALA LINEAR 3000 K</b>		
K503427GL30	dark grey + wood finish	950 €
K503427SL30	sand + wood finish	
K503427GC30	dark grey + concrete finish	
K503427SC30	sand + concrete finish	
K503427GR30	dark grey + copper	
K503427SR30	sand + copper	

feeding	dimmable	certifications	materials
220-240 / 120 V	phase cut	⊕ IP20 CE Ⓜ	metal

light source included	canopy	light direction
DALA LINEAR 2700 K: board LED 1x43 W 2700 K - 5150 lm - CRI>90	dark grey or sand	
DALA LINEAR 3000 K: board LED 1x43 W 3000 K - 5300 lm - CRI>90		





# DEW

Emmanuel Babled / 2009



code	colour	PRICE vat excl.
DEW		
0451291EU	● chrome	395 €
0451291NEU	● black RAL9005	425 €
0451291OEU	● brass	
DEW FALSE CEILING		
0451291C	● chrome	380 €
0451291CN	● black RAL9005	415 €
0451291CO	● brass	

feeding	dimmable	certifications	materials
220-240 / 120 V	phase cut	⊕ IP20 CE ENE Ⓢ*	glass + metal
		*only DEW	

### special requests

It is possible to ask for quotes for different shapes, sizes and finishing according to your needs.

light source included	canopy + cable length	light direction
board LED 1x5 W 2700 K - 440 lm - CRI>90	chromed or black or brass cable length 250 cm	





# DEW 3

Emmanuel Babled / 2009

code	colour	PRICE vat excl.
0451293EU	● chrome	1150 €
0451293NEU	● black RAL9005	1250 €
0451293OEU	● brass	

feeding	dimmable	certifications	materials
220-240 / 120 V	phase cut	⊕ IP20 CE ENE Ⓢ	glass + metal
light source included	canopy + cable length	light direction	
board LED 3x5 W 2700 K - 1320 lm - CRI>90	chromed or black or brass cable length 250 cm		






## DEW 5

Emmanuel Babled / 2009

code	colour	PRICE vat excl.
K0451375EU	chrome	2300 €
K0451375NEU	black RAL9005	2500 €
K0451375OEU	brass	

feeding	dimmable	certifications	materials
220-240 / 120 V	phase cut	⊕ IP20 CE ENE	glass + metal

light source included	canopy + cable length	light direction
board LED 5x5 W 2700 K - 2200 lm - CRI>90	mirrored or black or brass finish cable length 450 cm	



ø 25 cm

DEW x5



ø 11 cm




## DEW 7

Emmanuel Babled / 2009

code	colour	PRICE vat excl.
K0451377EU	chrome	3200 €
K0451377NEU	black RAL9005	3400 €
K0451377OEU	brass	


feeding	dimmable	certifications	materials
220-240 / 120 V	phase cut	⊕ IP20 CE ENE	glass + metal

light source included	canopy + cable length	light direction
board LED 7x5 W 2700 K - 3080 lm - CRI>90	mirrored or black or brass finish cable length 450 cm	



ø 25 cm

DEW x7



ø 11 cm




## DEW 9

Emmanuel Babled / 2009

code	colour	PRICE vat excl.
K0451379EU	chrome	4500 €
K0451379NEU	black RAL9005	4800 €
K0451379OEU	brass	


feeding	dimmable	certifications	materials
220-240 / 120 V	phase cut	⊕ IP20 CE ENE	glass + metal

light source included	canopy + cable length	light direction
board LED 9x5 W 2700 K - 3960 lm - CRI>90	mirrored or black or brass finish cable length 450 cm	



ø 49.5 cm

DEW x9



ø 11 cm




## DEW 15

Emmanuel Babled / 2009

code	colour	PRICE vat excl.
K04513715EU	chrome	6880 €
K04513715NEU	black RAL9005	7560 €
K04513715OEU	brass	

feeding	dimmable	certifications	materials
220-240 / 120 V	phase cut	⊕ IP20 CE ENEC	glass + metal
light source included	canopy + cable length		light direction
board LED 15x5 W 2700 K - 6600 lm - CRI>90	mirrored or black or brass finish cable length 450 cm		



ø 49.5 cm

DEW x 15



ø 11 cm




## DEW 19

Emmanuel Babled / 2009

code	colour	PRICE vat excl.
K04513719EU	chrome	8450 €
K04513719NEU	black RAL9005	9300 €
K04513719OEU	brass	

feeding	dimmable	certifications	materials
220-240 / 120 V	phase cut	⊕ IP20 CE ENEC	glass + metal
light source included	canopy + cable length		light direction
board LED 19x5 W 2700 K - 8360 lm - CRI>90	mirrored or black or brass finish cable length 450 cm		



ø 49.5 cm

DEW x 19



ø 11 cm



## E.T.A. SAT

Guglielmo Berchicci / 1997

code	colour	PRICE vat excl.
017106BIEU	white	1200 €
017106AREU	orange	

feeding	dimmable	certifications	materials
220-240 / 120 V	yes	⊕ IP20 CE ENEC	fiberglass + polycarbonate + metal
light source not included	canopy		light direction
1x40 W max - E14 (E12) + 1x100 W max - E27 (E26)	white		



ø 12 cm

4.5 cm



80 cm

5.5 cm






# FLOED

StorageMilano / 2020

code	colour	PRICE vat excl.
K375416BR	● bronze	845 €

feeding	dimnable	certifications	materials
220-240 / 120 V	yes	⊕ IP20 CE ENEC	glass + metal
<b>light source</b> not included			<b>light direction</b>
1x70 W max - E27 (E26) - L 10.5cm max			




# FLOED 2

StorageMilano / 2020

code	colour	PRICE vat excl.
K375417BR	● bronze	1450 €

feeding	dimnable	certifications	materials
220-240 / 120 V	yes	⊕ IP20 CE ENEC	glass + metal
<b>light source</b> not included			<b>light direction</b>
2x70 W max - E27 (E26) - L 10.5cm max			






# FLOW

Chris Basias / 2022

code	colour	PRICE vat excl.
506428N	● black RAL9005	250 €
500500N	● black RAL9005 - canopy	68 €
500501N	● black RAL9005 - false ceiling canopy	42 €
500517N	● black RAL9005 - multiple canopy max 8 lamps	230 €
<b>LEAF</b>		
506430N	● black RAL9005 - accessory	140 €

feeding	dimnable	certifications	materials
120-240 V	yes	⊕ IP20 CE	glass + metal
<b>light source</b> not included			<b>light direction</b>
1x25W max - G9			





# FLOW CEILING



Chris Basias / 2022

code	colour	PRICE vat excl.
506429N	● black RAL9005	260 €

LEAF		
506430N	● black RAL9005 - accessory	140 €

feeding	dimmable	certifications	materials
120-240 V	yes	⊕ IP20 CE	glass + metal

light source	not included	light direction
1x25W max - G9		



# GIASS

Sebastian Herkner / 2017

code	colour	PRICE vat excl.
------	--------	-----------------

GIASS 25		
K395330S	● white	1500 €
K395330G	● smokey grey	

GIASS 30		
K396330S	● white	1660 €
K396330G	● smokey grey	

GIASS 40		
K397330S	● white	1830 €
K397330G	● smokey grey	

GIASS 50		
K398330S	● white	2150 €
K398330G	● smokey grey	

feeding	dimmable	certifications	materials
220-240 / 120 V	0-10V	⊕ IP20 CE ENEC	glass + metal

## multiple composition

Giass can be installed in multiple compositions fed by one single light point





light source	included	light direction
--------------	----------	-----------------

GIASS 25:  
board LED 1x21.5W - 2700 K - 1700 lm - CRI>90

GIASS 30:  
board LED 1x27.5W - 2700 K - 2250 lm - CRI>90

GIASS 40:  
board LED 1x35W - 2700 K - 3100 lm - CRI>90

GIASS 50:  
board LED 1x44W - 2700 K - 3950 lm - CRI>90





# JER

Valerio Sommella & Anonima Luci / 2021


code	colour	PRICE vat excl.
K504421FB	smokey blue	585 €
K504421FM	smokey brown	
K504421FV	smokey green	

feeding	dimmable	certifications	materials
220-240 / 120 V	phase cut	⊕ IP20 CE ENEC	glass + metal

light source included	canopy	light direction
board LED 1x6W 2700 K - 495 lm - CRI>80	black	



# KATE

Francesca Smiraglia / 2023


code	colour	PRICE vat excl.
KATE 2700K		
K510434B27	white	940 €
510434-60227	gold leaf	1850 €
510434-XXX27	colours on request	1150 €
KATE 3000K		
K510434B30	white	940 €
510434-60230	gold leaf	1850 €
510434-XXX30	colours on request	1150 €

feeding	dimmable	certifications	materials
220-240 / 120 V	phase cut	⊕ IP20 CE	metal + polyethylene

light source included	light direction
KATE 2700 K: board LED 1x65W - 2700 K - 6856 lm - CRI>90	
KATE 3000 K: board LED 1x65W - 3000 K - 6956 lm - CRI>90	






# KATE SUSPENSION

Francesca Smiraglia / 2024

code	colour	PRICE vat excl.
<b>KATE SUSPENSION 2700K</b>		
K510437B27	● white	1100 €
510437-60227	● gold leaf	1970 €
510437-XXX27	● colours on request	1270 €
<b>KATE SUSPENSION 3000K</b>		
K510437B30	● white	1100 €
510437-60230	● gold leaf	1970 €
510437-XXX30	● colours on request	1270 €


feeding	dimnable	certifications	materials
220-240 / 120 V	phase cut	⊕ IP20 CE	metal + polyethylene
light source included	canopy	light direction	
KATE SUSPENSION 2700 K: board LED 1x65W 2700 K - 6856 lm - CRI>90 KATE SUSPENSION 3000 K: board LED 1x65W 3000 K - 6956 lm - CRI>90	white or gold leaf or colours on request		



# KOOI

Studio Shuu / 2023

code	colour	PRICE vat excl.	
509433N	● black RAL9005	680 €	
feeding	dimnable	certifications	materials
220-240 / 120 V	phase cut	⊕ IP20 CE	glass + metal
light source included	canopy	light direction	
board LED 1x26W 2700 K - 2179 lm - CRI>90	black		






## KUSHI 16 CEILING

Alberto Saggia & Valerio Sommella / 2015

code	colour	PRICE vat excl.
K225105N	● black RAL9005	270 €
K225105O	● brass	
K225105R	● copper	

feeding	dimmable	certifications	materials
220-240 V	yes	⊕ IP20 CE ENEC	glass + metal

light source	light direction
not included 1x25 W max - G9	




## KUSHI 33 CEILING

Alberto Saggia & Valerio Sommella / 2015

code	colour	PRICE vat excl.
K220105N	● black RAL9005	430 €
K220105O	● brass	
K220105R	● copper	

feeding	dimmable	certifications	materials
220-240 / 120 V	yes	⊕ IP20 CE ENEC	glass + metal

light source	light direction
not included 1x30 W max - E27 (E26)	




## KUSHI XL CEILING

Alberto Saggia & Valerio Sommella / 2022

code	colour	PRICE vat excl.
K217105N	● black RAL9005	580 €
K217105O	● brass	
K217105R	● copper	

feeding	dimmable	certifications	materials
220-240 / 120 V	yes	⊕ IP20 CE ENEC	glass + metal

light source	light direction
not included 2x70 W max - E27 (E26)	





## KUSHI 16 SUSPENSION



Alberto Saggia & Valerio Sommella / 2015

code colour PRICE vat excl.

K226105N	● black RAL9005	290 €
K226105O	● brass	
K226105R	● copper	

feeding	dimmable	certifications	materials
220-240 / 120 V	yes	⊕ IP20 CE ENEC	glass + metal

light source not included	canopy	light direction
1x25 W max - G9	white	



## KUSHI 33 SUSPENSION



Alberto Saggia & Valerio Sommella / 2015

code colour PRICE vat excl.

K221105N	● black RAL9005	520 €
K221105O	● brass	
K221105R	● copper	

feeding	dimmable	certifications	materials
220-240 / 120 V	yes	⊕ IP20 CE ENEC	glass + metal

light source not included	canopy	light direction
1x30 W max - E27 (E26)	white	



## KUSHI XL SUSPENSION



Alberto Saggia & Valerio Sommella / 2015

code colour PRICE vat excl.

K218105N	● black RAL9005	750 €
K218105O	● brass	
K218105R	● copper	

feeding	dimmable	certifications	materials
220-240 / 120 V	yes	⊕ IP20 CE ENEC	glass + metal

light source not included	canopy	light direction
2x70 W max - E27 (E26)	white	







# LANNÀ SUSPENSION

Noé Duchaufour Lawrance / 2017

code	colour	PRICE vat excl.
K386320N	● black RAL9005	520 €
K386320	● brass	

feeding	dimnable	certifications	materials
220-240 / 120 V	yes	⊕ IP20 CE ENE	glass + metal
light source	not included	canopy	light direction
1x20 W max - E27 (E26) Ø 6cm max		black or brass	





# LILLI

Cristina Celestino / 2019

code	colour	PRICE vat excl.
K355365O	● brass	695 €

feeding	dimnable	certifications	materials
220-240 / 120 V	yes	⊕ IP20 CE ENE	glass + metal
light source	not included	canopy	light direction
3x42W max - E14 (E12)		white	






# LOUIS

Studio 14 / 2013

code	colour	PRICE vat excl.
LOUIS 34		
K075245	● white	370 €
LOUIS 41		
K075245M	● white	390 €
LOUIS 48		
K075245L	● white	410 €

feeding	dimnable	certifications	materials
220-240 / 120 V	yes	⊕ IP20 CE ENE	polyethylene + aluminium
light source	not included	light direction	
1x30W max - E27 (E26) Ø 5.5cm max			





# MINIMAL


David Pompa / 2017

code	colour	PRICE vat excl.
380315R *	copper	265 €
380315N *	black nickel	
ALI-CC350_8W	driver - not dimmable	30 €
500500N	black RAL9005 - canopy	68 €



\*driver not included - false ceiling canopy included

feeding	dimmable	certifications	light source included	canopy	light direction
220-240 / 120 V	yes	IP20   Minimal IP20   Minimal + Driver ALI-CC350_8W IP20   Minimal + Canopy 500500N	board LED 1x3.15W 2700 K - 346 lm - CRI>90	black	

CANOPY



FALSE CEILING CANOPY



# MITOS

Chris Basias / 2022

code	colour	PRICE vat excl.
507431N	black RAL9005 - spot	210 €
507-ALIEU-DIM	black RAL9005 - driver kit dimmable phase cut - max 5 spot	250 €
507-ALIEU	black RAL9005 - driver kit not dimmable - max 9 spot	64 €
507-CAV10	copper - cable L 10m	64 €
507-CAV30	copper - cable L 30m	165 €
507-AC1	black RAL9005 - cable holder plate	15 €

feeding	dimmable	certifications	materials
220-240 / 120 V	yes	IP20   spot IP20   spot + driver kit	aluminium + technopolymer

### multiple composition system capability

spot n°: max 9 (dimmable max 5 spots) - cable length: max 2 x 30m


light source not included

GU 5.3

light direction



MITOS SPOT





DRIVER KIT



CABLE HOLDER PLATE



### installation options







# MOTUS

Shulab / 2023



code	colour	PRICE vat excl.
K512436B	● white RAL9010	470 €
K512436N	● black RAL9005	
K512436R	● red RAL3016	

feeding	dimnable	certifications	materials
220-240 / 120 V	phase cut	⊕ IP20 CE	glass + metal

### sliding mechanism

press the button - slide up or slide down - release the button to fix the lamp at the desired height

light source included	canopy	light direction
board LED 1x22 W 2700 K - 2346 lm - CRI>90	white or black or red	





# NAMI

Alberto Saggia & Valerio Sommella / 2017

code	colour	PRICE vat excl.
K405340N	● black RAL9005	1970 €
K405340	● brass	

feeding	dimnable	certifications	materials
100-240 V	1-10V	⊕ IP20 CE ENEC	glass + metal

light source included	canopy	light direction
strip LED 60 W 2700 K - 6020 lm - CRI>90	black or brass	





# OPYO SUSPENSION

Cristina Celestino / 2019

code	colour	PRICE vat excl.
K350356B	● white RAL9010	420 €
K350356C	● coral RAL3012	
K350356O	● brass	

feeding	dimnable	certifications	materials
220-240 / 120 V	yes	⊕ IP20 CE ENEC	glass + metal

light source not included	canopy	light direction
1x70 W max - E27 (E26)	white	






# POISE CEILING

Robert Dabi / 2021

code	colour	PRICE vat excl.
505426N	● black RAL9005	460 €

feeding	dimmable	certifications	materials
220-240 / 120 V	phase cut	⊕ IP20 CE	metal

light source included	light direction
strip LED 1x28 W 2700 K - 3148 lm - CRI>90	



# SLING

Chris Basias / 2023




code	colour	PRICE vat excl.
508432N27	● black RAL9005 - spot - 2700 K	110 €
508432N30	● black RAL9005 - spot - 3000 K	
508-ALIEU	● black RAL9005 - driver kit (from 2 to 9 spots max)	180 €

feeding	dimmable	certifications	materials
220-240 / 120 V	phase cut	◇ IP20 CE spot ⊕ IP20 CE spot + driver kit	metal

light source included	cable length included	light direction
SLING 2700 K: board LED 1x5 W 2700 K - 500 lm - CRI>90	4 m for each spot 10 m for each driver kit	

SLING 3000 K:  
board LED 1x5 W  
3000 K - 520 lm - CRI>90

## installation options










# SPILLO SUSPENSION

Constantin Wortmann / 2010




code	colour	PRICE vat excl.
232135EU	 white	430 €




feeding	dimmable	certifications	materials
220-240 / 120 V	yes	⊕ IP20  	polyethylene + metal
light source not included		canopy	light direction
1x21W max - E27 (E26) - Ø 5cm max		white	





# TRIPOD SUSPENSION

Christophe Pillet / 2002

code	colour	PRICE vat excl.
223945BIEU	 white	730 €
223945ECEU	 ecru	
223945MOEU	 moka	

feeding	dimmable	certifications	materials
220-240 / 120 V	yes	⊕ IP20  	metal + fabric
light source not included		canopy	light direction
3x70 W max - E27 (E26)		white	






# VICEVERSA


Noé Duchaufour Lawrance / 2019

code	colour	PRICE vat excl.
VICEVERSA		
K370280GA	● amber	1290 €
K370280GF	● smokey grey	



VICEVERSA 2		
K370281GA	● amber	2290 €
K370281GF	● smokey grey	

VICEVERSA 2



feeding	dimnable	certifications	materials
110-240 V	1-10V or push	⊕ IP20* CE ENE	glass + metal

light source included	canopy	light direction
VICEVERSA: board LED 9 W 2700 K - 990 lm - CRI>90	dark grey	
VICEVERSA 2: board LED 16.5 W 2700 K - 1815 lm - CRI>90	* canopy IP20 structure built in compliance with IP54 specifications	


VICEVERSA



# YUMA


David Pompa / 2017

code	colour	PRICE vat excl.
370310EU	● brass	380 €



feeding	dimnable	certifications	materials
220-240 / 120 V	yes	⊕ IP20 CE ENE	glass + metal

light source not included	canopy	light direction
1x20W max - E27 (E26)	brass	






# ATOMIUM WALL

Hopf&Wortmann - Büro Für Form / 2006

code	colour	PRICE vat excl.	
011891BIEU	● white	440 €	
feeding	dimmable	certifications	materials
220-240 / 120 V	yes	⊕ IP20 <b>CE</b> <b>ERC</b>	polyethylene
light source	not included		light direction
3x40 W max - E14 (E12)			



# AZOU 3




Chris Basias / 2019

code	colour	PRICE vat excl.
K3454113MB	● white marble - lamp	720 €
K3454113MN	● black marble - lamp	
K3454113MO	● green onyx - lamp	1140 €
345-PLUGEU / GB	● black - plug kit - dimmer included	160 €
ALI-0003	● driver - dimmable 1-10V or push	105 €
500515N	● black - canopy - driver not included	115 €

feeding	dimmable	certifications	materials
220-240 / 120 V	yes	◆ IP20 <b>CE</b> <b>ERC</b> lamp ⊕ IP20 <b>CE</b> <b>ERC</b> lamp + driver ⊕ IP20 <b>CE</b> <b>ERC</b> lamp + plug kit	metal + marble or onyx

light source	light direction
included board LED 3x4.2 W 2700 K - 1350 lm - CRI>90	

## installation options





# AZOU 5

Chris Basias / 2019

code	colour	PRICE vat excl.
K3454115MB	● white marble - lamp	990 €
K3454115MN	● black marble - lamp	
K3454115MO	● green onyx - lamp	1650 €
345-PLUGEU / GB	● black - plug kit - dimmer included	160 €
ALI-0003	● driver - dimmable 1-10V or push	105 €
500515N	● black - canopy - driver not included	115 €

feeding	dimmable	certifications	materials
220-240 / 120 V	yes	◆ IP20 <b>CE ENEC</b> lamp ⊕ IP20 <b>CE ENEC</b> lamp + driver □ IP20 <b>CE ENEC</b> lamp + plug kit	metal + marble or onyx



### light source included

board LED 5x4.2 W  
2700 K - 2250 lm - CRI>90

### light direction



### installation options





# AZOU 7

Chris Basias / 2019

code	colour	PRICE vat excl.
K3454117MB	● white marble - lamp	1350 €
K3454117MN	● black marble - lamp	
K3454117MO	● green onyx - lamp	2350 €
345-PLUGEU / GB	● black - plug kit - dimmer included	160 €
ALI-0003	● driver - dimmable 1-10V or push	105 €
500515N	● black - canopy - driver not included	115 €

feeding	dimmable	certifications	materials
220-240 / 120 V	yes	◆ IP20 <b>CE ENEC</b> lamp ⊕ IP20 <b>CE ENEC</b> lamp + driver □ IP20 <b>CE ENEC</b> lamp + plug kit	metal + marble or onyx




### light source included

board LED 7x4.2 W  
2700 K - 3150 lm - CRI>90

### light direction



### installation options



# FRAME

Benjamin Hubert / 2011



code	colour	PRICE vat excl.
145050B	● white RAL9010	285 €
145050C	● chrome	340 €

feeding	dimmable	certifications	materials
220-240 / 120 V	yes	⊕ IP20 <b>CE ENEC</b>	aluminium

### light source not included

1x150 W max - R7s - L 78 mm

### light direction





# NAMI WALL


Alberto Saggia & Valerio Sommella / 2020

code	colour	PRICE vat excl.
------	--------	-----------------

K340406N	● black RAL9005	310 €
K340406O	● brass	

feeding	dimnable	certifications	materials
220-240 / 120 V	phase cut	⊕ IP20 CE ENEC	glass + aluminium

light source included	light direction
board LED 1x12 W 2700 K - 1320 lm - CRI>90	



# PASTILLA


Patricia Urquiola / 2000

code	colour	PRICE vat excl.
------	--------	-----------------

218970BIAEU	● white RAL9016	350 €
218970BREU	● bronze	

feeding	dimnable	certifications	materials
220-240 / 120 V	yes	⊕ IP20 CE ENEC	glass + metal

light source not included	light direction
2x42 W max - E14 (E12)	



# PIXEL


Bakery Group / 2009

code	colour	PRICE vat excl.
------	--------	-----------------

044128BIEU	● white	240 €
------------	---------	-------

feeding	dimnable	certifications	materials
220-240 / 120 V	yes	⊕ IP20 CE ENEC	polyethylene + metal

light source not included	light direction
3x12 W max - E14 (E12)	








# TUA

Behurt / 2014

code	colour	PRICE vat excl.
100266SNL	● black tin	390 €


feeding	dimmable	certifications	materials
220-240 / 120 V	yes	⊕ IP20 CE ENEC	glass + metal

light source	light direction
not included 1x100 W max - R7s - L 78 mm	






# ACCESSORIES

code	colour	PRICE vat excl.
<b>2 HOLES CANOPY</b>		
500521CR	● chrome	85 €
500521N	● black	
500521O	● brass	
500521B	● white	
<b>DECENTRALIZER</b>		
500518CR	● chrome	26 €
500518N	● black	
500518O	● brass	
500518B	● white	
<b>DECENTRALIZER HOOK</b>		
500519N	● black	15 €
500519B	● white	
<b>WIRE GRIPLOCK</b>		
500520CR	● chrome	15 €
500520N	● black	
500520B	● white	



# SPECIAL CANOPIES

It is possible to ask for quotes for different shapes, sizes and finishing according to your needs. Thanks to the technical and commercial support of the company, all needs can be met, customising each and every aspect of the project with great flexibility.



# PACKAGING

lamp	packaging
FLOOR	
BIRD FLOOR	box 1 - 136x7x26 cm - 0.220 m <sup>3</sup> - 3.40 kg
EVITA	box 1 - 26x25x202 cm - 0.131 m <sup>3</sup> - 12.50 kg box 2 - 40x40x4 cm - 0.006 m <sup>3</sup> - 6.40 kg
E.T.A.	box 1 - 45x45x202 cm - 0.409 m <sup>3</sup> - 14.40 kg
KUSHI FLOOR	box 1 - 45x33x140 cm - 0.208 m <sup>3</sup> - 7.60 kg
KUSHI XL FLOOR	box 1 - 51x51x42 cm - 0.109 m <sup>3</sup> - 4.80 kg box 2 - 170x20x20 cm - 0.068 m <sup>3</sup> - 3.25 kg box 3 - 47x47x4.5 cm - 0.010 m <sup>3</sup> - 11.20 kg
KYUDO	box 1 - 46x10x164 cm - 0.075 m <sup>3</sup> - 6.90 kg box 2 - 50x50x6 cm - 0.015 m <sup>3</sup> - 16.50 kg
MODEL T	box 1 - 18x18x190 cm - 0.062 m <sup>3</sup> - 5.00 kg box 2 - 30x30x85 cm - 0.077 m <sup>3</sup> - 8.30 kg
OPYO FLOOR	box 1 - 17.5x17.5x23 cm - 0.007 m <sup>3</sup> - 12.00 kg box 2 - 18.5x15x165 cm - 0.046 m <sup>3</sup> - 2.50 kg box 3 - 30x30x36 cm - 0.032 m <sup>3</sup> - 1.60 kg box 4 - 21x21x24 cm - 0.011 m <sup>3</sup> - 1.25 kg
POISE FLOOR	box 1 - 65x65x8 cm - 0.034 m <sup>3</sup> - 5.60 kg
SHAKTI 200	box 1 - 220x23x23 cm - 0.116 m <sup>3</sup> - 5.50 kg box 2 - 36x32x5.5 cm - 0.006 m <sup>3</sup> - 3.40 kg
SHAKTI 250	box 1 - 267x26x25 cm - 0.174 m <sup>3</sup> - 6.80 kg box 2 - 40x36x5 cm - 0.007 m <sup>3</sup> - 4.80 kg
TRIPOD FLOOR	box 1 - 60x60x33 cm - 0.119 m <sup>3</sup> - 3.50 kg box 2 - 18.5x18.5x176 cm - 0.060 m <sup>3</sup> - 4.50 kg
TYLA	box 1 - 51x51x42 cm - 0.109 m <sup>3</sup> - 7.00 kg box 2 - 18x18x180 cm - 0.058 m <sup>3</sup> - 10.00 kg
TABLE	
ATOMIUM	box 1 - 65x59x52 cm - 0.199 m <sup>3</sup> - 8.00 kg
BIRD TABLE	box 1 - 20.5x7x51.5 cm - 0.007 m <sup>3</sup> - 1.80 kg
HIVE	box 1 - 32x32x32 cm - 0.033 m <sup>3</sup> - 2.20 kg box 2 - 32x32x32 cm - 0.033 m <sup>3</sup> - 2.70 kg
KUSHI 16 MOBILE	box 1 - 24x24x20 cm - 0.012 m <sup>3</sup> - 0.90 kg box 2 - 14x14x23 cm - 0.005 m <sup>3</sup> - 0.50 kg
KUSHI 16 TABLE	box 1 - 24x24x20 cm - 0.012 m <sup>3</sup> - 0.90 kg box 2 - 14x14x23 cm - 0.005 m <sup>3</sup> - 0.40 kg
KUSHI 33 TABLE	box 1 - 40x40x33 cm - 0.053 m <sup>3</sup> - 3.50 kg box 2 - 18.5x18.5x34 cm - 0.012 m <sup>3</sup> - 0.85 kg
KUSHI XL TABLE	box 1 - 40x40x33 cm - 0.053 m <sup>3</sup> - 3.50 kg box 2 - 25x25x56 cm - 0.035 m <sup>3</sup> - 3.95 kg

lamp	packaging
LANNÀ TABLE	box 1 - 26x26x33 cm - 0.022 m <sup>3</sup> - 2.00 kg box 2 - 44.5x29.5x20 cm - 0.026 m <sup>3</sup> - 2.00 kg
POISE	box 1 - 69x54x16 cm - 0.060 m <sup>3</sup> - 3.70 kg
TATU	box 1 - 40x40x40 cm - 0.064 m <sup>3</sup> - 4.00 kg box 2 - 35x35x73 cm - 0.089 m <sup>3</sup> - 2.40 kg
CEILING&SUSPENSION	
ATOMIUM SUSPENSION	box 1 - 69x59x52 cm - 0.199 m <sup>3</sup> - 8.00 kg
BIRD CEILING	box 1 - 24x8x27 cm - 0.005 m <sup>3</sup> - 1.15 kg
BOLHA	box 1 - 46x46x36 cm - 0.076 m <sup>3</sup> - 2.60 kg box 2 - 41x28x15 cm - 0.017 m <sup>3</sup> - 2.00 kg
CLOVER	box 1 - 80x80x53 cm - 0.339 m <sup>3</sup> - 20.00 kg
DALA	box 1 - 61x61x18 cm - 0.067 m <sup>3</sup> - 7.70 kg box 2 - 61x27x9 cm - 0.015 m <sup>3</sup> - 1.00 kg
DALA LINEAR	box 1 - 148x16x9 cm - 0.021 m <sup>3</sup> - 2.60 kg box 2 - 131x11x18 cm - 0.026 m <sup>3</sup> - 3.20 kg box 3 - 133x11x11 cm - 0.016 m <sup>3</sup> - 2.50 kg
DEW	box 1 - 18.5x16x29 cm - 0.009 m <sup>3</sup> - 2.40 kg
DEW FALSE CEILING	box 1 - 18.5x16x29 cm - 0.009 m <sup>3</sup> - 2.40 kg
DEW 3	box 1 - 26x26x33 cm - 0.022 m <sup>3</sup> - 6.70 kg
DEW 5	box 1 - 39x39x10 cm - 0.015 m <sup>3</sup> - 2.50 kg box 2 - n°5 x 18.5x16x29 cm - 0.009 m <sup>3</sup> - 2.40 kg
DEW 7	box 1 - 38.5x38.5x10 cm - 0.015 m <sup>3</sup> - 2.50 kg box 2 - n°7 x 18.5x16x29 cm - 0.009 m <sup>3</sup> - 2.40 kg
DEW 9	box 1 - 60x60x10 cm - 0.036 m <sup>3</sup> - 4.00 kg box 2 - n°9 x 18.5x16x29 cm - 0.009 m <sup>3</sup> - 2.40 kg
DEW 15	box 1 - 60x60x10 cm - 0.036 m <sup>3</sup> - 4.00 kg box 2 - n°15 x 18.5x16x29 cm - 0.009 m <sup>3</sup> - 2.40 kg
DEW 19	box 1 - 60x60x10 cm - 0.036 m <sup>3</sup> - 4.00 kg box 2 - n°19 x 18.5x16x29 cm - 0.009 m <sup>3</sup> - 2.40 kg
E.T.A. SAT	box 1 - 67x76x62 cm - 0.316 m <sup>3</sup> - 8.00 kg
FLOED	box 1 - 32x32x25 cm - 0.026 m <sup>3</sup> - 2.50 kg box 2 - 89x29x20 cm - 0.052 m <sup>3</sup> - 2.90 kg
FLOED 2	box 1 - 32x32x25 cm - 0.026 m <sup>3</sup> - 2.50 kg box 2 - 162x34x20 cm - 0.110 m <sup>3</sup> - 5.10 kg
FLOW	box 1 - 39x43x17 cm - 0.029 m <sup>3</sup> - 2.50 kg
FLOW CEILING	box 1 - 39x43x17 cm - 0.029 m <sup>3</sup> - 2.70 kg
FLOW LEAF	box 1 - 43x37.5x8.5 cm - 0.014 m <sup>3</sup> - 1.60 kg

lamp	packaging
GIASS 25	box 1 - 30.5x30.5x10 cm - 0.009 m <sup>3</sup> - 2.30 kg box 2 - 31.5x31.5x56 cm - 0.056 m <sup>3</sup> - 6.20 kg
GIASS 30	box 1 - 34.5x34.5x10 cm - 0.012 m <sup>3</sup> - 3.00 kg box 2 - 36.5x36.5x50 cm - 0.067 m <sup>3</sup> - 6.00 kg
GIASS 40	box 1 - 44x44x10 cm - 0.019 m <sup>3</sup> - 4.00 kg box 2 - 47x47x42 cm - 0.093 m <sup>3</sup> - 4.50 kg
GIASS 50	box 1 - 54.5x54.5x10 cm - 0.030 m <sup>3</sup> - 7.00 kg box 2 - 57x57x31 cm - 0.101 m <sup>3</sup> - 7.50 kg
JER	box 1 - 13x14x11 cm - 0.002 m <sup>3</sup> - 0.60 kg box 2 - 16x16x60 cm - 0.015 m <sup>3</sup> - 1.80 kg
KATE	box 1 - 95x95x35 cm - 0.316 m <sup>3</sup> - 17.00 kg
KATE SUSPENSION	box 1 - 95x95x35 cm - 0.316 m <sup>3</sup> - 17.50 kg
KOOI	box 1 - 34x34x62 cm - 0.072 m <sup>3</sup> - 6.00 kg
KUSHI 16 CEILING	box 1 - 24x24x20 cm - 0.012 m <sup>3</sup> - 0.90 kg box 2 - 14x14x23 cm - 0.005 m <sup>3</sup> - 0.50 kg
KUSHI 33 CEILING	box 1 - 40x40x33 cm - 0.053 m <sup>3</sup> - 3.50 kg box 2 - 18.5x18.5x34 cm - 0.012 m <sup>3</sup> - 1.00 kg
KUSHI XL CEILING	box 1 - 51x51x42 cm - 0.109 m <sup>3</sup> - 4.80 kg box 2 - 22x22x34 cm - 0.016 m <sup>3</sup> - 1.00 kg
KUSHI 16 SUSPENSION	box 1 - 24x24x20 cm - 0.012 m <sup>3</sup> - 0.90 kg box 2 - 14x14x23 cm - 0.005 m <sup>3</sup> - 0.57 kg
KUSHI 33 SUSPENSION	box 1 - 40x40x33 cm - 0.053 m <sup>3</sup> - 3.50 kg box 2 - 18.5x18.5x34 cm - 0.012 m <sup>3</sup> - 1.00 kg
KUSHI XL SUSPENSION	box 1 - 51x51x42 cm - 0.109 m <sup>3</sup> - 4.80 kg box 2 - 14.5x14.5x34 cm - 0.007 m <sup>3</sup> - 1.00 kg box 3 - 8x6x24 cm - 0.001 m <sup>3</sup> - 1.40 kg
LANNÀ SUSPENSION	box 1 - 26x26x33 cm - 0.022 m <sup>3</sup> - 2.00 kg box 2 - 45x30x20 cm - 0.027 m <sup>3</sup> - 1.82 kg
LILLI	box 1 - 39x39x32 cm - 0.049 m <sup>3</sup> - 4.00 kg box 2 - 16x16x42 cm - 0.011 m <sup>3</sup> - 1.60 kg
LOUIS 34	box 1 - 66x66x40 cm - 0.174 m <sup>3</sup> - 5.10 kg box 2 - 27x16x16 cm - 0.007 m <sup>3</sup> - 1.20 kg
LOUIS 41	box 1 - 66x66x40 cm - 0.174 m <sup>3</sup> - 5.10 kg box 2 - 27x16x16 cm - 0.007 m <sup>3</sup> - 1.30 kg
LOUIS 48	box 1 - 66x66x40 cm - 0.174 m <sup>3</sup> - 5.10 kg box 2 - 27x16x16 cm - 0.007 m <sup>3</sup> - 1.30 kg
MINIMAL	box 1 - 9x9x40 cm - 0.003 m <sup>3</sup> - 0.80 kg
MITOS	box 1 - 11x11x23 cm - 0.003 m <sup>3</sup> - 1.20 kg box 2 - 28x28x17 cm - 0.013 m <sup>3</sup> - 2.30 kg box 3 - 14x14x5 cm - 0.001 m <sup>3</sup> - 0.60 or 1.30 kg

lamp	packaging
MOTUS	box 1 - 26x26x33 cm - 0.022 m <sup>3</sup> - 1.60 kg box 2 - 44.5x29.5x20 cm - 0.026 m <sup>3</sup> - 1.90 kg
NAMI	box 1 - 130x19x30 cm - 0.074 m <sup>3</sup> - 7.50 kg box 2 - 160x17x7 cm - 0.019 m <sup>3</sup> - 12.50 kg
OPYO SUSPENSION	box 1 - 30x30x36 cm - 0.032 m <sup>3</sup> - 1.60 kg box 2 - 22.5x22.5x5 cm - 0.003 m <sup>3</sup> - 0.80 kg
POISE CEILING	box 1 - 65x65x8 cm - 0.034 m <sup>3</sup> - 3.40 kg
SLING	box 1 - 8x8x13 cm - 0.001 m <sup>3</sup> - 0.40 kg box 2 - 22x22x5.5 cm - 0.003 m <sup>3</sup> - 1.30 kg
SPIILLO SUSPENSION	box 1 - 26x26x69 cm - 0.047 m <sup>3</sup> - 2.45 kg
TRIPOD SUSPENSION	box 1 - 60x60x33 cm - 0.119 m <sup>3</sup> - 5.30 kg
VICEVERSA	box 1 - 83x33x10 cm - 0.027 m <sup>3</sup> - 3.90 kg box 1 - 29x28x38 cm - 0.031 m <sup>3</sup> - 3.00 kg
VICEVERSA 2	box 1 - n°2 x 83x33x10 cm - 0.027 m <sup>3</sup> - 3.90 kg box 1 - n°2 x 29x28x38 cm - 0.031 m <sup>3</sup> - 3.00 kg
YUMA	box 1 - 30.5x25.5x15.5 cm - 0.012 m <sup>3</sup> - 1.80 kg
WALL	
ATOMIUM WALL	box 1 - 59.5x54.5x30.5 cm - 0.099 m <sup>3</sup> - 5.20 kg
AZOU 3	box 1 - 24.5x17x16.5 cm - 0.007 m <sup>3</sup> - 1.60 kg box 2 - 38.5x21x11 cm - 0.009 m <sup>3</sup> - 1.35 kg
AZOU 5	box 1 - 48x16x16 cm - 0.012 m <sup>3</sup> - 2.20 kg box 2 - 38.5x21x11 cm - 0.009 m <sup>3</sup> - 1.80 kg
AZOU 7	box 1 - 48x16x16 cm - 0.012 m <sup>3</sup> - 2.80 kg box 2 - 38.5x21x11 cm - 0.009 m <sup>3</sup> - 2.20 kg
FRAME	box 1 - 40.5x36x5 cm - 0.007 m <sup>3</sup> - 1.40 kg
NAMI WALL	box 1 - 35x24x12.5 cm - 0.011 m <sup>3</sup> - 1.00 kg box 2 - 20x13x10 cm - 0.003 m <sup>3</sup> - 1.10 kg
PASTILLA	box 1 - 21x19.5x28 cm - 0.011 m <sup>3</sup> - 2.10 kg
PIXEL	box 1 - 52.5x42.5x15.5 cm - 0.035 m <sup>3</sup> - 2.10 kg
TUA	box 1 - 22x22x24.5 cm - 0.012 m <sup>3</sup> - 1.30 kg

# NOTES



# NOTES

**GRAPHIC PROJECT**

VZNstudio

March 2024

kdln is a registered trademark

Copyright © 2024 Kdln Srl

All Rights Reserved.

Reproduction in whole or in part of texts and images  
without express written permission is prohibited.



Viale L. da Vinci, 277  
20090 Trezzano sul Naviglio, Milano  
T. +39 0236538950 info@kdln.it

Registered office  
Viale F. Crispi, 5/A 20121 Milano  
IT11792050152

kdln.it



