

European price list

20 24

MAY 15th

Recommended price list without VAT.

* This price list supersedes the previous ones.

15 MAYO

Precios recomendados venta público sin IVA.

* Esta tarifa anula las anteriores.

15. MAI

Die Preise verstecken sich zzgl.

Der gesetzlich gültigen mwst.

* Diese preisliste ersetzt die vorangegangene.

15 MAI

Prix publics conseillés hors taxes.

* Ce tarif annule les précédents.

15 MAGGIO

Prezzo consigliato senza IVA.

* Questo listino annulla il precedente.

Due to constant changes in LED technology, please check our web for current product specifications.

Lumens on LED's indicate the lumen output without diffuser.

Debido a los constantes cambios en la tecnología LED, por favor visite nuestra web para conocer las especificaciones actuales.

Los lúmenes indicados son de salida sin difusor

www.estiluz.com

estiluz[®]

ALPHABETIC INDEX

| | | | |
|----------------|----|--|----|
| A | | M | |
| Alfi | 04 | Maine | 38 |
| Aro | 06 | Mood | 39 |
| Asana | 08 | Morse | 43 |
| B | | N | |
| Balloon..... | 09 | Nèbula | 43 |
| Bols | 10 | Nit..... | 43 |
| Button..... | 12 | O | |
| C | | Obs..... | 44 |
| Canut | 13 | P | |
| Circ | 13 | Pila | 44 |
| Compass | 23 | Piu | 44 |
| Cupolina | 26 | Pluma | 44 |
| Cyls | 27 | R | |
| E | | Revolta..... | 44 |
| Eclipsi | 29 | T | |
| F | | Tik..... | 49 |
| Flow | 30 | V | |
| Frame | 32 | Volta | 51 |
| G | | | |
| Gada | 33 | | |
| I | | | |
| Icons | 35 | | |
| Iris | 35 | | |
| L | | | |
| Laverd..... | 36 | | |
| Luck | 37 | Drivers, Replacements and Canopies | 58 |
| Lune..... | 38 | General terms of sale | 65 |

FINISHES

| | |
|------------|------------------------------|
| 20 GLD M | Gold matt lacquer |
| 26 BLK | Black matt |
| 37 NI | Brushed nickel |
| 44 CP | Satin copper |
| 45 CP M | Copper matt lacquer |
| 46 M GN | Moss Green, RAL 6005 |
| 47 NI M | Nickel matt |
| 55 BG | Beige, RAL 1019 |
| 56 BLK | Black matt |
| 59 TC | Terracotta NCS S 4030-Y80R |
| 61 S GLD | 24 carat satin gold |
| 71 WH | White satin, RAL 9002 |
| 74 WH | White satin, RAL 9002 |
| 78 OX RD | Oxide Red, RAL 3009 |
| 80 RT | Rust |
| 87 AL F | Almond Frost NCS S 5010-Y90R |
| 88 GR ST | Grey Stone, RAL 7039 |
| 89 PL GRN | Pale Green, RAL 7033 |
| 91 ND | Nude NCS S 5010-Y90R |
| 92 MNK | Mink |
| 93 GR LM | Grey-limestone, RAL 7013 |
| 96 BLK ANT | Black anthracite RAL 7021 |
| XX | Code according to colour |

SHADES

| | |
|----------|-------------------------|
| 26 BLK | Black screen |
| 27 WH | White screen |
| 50 MM | Marble textured vinyl |
| 51 CT | Concrete textured vinyl |
| 52 WD | Wood textured vinyl |
| 64 BLK L | Black acrylic, glossy |



ACCESSORIES

| | |
|----------|-----------------|
| 00 PLAIN | Incoloro |
| 23 GR F | Grey fumé |
| 26 BLK | Black |
| 55 BG | Beige, RAL 1019 |
| 65 BR F | Bronze fumé |
| 74 WH | White |
| 82 BL | Blue |
| 83 EGP | Eggplant |
| 84 SLM | Salmon |
| 97 GR | Light grey |

ABBREVIATIONS

| | |
|---|-----------------|
| A | Wall light |
| M | Table lamp |
| P | Floor lamp |
| p | Reading lamp |
| T | Suspension lamp |
| t | Ceiling light |


SYMBOLS

| | |
|---|--------------------|
| * | Bulbs included |
|  | Dimmer on the lamp |
|  | Secondary bulb |

We can customize our products in any ESTILUZ finish.
Check availability.

ALFI

ALF_3740S - WITH SURFACE CANOPY



FEATURES

* LED 3W (2700K / Ang. 120° / >90 CRI 350mA) / 100V -240V / Typ 350 lumens
Driver included / Non dimmable

FINISHES

26 BLK
20 GLD M


EURO €

231
238

Product includes:

- 1 unit of A-3740S or t-3740S
- 1 plain glass shade 113741000

ALF_3740R - WITH RECESSED CANOPY



FEATURES

* LED 3W (2700K / Ang. 120° / >90 CRI 350mA) / 100V - 240V / Typ 350 lumens
Remote driver included / Non dimmable

FINISHES

26 BLK
20 GLD M

EURO €

248
256


Product includes:

- 1 unit of A-3740 or t-3740
- 1 remote driver 671000073 / Non dimmable
- 1 plain glass shade 113741000

Ø40 mm drill on dry wall

ALFI

ALF_3740AS - WITH SURFACE CANOPY



FEATURES

* LED 3W (2700K / Ang. 120° / >90 CRI 350mA) / 100V -240V / Typ 350 lumens
Driver included / Non dimmable

FINISHES

26 BLK
20 GLD M


EURO €

270
285

Product includes:

- 1 unit of A-3740S or t-3740S
- 1 glass shade with cap 113741XX0

ALF_3740AR - WITH RECESSED CANOPY



FEATURES

* LED 3W (2700K / Ang. 120° / >90 CRI 350mA) / 100V - 240V / Typ 350 lumens
Remote driver included / Non dimmable

FINISHES

26 BLK
20 GLD M

EURO €

287
303


Product includes:

- 1 unit of A-3740 or t-3740
- 1 remote driver 671000073 / Non dimmable
- 1 glass shade with cap 113741XX0

Ø40 mm drill on dry wall

ALFI

ALF_3740A1S - WITH SURFACE CANOPY



FEATURES

* LED 3W (2700K / Ang. 120° / >90 CRI 350mA) / 100V -240V / Typ 350 lumens
Driver included / Non dimmable

FINISHES

26 BLK
20 GLD M


EURO €

270
285

Product includes:

- 1 unit of A-3740S or t-3740S
- 1 glass shade with cap at 45° 113741XX1

ALF_3740A1R - WITH RECESSED CANOPY



FEATURES

* LED 3W (2700K / Ang. 120° / >90 CRI 350mA) / 100V - 240V / Typ 350 lumens
Remote driver included / Non dimmable

FINISHES

26 BLK
20 GLD M

EURO €

287
303


Product includes:

- 1 unit of A-3740
- 1 remote driver 671000073 / Non dimmable
- 1 glass shade with cap at 45° 113741XX1

Ø40 mm drill on dry wall

ALFI

ALF_3741R - WITH RECESSED CANOPY



FEATURES

* LED 3W (2700K / Ang. 120° / >90 CRI / 350mA) / 100V - 240V / Typ 350 lumens
Remote driver included / Non dimmable

FINISHES


26 BLK
20 GLD M

EURO €

405
417

Product includes:

- 1 unit of A-3741
- 1 remote driver 671000073 / Non dimmable
- 1 glass shade with cap at 45° 113741XX1




Minimum order 13 units

ALFI

ALF_3744S - WITH SURFACE CANOPY

T-3744S

T-3744R



FEATURES

* LED 3W (2700K / Ang. 120° / >90 CRI / 24V)
100V - 240V / Typ 300 lumens
Driver included / Non dimmable

FINISHES

26 BLK
20 GLD M

EURO €

364
375

Product includes:

- 1 single canopy 113534XX0
- 1 unit of T-3744 with textile cable
- 1 driver 671000038 / Non Dimmable
- 1 plain glass shade 113741000

ALF_3744R - WITH RECESSED CANOPY

FEATURES

* LED 3W (2700K / Ang. 120° / >90 CRI / 24V)
100V - 240V / Typ 300 lumens
Remote driver included / Non dimmable

FINISHES


26 BLK
20 GLD M

EURO €

361
373

Product includes:

- 1 recessed canopy 113534XX2
- 1 unit of T-3744 with textile cable
- 1 remote driver 671000062 / Non dimmable
- 1 plain glass shade 113741000




ALFI

ALF_3744AS - WITH SURFACE CANOPY

T-3744AS

T-3744AR



FEATURES

* LED 3W (2700K / Ang. 120° / >90 CRI / 24V)
100V - 240V / Typ 300 lumens
Driver included / Non dimmable

FINISHES

26 BLK
20 GLD M

EURO €

403
422

Product includes:

- 1 single canopy 113534XX0
- 1 unit of T-3744 with textile cable
- 1 driver 671000038 / Non Dimmable
- 1 glass shade with cap 113741XX0

ALF_3744AR - WITH RECESSED

FEATURES

* LED 3W (2700K / Ang. 120° / >90 CRI / 24V)
100V - 240V / Typ 300 lumens
Remote driver included / Non dimmable

FINISHES


26 BLK
20 GLD M

EURO €

400
420


Product includes:

- 1 recessed canopy 113534XX2
- 1 unit of T-3744 with textile cable
- 1 remote driver 671000062 / Non dimmable
- 1 glass shade with cap 113741XX0



ALFI

ALF_L92S4 - WITH SURFACE CANOPY



FEATURES

* LED 4x3W (2700K / Ang. 120° / >90 CRI 24V) / 230V / Typ 4x300 lumens
Driver included / Dimmable Triac

Product includes:

- 1 single canopy 113415XX3
- 4 units of T-3744 with textile cable
- 1 driver 671000090 / Dimmable Triac
- 4 plain glass shades 113741000

FINISHES


Canopy: 26 BLK - 71 WH
Body: 26 BLK
20 GLD M

EURO €

1347
1383

ALFI

ALF_R40S3A - WITH SURFACE CANOPY



FEATURES

* LED 3x3W (2700K / Ang. 120° / >90 CRI 24V) / 230V / Typ 3x300 lumens
Driver included / Dimmable Triac

Product includes:

- 1 single canopy 113415XX6
- 3 units of T-3744 with textile cable
- 1 driver 671000090 / Dimmable Triac
- 3 glass shades with cap 113741XX0

FINISHES


Canopy: 26 BLK - 71 WH
Body: 26 BLK
20 GLD M

EURO €

1590
1641

ALFI

ALF_3748



FEATURES

* LED 3x3W (2700K / Ang. 120° / >90 CRI / 24V) / 230V / Typ 3x300 lumens
On/Off cord switch


FINISHES

26 BLK

EURO €


1172

Available until end of stock



ARO

ARO_3541S - WITH SURFACE CANOPY



FEATURES

* LED 3x10W (2700K / Ang. 85° / >90 CRI 24V) / 230V / Typ 3x1106 lumens
Driver included / Dimmable Triac

Product includes:

- 1 surface canopy 113925XX2
- 1 unit of T-3541
- 1 driver 671000090 / Dimmable Triac


FINISHES

Canopy: 26 BLK - 74WH
Body: 56 BLK

EURO €

1360

ARO_3541R - WITH RECESSED CANOPY



FEATURES

* LED 3x10W (2700K / Ang. 85° / >90 CRI 24V) / 230V / Typ 3x1106 lumens
Remote driver included / Dimmable Triac

Product includes:

- 1 surface canopy 113541XX2
- 1 unit of T-3541
- 1 driver 671000090 / Dimmable Triac

FINISHES

Canopy: 26 BLK - 71WH
Body: 56 BLK



EURO €

1282

\varnothing 60mm drill on dropped ceiling

ARO

ARO_3542S - WITH SURFACE CANOPY



FEATURES

* LED 5x10W (2700K / Ang. 85° / >90 CRI / 24V)
100V - 277V / Typ 5x1106 lumens
Driver included / Dimmable 0-10V

FINISHES



56 BLK

EURO €

2608

Product includes:

- 1 round canopy 113542263
- 1 unit of T-3542



123815262 Vegetation kit

Vegetation kit with artificial greenery included. Not waterproof.
Maximum 30kg

FINISHES



26 BLK

EURO €

2164

ARO

ARO_3543S - WITH SURFACE CANOPY



FEATURES

* LED 7x10W (2700K / Ang. 85° / >90 CRI / 24V)
100V - 277V / Typ 7x1106 lumens
Driver included / Dimmable 0-10V

FINISHES



56 BLK

EURO €

3353

Product includes:

- 1 round canopy 113542263
- 1 unit of T-3543



123815262 Vegetation kit

Vegetation kit with artificial greenery included. Not waterproof.
Maximum 30kg

FINISHES



26 BLK

EURO €

2164

ARO

ARO_R40S1M1L - WITH SURFACE CANOPY



Composition includes:

- 1 round canopy 113542263
- 1 unit of T-3542
- 1 unit of T-3543
- 2 drivers / Dimmable 0-10V

FINISHES

56 BLK

EURO €

5537

ASANA

ASA_3768



FEATURES

* LED 10,7W (2700K / Ang. 120° / >80 CRI / 24V)
100V - 240V / Universal plug
Typ 1068 lumens / Touch dimmer

FINISHES

Body: 92 MNK
Stem: 61 S GLD
93 GR LM

EURO €

1130
1105

Product includes:

- 1 unit of P-3768
- 1 stem 113768XX0

Available until end of stock






TABLE KIT
123768922



FINISHES
92 MNK


EURO €
142

LECTERN KIT
123768923



FINISHES
92 MNK

EURO €
114



ASANA

ASA_3769



FEATURES

* LED 2x5,35W (2700K / Ang. 120° / >80 CRI
24V) / 100V - 240V / Universal plug
Typ 2x535 lumens / Touch dimmer

FINISHES

Body: 92 MNK
Stem: 61 S GLD
93 GR LM

EURO €

1092
1067

Product includes:

- 1 unit of P-3769
- 1 stem 113768XX0

Available until end of stock






TABLE KIT
123768922



FINISHES
92 MNK


EURO €
142


LECTERN KIT
123768923



FINISHES
92 MNK

EURO €
114



BALLOON**BAL_3050****FEATURES**

LED up to 20W / E27 / 120V - 240V
On/Off Switch

FINISHES

74 WH

EURO €
279

BAL_3050L**FEATURES**

LED up to 20W / E27 / 120V - 240V


FINISHES

74 WH

EURO €
343

⊕ * LED 0,5W / E14 / 120V - 240V

Nightlight / 3-way switch


BALLOON**BAL_3052****FEATURES**

LED up to 20W
E27 / 120V - 240V
Dimmable when using dim. lamps

FINISHES

74 WH

EURO €
275

BALLOON**BAL_3055S - WITH SURFACE CANOPY****FEATURES**

LED up to 20W
E27 / 120V - 240V
Dimmable when using dim. lamps


FINISHES

74 WH

EURO €
353

Product includes:

- 1 single canopy 113416710
- 1 unit of T-3055C with textile cable
- 1 ceiling holder

BALLOON**BAL_R40S3 - WITH SURFACE CANOPY****Composition includes:**

- 1 round canopy 113415XX6
- 3 units of T-3055C with textile cable


FINISHES

71 WH

EURO €
1472

BOLS

BOL_4022X - OUTDOOR



IP
65

FEATURES

* LED 10W (2700K / Ang. 120° / >90 CRI)
230V / Typ 870 lumens
Dimmable Triac

FINISHES


78 OX RED

EURO €

998

BOLS

BOL_4023X - OUTDOOR



IP
65

FEATURES

* LED 10W (2700K / Ang. 120° / >90 CRI)
230V / Typ 870 lumens
Dimmable Triac

FINISHES


55 BG

EURO €

1100

BOLS

BOL_4024X - OUTDOOR



IP
65

FEATURES

* LED 10W (2700K / Ang. 120° / >90 CRI)
230V / Typ 870 lumens
Dimmable Triac

FINISHES


78 OX RED

EURO €

1108

BOLS

BOL_4025X - OUTDOOR



IP
65

FEATURES

* LED 10W (2700K / Ang. 120° / >90 CRI)
230V / Typ 870 lumens
Dimmable Triac

FINISHES

55 BG
96 BLK ANT


EURO €

1213

1213

BOLS

BOL_4027X - OUTDOOR

IP
65

FEATURES

* LED 10W (2700K / Ang. 120° / >90 CRI)
230V / Typ 870 lumens
Dimmable Triac


FINISHES

96 BLK ANT

EURO €
1142

TABLE KIT

124027962
Polypropylene flower
pot + metal table top
Maximum 3kg



FINISHES

96 BLK ANT

EURO €
93

FLOWER POT KIT

124027963
Polypropylene flower pot
for natural vegetation
Maximum 5,5kg




FINISHES

96 BLK ANT

EURO €
50

VEGETATION KIT

124027967
Artificial greenery



FINISHES

96 BLK ANT

EURO €
631

BOLT DOWN FLOOR BASE KIT

124027966
Metal base




FINISHES

96 BLK ANT

EURO €
106

BOLS

BOL_4028X - OUTDOOR

IP
65

FEATURES


* LED 10W (2700K / Ang. 120° / >90 CRI)
230V / Typ 870 lumens
Dimmable Triac

FINISHES

78 OX RED
96 BLK ANTEURO €
1061
1061

TABLE KIT

124028XX2
Polypropylene flower
pot + metal table top
Maximum 5kg




FINISHES

78 OX RED
96 BLK ANTEURO €
119
119

FLOWER POT SET

Ø160mm
124028XX4
Includes 3 flower pots + tray




FINISHES

78 OX RED
96 BLK ANTEURO €
64
64

FLOWER POT SET

Ø180mm
124028XX5
Includes 3 flower pots + tray




FINISHES

78 OX RED
96 BLK ANTEURO €
69
69

VEGETATION KIT

124028XX7
Artificial greenery




FINISHES

78 OX RED
96 BLK ANTEURO €
869
869

BOLT DOWN FLOOR BASE KIT

124027XX6
Metal base




FINISHES

78 OX RED
96 BLK ANTEURO €
106
106

BUTTON

BUT_3302S - WITH SURFACE CANOPY



FEATURES

* LED 9W (3000K / Ang. 45° / >90 CRI 350mA) / 100V - 240V / Typ 1096 lumens
Driver included / Non dimmable

FINISHES

26 BLK
71 WH
93 GR LM


EURO €

475
475
498

Product includes:

- 1 single canopy 113302XX1
- 1 unit of T-3302 with metal rigid stem
- 1 driver 671000023 / Non Dimmable

BUT_3302R - WITH RECESSED CANOPY



FEATURES

* LED 9W (3000K / Ang. 45° / >90 CRI 350mA) / 230V / Typ 1096 lumens
Driver included / Dimmable Triac

FINISHES


26 BLK
71 WH
93 GR LM

EURO €


444
444
462

Product includes:

- 1 recessed canopy 113534XX2
- 1 unit of T-3302 with metal rigid stem
- 1 driver 671000061 / Dimmable Triac



BUT_3302CS - WITH SURFACE CANOPY



FEATURES

* LED 9W (3000K / Ang. 45° / >90 CRI 350mA) / 100V - 240V / Typ 1096 lumens
Driver included / Non dimmable

FINISHES

26 BLK
71 WH
93 GR LM


EURO €

445
445
466

Product includes:

- 1 single canopy 113302XX1
- 1 unit of T-3302C with cable
- 1 driver 671000023 / Non Dimmable

BUT_3302CR - WITH RECESSED CANOPY



FEATURES

* LED 9W (3000K / Ang. 45° / >90 CRI 350mA) / 230V / Typ 1096 lumens
Driver included / Dimmable Triac

FINISHES


26 BLK
71 WH
93 GR LM

EURO €

414
414
430

Product includes:

- 1 recessed canopy 113534XX2
- 1 unit of T-3302C with cable
- 1 driver 671000061 / Dimmable Triac



REMOTE DRIVER T-3302R / T-3302C - 671000023

(Max. 1x10W) / 100V - 240V / Non dimmable

EURO €

35

REMOTE DRIVER T-3302R / T-3302C - 671000061

(Max. 1x10W) / 230V / Dimmable Triac


EURO €

41

Ø 50mm drill on dropped ceiling

BUTTON

BUT_L92S3 - WITH SURFACE CANOPY



Composition includes:

- 1 linear canopy 113415XX3
- 3 units of T-3302C with cable
- 3 drivers 671000061 / Dimmable Triac

FINISHES

Canopy: 26 BLK - 71WH
Body: 26 BLK
71 WH
93 GR LM


EURO €

1329
1329
1377

Up to 4 additional BUTTON can be added

CANUT

CAN_3571



FEATURES

* LED 3W (3000K / Ang. 50° / >90 CRI)
350mA) / 100V - 240V
Typ 350 lumens
Non Dimmable
On/Off switch for reading light (2 circuits)

FINISHES

47 NI M
26 BLK
74 WH

EURO €

413
352
352


Chrome swivel on all the finishes



* LED 1W (3000K / Ang. 120° >80 CRI / 24V)
100V - 240V
Typ 150 lumens
Non Dimmable

CIRC

CIR_3702

IP
44

FEATURES

* LED 10W (2700K / Ang. 120° / >90 CRI)
230V / Typ 870 lumens
Dimmable Triac

FINISHES

23 GR F
65 BR F

EURO €


430
430

Product includes:

- 1 unit of A-3702
- 1 glass shade kit 113702001

CIRC

CIR_3703

IP
44

FEATURES

* LED 10W (2700K / Ang. 120° / >90 CRI)
230V / Typ 870 lumens
Dimmable Triac

FINISHES

00 PLAIN
23 GR F

EURO €

507
507


Product includes:

- 1 unit of A-3703
- 1 glass shade kit 113702001

Available until end of stock

CIRC

CIR_3704

IP
44

FEATURES

* LED 10W (2700K / Ang. 120° / >90 CRI)
230V / Typ 870 lumens
Dimmable Triac

FINISHES

00 PLAIN

EURO €


546

Product includes:

- 1 unit of A-3704
- 1 glass shade kit 113702001

CIRC

CIR_3706

IP
44

FEATURES

* LED 10W (2700K / Ang. 120° / >90 CRI)
230V / Typ 870 lumens
Dimmable Triac

FINISHES

00 PLAIN

EURO €

555

Product includes:

- 1 unit of A-3706
- 1 glass shade kit 113702001

CIR_3706A - WITH MISTING TREATMENT

IP
44

FEATURES

* LED 10W (2700K / Ang. 120° / >90 CRI)
230V / Typ 870 lumens
Dimmable Triac

FINISHES

00 PLAIN

EURO €

697


Mirror with misting treatment

Product includes:

- 1 unit of A-3706A
- 1 glass shade kit 113702001

CIRC

CIR_3714S - WITH SURFACE CANOPY



FEATURES

* LED 6,2W (2700K / Ang. 120°
>90 CRI / 350mA) / 230V
Typ 725 lumens
Driver included / Dimmable Triac
Glass shade

FINISHES

Canopy: 26 BLK - 74 WH
Body: 61 S GLD
26 BLK

EURO €

538
486

Product includes:

- 1 surface canopy 113924XX0
- 1 unit of T-3714
- 1 driver 671000061 / Dimmable Triac
- 1 union piece for 2 Circ

CIR_3714R - WITH RECESSED CANOPY



Product includes:

- 1 recessed canopy 113534XX2
- 1 unit of T-3714
- 1 remote driver 671000061 / Dimmable Triac
- 1 union piece for 2 Circ

FINISHES

Canopy: 26 BLK - 71 WH
Body: 61 S GLD
26 BLK


EURO €

510
458

Ø 50mm drill on dropped ceiling

CIRC

CIR_3715S - WITH SURFACE CANOPY



FEATURES

* LED 2x6,2W (2700K / Ang. 120°
>90 CRI / 350mA) / 230V
Typ 2x725 lumens
Driver included / Dimmable Triac
Glass shade

FINISHES

Canopy: 26 BLK - 74 WH
Body: 61 S GLD
26 BLK

EURO €

746
647

Product includes:

- 1 surface canopy 113924XX0
- 1 unit of T-3715
- 1 driver 671000091 / Dimmable Triac
- 1 union piece for 2 Circ

CIR_3715R - WITH RECESSED CANOPY



Product includes:

- 1 recessed canopy 113534XX2
- 1 unit of T-3715
- 1 remote driver 671000091 / Dimmable Triac
- 1 union piece for 2 Circ

FINISHES

Canopy: 26 BLK - 71 WH
Body: 61 S GLD
26 BLK


EURO €

718
619

Ø 50mm drill on dropped ceiling

CIRC

CIR_3716S - WITH SURFACE CANOPY



FEATURES

* LED 3x6,2W (2700K / Ang. 120°
>90 CRI / 350mA) / 230V
Typ 3x725 lumens
Driver included / Dimmable Triac
Glass shade

FINISHES

Canopy: 26 BLK - 74 WH
Body: 61 S GLD
26 BLK


EURO €

1142
938

Product includes:

- 1 surface canopy 113924XX0
- 1 unit of T-3716
- 1 driver 671000034 / Dimmable Triac
- 1 union piece for 2 Circ

CIR_3716R - WITH RECESSED CANOPY



Product includes:

- 1 recessed canopy 113534XX2
- 1 unit of T-3716
- 1 remote driver 671000034 / Dimmable Triac
- 1 union piece for 2 Circ

FINISHES

Canopy: 26 BLK - 71 WH
Body: 61 S GLD
26 BLK


EURO €

1114
910

Ø 50mm drill on dropped ceiling

CIRC

CIR_3720 - INDOOR



FEATURES

* LED 10W (2700K / Ang. 120° / >90 CRI)
230V / Typ 870 lumens / Dimmable Triac
Glass shade

FINISHES

61 S GLD
26 BLK

EURO €

337
295

CIR_3720B - BATHROOM

IP
44

FEATURES

* LED 10W (2700K / Ang. 120° / >90 CRI)
230V / Typ 870 lumens / Dimmable Triac
Glass shade

FINISHES

61 S GLD
26 BLK

EURO €

356
314

CIR_3720X - OUTDOOR

IP
55

FEATURES


* LED 8W (2700K / Ang. 120° / >90 CRI)
230V / Typ 665 lumens / Dimmable Triac
Polyethylene shade

FINISHES

80 RT
26 BLK

EURO €

337
317



Signage - IN & OUT

Optional laser-cut signage
Minimum order 10 units

FINISHES


71 WH

EURO €

39 €

CIRC

CIR_3722 - INDOOR



FEATURES

* LED 10W (2700K / Ang. 120° / >90 CRI)
230V / Typ 870 lumens / Dimmable Triac
Glass shade

FINISHES

61 S GLD
26 BLK

EURO €

394
360

CIR_3722X - OUTDOOR

IP
55

FEATURES

* LED 8W (2700K / Ang. 120° / >90 CRI)
230V / Typ 665 lumens / Dimmable Triac
Polyethylene shade

FINISHES


80 RT
26 BLK

EURO €

362
343

CIRC

CIR_3725 - INDOOR



FEATURES

* LED 8W (2700K / Ang. 120° / >90 CRI)
230V / Typ 665 lumens
Glass shade
On/Off cord switch

FINISHES

26 BLK

EURO €

641

CIR_3725X - OUTDOOR

IP
55

FEATURES

* LED 8W (2700K / Ang. 120° / >90 CRI)
230V / Typ 665 lumens / Dimmable Triac
Polyethylene shade

FINISHES


26 BLK

EURO €

773

CIRC

CIR_3726X - OUTDOOR



FEATURES
 * LED 2,5W (3000K / Ang. 120° / >80 CRI
 5200mAh) 230V / Typ 290 lumens
 Polyethylene shade

FINISHES
 Indoor & Outdoor: 26 BLK
 80 RT
 Indoor only: 61 S GLD

EURO €
 310
 330
 322


Product includes:

- 1 unit of M-3726X
- 1 charger kit 671000044

Li on battery / Three position dimming / Remote control
 Battery charging time 8-10h / Battery life over 6h at maximum brightness

CIRC

CIR_3727X - OUTDOOR



FEATURES
 * LED 2,5W (3000K / Ang. 120° / >80 CRI
 5200mAh) 230V / Typ 290 lumens
 Polyethylene shade

FINISHES
 Indoor & Outdoor: 26 BLK
 80 RT
 Indoor only: 61 S GLD

EURO €
 358
 381
 396


Product includes:

- 1 unit of M-3727X
- 1 charger kit 671000044

Li on battery / Three position dimming / Remote control
 Battery charging time 8-10h / Battery life over 6h at maximum brightness

CIRC

CIR_3728 - INDOOR



FEATURES
 * LED 8W (2700K / Ang. 120° / >90 CRI)
 230V / Typ 665 lumens
 Glass shade
 On/Off cord switch

FINISHES
 61 S GLD
 26 BLK

EURO €
 623
 497

DIMMABLE UPON REQUEST

Push button dimmer on the cord

EURO €
 150

CIR_3728X - OUTDOOR




FEATURES
 * LED 8W (2700K / Ang. 120° / >90 CRI)
 230V / Typ 665 lumens / Dimmable Triac
 Polyethylene shade

FINISHES
 26 BLK
 80 RT

EURO €
 481
 502

CIRC

CIR_3729 - INDOOR



FEATURES
 * LED 8W (2700K / Ang. 120° / >90 CRI)
 230V / Typ 665 lumens
 Glass shade
 On/Off cord switch

FINISHES
 61 S GLD
 26 BLK

EURO €
 743
 566

DIMMABLE UPON REQUEST

Push button dimmer on the cord

EURO €
 150

CIR_3729X - OUTDOOR





FEATURES
 * LED 8W (2700K / Ang. 120° / >90 CRI)
 230V / Typ 665 lumens / Dimmable Triac
 Polyethylene shade

FINISHES
 26 BLK
 80 RT

EURO €
 653
 677

CIRC

CIR_3810S - WITH SURFACE CANOPY



FEATURES

* LED 4x6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 4x725 lumens
Driver included / Dimmable Triac
Glass shade

FINISHES

Canopy: 26 BLK
Ring: 26 BLK
61 S GLD



EURO €

1486
1727

Product includes:

- 1 round canopy 113815263
- 1 unit of t-3810 + 2 drivers 671000091

CIR_3810R - WITH RECESSED CANOPY



FEATURES

* LED 4x6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 4x725 lumens
Remote driver included / Dimmable Triac
Glass shade

FINISHES

Canopy: 26 BLK
Ring: 26 BLK
61 S GLD

EURO €



1369
1610

Product includes:

- 1 round recessed canopy 113820263
- 1 unit of t-3810 + 2 remote drivers 671000091

Ø 50mm drill on dropped ceiling

CIR_3810AS - WITH SURFACE CANOPY + ACOUSTIC PANEL



FEATURES

* LED 4x6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 4x725 lumens
Driver included / Dimmable Triac
Glass shade / Acoustic panel

FINISHES

Canopy: 26 BLK
Acoustic panel: 26 BLK
Acoustic panel: 97 GR

EURO €



1550
1550

Product includes:

- 1 round canopy 113815263
- 1 unit of t-3810A + 2 drivers 671000091
- 1 acoustic panel 113815XX4

CIRC

CIR_3811S - WITH SURFACE CANOPY



FEATURES

* LED 7x6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 7x725 lumens
Dimmable Triac / Glass shade

FINISHES

Canopy: 26 BLK
Ring: 26 BLK
61 S GLD



EURO €

2306
2754

Product includes:

- 1 round canopy 113815263
- 1 unit of t-3811
- 2 drivers 671000091 + 1 driver 671000034

CIR_3811R - WITH RECESSED CANOPY



FEATURES

* LED 7x6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 7x725 lumens
Remote driver included / Dimmable Triac
Glass shade

FINISHES

Canopy: 26 BLK
Ring: 26 BLK
61 S GLD

EURO €



2189
2637

Product includes:

- 1 round recessed canopy 113820263
- 1 unit of t-3811
- 2 remote drivers 671000091 + 1 driver 671000034

Ø 50mm drill on dropped ceiling

CIR_3811AS - WITH SURFACE CANOPY + ACOUSTIC PANEL



FEATURES

* LED 7x6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 7x725 lumens
Driver included / Dimmable Triac
Glass shade / Acoustic panel

FINISHES

Canopy: 26 BLK
Acoustic panel: 26 BLK
Acoustic panel: 97 GR

EURO €


2465
2465

Product includes:

- 1 round canopy 113815263
- 1 unit of t-3811A
- 2 drivers 671000091 + 1 driver 671000034
- 1 acoustic panel 113816XX4

CIRC

CIR_3815S - WITH SURFACE CANOPY



FEATURES

* LED 4x6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 4x725 lumens
Driver included / Dimmable Triac
Glass shade

FINISHES

Canopy: 26 BLK
Ring: 26 BLK
61 S GLD


EURO €

1410
1617

Product includes:

- 1 round canopy 113815263
- 1 unit of T-3815 + 2 drivers 671000091

CIR_3815R - WITH RECESSED CANOPY



FEATURES

* LED 4x6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 4x725 lumens
Remote driver included / Dimmable Triac
Glass shade

FINISHES


Canopy: 26 BLK
Ring: 26 BLK
61 S GLD

EURO €


1293
1500

Product includes:

- 1 round recessed canopy 113820263
- 1 unit of T-3815 + 2 remote drivers 671000091

 Ø 50mm drill on dropped ceiling

CIR_3815AS - WITH SURFACE CANOPY + ACOUSTIC PANEL



FEATURES

* LED 4x6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 4x725 lumens
Driver included / Dimmable Triac
Glass shade / Acoustic panel

FINISHES

Canopy: 26 BLK
Acoustic panel: 26 BLK
Acoustic panel: 97 GR

EURO €


1526
1526

Product includes:

- 1 round canopy 113815263
- 1 unit of T-3815A + 2 drivers 671000091
- 1 acoustic panel 113815XX4

CIRC

CIR_3816S - WITH SURFACE CANOPY



FEATURES

* LED 7x6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 7x725 lumens
Dimmable Triac / Glass shade

FINISHES

Canopy: 26 BLK
Ring: 26 BLK
61 S GLD


EURO €

2172
2555

Product includes:

- 1 round canopy 113815263
- 1 unit of T-3816
- 2 drivers 671000091 + 1 driver 671000034

CIR_3816R - WITH RECESSED CANOPY



FEATURES

* LED 7x6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 7x725 lumens
Remote driver included / Dimmable Triac
Glass shade

FINISHES


Canopy: 26 BLK
Ring: 26 BLK
61 S GLD

EURO €


2055
2438

Product includes:

- 1 round recessed canopy 113820263
- 1 unit of T-3816
- 2 remote drivers 671000091 + 1 driver 671000034

 Ø 50mm drill on dropped ceiling

CIR_3816AS - WITH SURFACE CANOPY + ACOUSTIC PANEL



FEATURES

* LED 7x6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 7x725 lumens
Driver included / Dimmable Triac
Glass shade / Acoustic panel

FINISHES

Canopy: 26 BLK
Acoustic panel: 26 BLK
Acoustic panel: 97 GR

EURO €


2421
2421

Product includes:

- 1 round canopy 113815263
- 1 unit of T-3816A
- 2 drivers 671000091 + 1 driver 671000034
- 1 acoustic panel 113816XX4

CIRC

CIR_R30S1SP1MP - WITH SURFACE CANOPY



Composition includes:

- 1 round canopy 113815263
- 1 unit of T-3815
- 1 unit of T-3816
- 4 drivers 671000091
- 1 driver 671000034


FINISHES

Canopy: 26 BLK
Ring: 26 BLK
61 S GLD

EURO €

3371
3961

CIR_R12R1SP1MP - WITH RECESSED CANOPY



Composition includes:

- 1 round recessed canopy 113820263
- 1 unit of T-3815
- 1 unit of T-3816
- 4 remote drivers 671000091
- 1 remote driver 671000034

FINISHES

Canopy: 26 BLK
Ring: 26 BLK
61 S GLD

EURO €


3254
3844



Ø 50mm drill on dropped ceiling

CIRC

CIR_R30S1MP1VK - WITH SURFACE CANOPY



FEATURES

* LED 7x6,2W {2700K / Ang. 120° / >90 CRI 350mA} 230V / Typ 7x725 lumens
Driver included / Dimmable Triac
Glass shade

FINISHES


Canopy: 26 BLK
Ring: 26 BLK
61 S GLD

EURO €

4336
4719

Product includes:


- 1 round canopy 113815263
- 1 unit of T-3816
- 2 drivers 671000091
- 1 driver 671000034
- 1 vegetation KIT 123815262 with artificial greenery included.
- Not waterproof / Maximum 30kg



Ø 800 mm
Ø 31.1/2"

Ø 1200 mm
Ø 47.1/4"

CIR_R12R1MP1VK - WITH RECESSED CANOPY



FEATURES

* LED 7x6,2W {2700K / Ang. 120° / >90 CRI 350mA} 230V / Typ 7x725 lumens
Remote driver included / Dimmable Triac
Glass shade

FINISHES


Canopy: 26 BLK
Ring: 26 BLK
61 S GLD

EURO €

4219
4602

Product includes:

- 1 round recessed canopy 113820263
- 1 unit of T-3816
- 2 remote drivers 671000091
- 1 remote driver 671000034
- 1 vegetation KIT 123815262 with artificial greenery included.
- Not waterproof / Maximum 30kg




Ø 800 mm
Ø 31.1/2"

Ø 1200 mm
Ø 47.1/4"

CIRC

CIR_3820S - WITH SURFACE CANOPY



FEATURES

* LED 6,2W {2700K / Ang. 120° / >90 CRI 350mA} 230V / Typ 725 lumens
Driver included / Dimmable Triac
Glass shade

FINISHES

Canopy: 26 BLK
Body: 26 BLK

EURO €


513

Product includes:

- 1 round canopy 113815263
- 1 unit of t-3820C
- 1 driver 671000061

CIRC

CIR_3820R - WITH RECESSED CANOPY



FEATURES
 * LED 6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 725 lumens
 Remote driver included / Dimmable Triac
 Glass shade

FINISHES
 Canopy: 26 BLK
 Body: 26 BLK

EURO €
 396


Ø 45mm drill on dropped ceiling

Product includes:

- 1 round recessed canopy 113820263
- 1 unit of t-3820C
- 1 remote driver 671000061

CIRC

CIR_3821S - WITH SURFACE CANOPY



FEATURES
 * LED 6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 725 lumens
 Driver included / Dimmable Triac
 Glass shade


FINISHES
 Canopy: 26 BLK
 Body: 26 BLK

EURO €
 522

Product includes:

- 1 round canopy 113815263
- 1 unit of t-3821C
- 1 driver 671000061

CIR_3821R - WITH RECESSED CANOPY



FEATURES
 * LED 6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 725 lumens
 Remote driver included / Dimmable Triac
 Glass shade

FINISHES
 Canopy: 26 BLK
 Body: 26 BLK

EURO €
 405


Ø 45mm drill on dropped ceiling

Product includes:

- 1 round recessed canopy 113820263
- 1 unit of t-3821C
- 1 remote driver 671000061

CIRC

CIR_R30S1S1M - WITH SURFACE CANOPY




Composition includes:

- 1 round canopy 113815263
- 1 unit of t-3820C
- 1 unit of t-3821C
- 1 driver 671000091

FINISHES
 Canopy: 26 BLK
 Body: 26 BLK

EURO €
 792

CIR_R12R1S1M - WITH RECESSED CANOPY



Composition includes:

- 1 round recessed canopy 113820263
- 1 unit of t-3820C
- 1 unit of t-3821C
- 1 remote driver 671000091


FINISHES
 Canopy: 26 BLK
 Body: 26 BLK

EURO €
 675

Ø 50mm drill on dropped ceiling

CIRC

CIR_R30S2S1M - WITH SURFACE CANOPY




Composition includes:

- 1 round canopy 113815263
- 2 units of t-3820C
- 1 unit of t-3821C
- 1 driver 671000034

FINISHES
 Canopy: 26 BLK
 Body: 26 BLK

EURO €
 1053

CIR_R12R2S1M - WITH RECESSED CANOPY



Composition includes:


- 1 round recessed canopy 113820263
- 2 units of t-3820C
- 1 unit of t-3821C
- 1 remote driver 671000034

FINISHES
 Canopy: 26 BLK
 Body: 26 BLK

EURO €
 936

Ø 50mm drill on dropped ceiling

CIRC



CIR_R30S2S2M - WITH SURFACE CANOPY

Composition includes:

- 1 round canopy 113815263
- 2 units of t-3820C
- 2 units of t-3821C
- 2 drivers 671000091


FINISHES

Canopy: 26 BLK
Body: 26 BLK

EURO €

1373

CIR_R12R2S2M - WITH RECESSED CANOPY



Composition includes:


- 1 round recessed canopy 113820263
- 2 units of t-3820C
- 2 units of t-3821C
- 2 remote drivers 671000091

FINISHES

Canopy: 26 BLK
Body: 26 BLK


EURO €

1256



Ø 50mm drill on dropped ceiling

CIRC



CIR_R30S4S2M - WITH SURFACE CANOPY

Composition includes:

- 1 round canopy 113815263
- 4 units of t-3820C
- 2 units of t-3821C
- 2 drivers 671000034


FINISHES

Canopy: 26 BLK
Body: 26 BLK

EURO €

1895

CIR_R12R4S2M - WITH RECESSED CANOPY



Composition includes:


- 1 round recessed canopy 113820263
- 4 units of t-3820C
- 2 units of t-3821C
- 2 remote drivers 671000034

FINISHES

Canopy: 26 BLK
Body: 26 BLK


EURO €

1778



Ø 50mm drill on dropped ceiling

CIRC



CIR_3824S

FEATURES

* LED 3x6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 3x725 lumens
Driver included / Dimmable Triac
Glass shade and acoustic panel

FINISHES

Canopy: 26 BLK
Acoustic Panel: 97 GR


EURO €

1489

Product includes:

- 1 unit of t-3824
- 1 driver 671000034

CIRC



CIR_3825S

FEATURES

* LED 5x6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 5x725 lumens
Driver included / Dimmable Triac
Glass shade and acoustic panel

FINISHES

Canopy: 26 BLK
Acoustic Panel:
26 BLK & 55 BG
97 GR

EURO €


1946

1946

Product includes:

- 1 unit of t-3825
- 1 driver 671000034
- 1 driver 671000091

CIRC



CIR_3826X - OUTDOOR



FEATURES

*LED 2,5W (3000K / Ang. 120° / >80 CRI 5200mAh) 230V / Typ 290 lumens
Polyethylene shade

FINISHES

46 M GN
78 OX RD

EURO €

348

348

Product includes:



- 1 unit of M-3826X
- 1 charger kit 671000044

Available until end of stock

Li Ion battery / Induction charging base / Three position dimming / Remote control
Battery charging time 8-10h / Battery life over 6h at maximum brightness

CIRC

CIR_3830S - WITH SURFACE CANOPY



FEATURES

* LED 6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 725 lumens
Driver included / Dimmable Triac
Glass shade

Product includes:

- 1 round canopy 113815263
- 1 unit of A-3830C
- 1 driver 671000061

FINISHES


Canopy: 26 BLK
Body: 26 BLK

EURO €

534

CIRC

CIR_3830R - WITH RECESSED CANOPY



FEATURES

* LED 6,2W (2700K / Ang. 120° / >90 CRI 350mA) 230V / Typ 725 lumens
Remote driver included / Dimmable Triac
Glass shade

Product includes:

- 1 round recessed canopy 113820263
- 1 unit of A-3830C
- 1 remote driver 671000061

FINISHES

Canopy: 26 BLK
Body: 26 BLK

EURO €



417



Ø50 mm drill on dry wall

CIRC

CIR_R12R4S - WITH RECESSED CANOPY



Composition includes:

- 1 round recessed canopy 113820263
- 4 units of A-3830C
- 2 remote drivers 671000091

FINISHES

Canopy: 26 BLK
Body: 26 BLK

EURO €



1322



Ø50 mm drill on dry wall

CIRC

CIR_R30S6S - WITH SURFACE CANOPY



Composition includes:

- 1 round canopy 113815263
- 6 units of A-3830C
- 2 drivers 671000034

FINISHES


Canopy: 26 BLK
Body: 26 BLK

EURO €

2003

CIRC

123815263 - SUSPENSION FLOWER POT KIT



FEATURES

Flower pot KIT for greenery in black anthracite polyethylene. Plants not included.
Waterproof / Maximum 1,5kg

FINISHES


26 BLK ANT

EURO €

200

COMPASS

COM_4070



FEATURES

* LED 3W (Ang.38° / >90CRI / 350mA)
100V - 240V / Non Dimmable

A-4070-W (2700K Typ 285 lumens)
A-4070-M (3000K Typ 367 lumens)

FINISHES


26 BLK
55 BG
59 TC

EURO €

354
354
354

COMPASS

COM_4071S



FEATURES

* LED 3W (Ang.38° / >90CRI / 350mA)
100V - 240V

Driver included / Non Dimmable

A-4071-W (2700K Typ 285 lumens)
A-4071-M (3000K Typ 367 lumens)

Product includes:

- 1 single canopy 114074XX0
- 1 unit of A-4071


Bathroom version IP/44 upon request
Versión para baño IP/44 bajo pedido

FINISHES

26 BLK
55 BG
59 TC

EURO €


390
390
390



Luminarie can be mounted off the center

COMPASS

COM_4072S



FEATURES

* LED 2x3W (Ang.38° / >90CRI / 350mA)
100V - 240V

Driver included / Non Dimmable

A-4072-W (2700K Typ 2x285 lumens)
A-4072-M (3000K Typ 2x367 lumens)

Product includes:

- 1 single canopy 114074XX0
- 1 unit of A-4072

FINISHES


26 BLK
55 BG
59 TC

EURO €

651
651
651

COMPASS

COM_4073R - WITH RECESSED CANOPY



FEATURES

* LED 3W (Ang.38° / >90CRI / 350mA)
230V / Remote driver / Non Dimmable

A-4073-W (2700K Typ 285 lumens)
A-4073-M (3000K Typ 367 lumens)

Product includes:


- 1 unit of A-4073
- 1 remote driver 671000073 / Non Dimmable

FINISHES

26 BLK
55 BG
59 TC


EURO €

274
274
274



Ø 60 mm drill on dry wall

COMPASS



COM_4074S

FEATURES

* LED 6,2W (Ang.38° / >90CRI / 300mA)
230V / Dimmable Triac

T-4074-W (2700K Typ 625 lumens)
T-4074-M (3000K Typ 652 lumens)

Product includes:


- 1 single canopy 114074XX0
- 1 unit of T-4074
- 1 driver 671000077 / Dimmable Triac

FINISHES

26 BLK
55 BG
59 TC


EURO €

347
347
347



Can be mounted on the wall

COMPASS



COM_R21S2 - WITH SURFACE CANOPY

Composition includes:


- 1 single canopy 114074XX2
- 2 units of T-4074
- 1 driver 671000087 / Dimmable Triac

FINISHES

26 BLK
55 BG
59 TC

EURO €

768
768
768




1800 mm - 2000 mm
70.7/8" - 78.3/4"

Scheme parameters:
Ceiling height = 2500mm
Table length = 1800 - 2000mm
Table width = 900mm

Consult spec sheets for other possible shapes

COMPASS



COM_R21S4 - WITH SURFACE CANOPY

Composition includes:


- 1 single canopy 114074XX2
- 4 units of T-4074
- 2 drivers 671000087 / Dimmable Triac

FINISHES

26 BLK
55 BG
59 TC

EURO €

1267
1267
1267




2300 mm - 2600 mm
90.1/2" - 102.3/8"

Scheme parameters:
Ceiling height = 2500mm
Table length = 2300 - 2600mm
Table width = 900mm

Consult spec sheets for other possible shapes

COMPASS



COM_R21S6 - WITH SURFACE CANOPY

Composition includes:


- 1 single canopy 114074XX2
- 6 units of T-4074
- 3 drivers 671000087 / Dimmable Triac

FINISHES

26 BLK
55 BG
59 TC

EURO €

1766
1766
1766




1600 mm - 2000 mm
63" - 78.3/4"

Scheme parameters:
Ceiling height = 2500mm
Table diameter = 1600 - 2000mm

Consult spec sheets for other possible shapes

COMPASS

COM_4077



∅ 130 mm
∅ 5.1/8"

∅ 130 mm
∅ 5.1/8"



FEATURES

* LED 3W (Ang. 38° / >90CRI / 24V)
100V - 240V / Push button dimmer on the cord
Universal plug

FINISHES

26 BLK
55 BG
59 TC

EURO €


456
456
456

M-4077-W (2700K Typ 300 lumens)

M-4077-M (3000K Typ 330 lumens - check lead time)

COMPASS

COM_4078



∅ 180 mm
∅ 7.1/8"

∅ 180 mm
∅ 7.1/8"



FEATURES

* LED 3W (Ang. 38° / >90CRI / 24V)
100V - 240V / Push button dimmer on the cord
Universal plug

FINISHES

26 BLK
55 BG
59 TC

EURO €


581
581
581

p-4078-W (2700K Typ 300 lumens)

p-4078-M (3000K Typ 330 lumens - check lead time)

COMPASS

COM_4079



∅ 180 mm
∅ 7.1/8"

∅ 180 mm
∅ 7.1/8"



FEATURES

* LED 6,2W (Ang. 38° / >90CRI / 300mA)
100V - 240V / Push button dimmer on the cord
Universal plug

FINISHES

26 BLK
55 BG
59 TC

EURO €


647
647
647

P-4079-W (2700K Typ 625 lumens)

P-4079-M (3000K Typ 652 lumens)

CUPOLINA

CUP_3930



FEATURES

* LED 6,2W (2700K / Ang. 70° / >90 CRI 350mA) / 100V - 240V / Typ 725 lumens
Non Dimmable
Maximum 2kg

FINISHES

26 BLK
74 WH
59 TC

EURO €


404
404
446

Product includes:

- 1 unit of A-3930
- 1 shelf maximum 2kg

CUPOLINA

CUP_3934S - WITH SURFACE CANOPY



FEATURES

* LED 6,2W (2700K / Ang. 70° / >90 CRI 350mA) / 100V - 240V / Typ 725 lumens
Driver included / Non Dimmable

FINISHES


26 BLK
74 WH
59 TC

EURO €

284
284
294

Product includes:

- 1 single canopy 113534XX0
- 1 unit of T-3934 with cable
- 1 driver 671000038 / Non Dimmable



FEATURES

* LED 6,2W (2700K / Ang. 70° / >90 CRI 350mA) / 230V / Typ 725 lumens
Remote driver included / Dimmable Triac

FINISHES


26 BLK
74 WH
59 TC


EURO €

270
270
280

Product includes:

- 1 recessed canopy 113534XX2
- 1 unit of T-3934 with cable
- 1 remote driver 671000061 / Dimmable Triac

Ø 45mm drill on dropped ceiling 




REMOTE DRIVER DALI - 671000092

18W / 350mA / 230V / DALI Dimmable
UPON REQUEST


EURO €

84

Ø 60mm drill on dropped ceiling 

CUPOLINA

CUP_3935



FEATURES

* LED 6x6,2W (2700K / Ang. 70° / >90 CRI 350mA) / 230V / Typ 6x725 lumens
Driver included / Dimmable Triac

FINISHES

26 BLK
74 WH

EURO €


1528
1528

Product includes:

- 1 single canopy 113935XX2
- 1 unit of T-3935
- 2 drivers 671000034 / Dimmable Triac

CUPOLINA

CUP_3937



FEATURES

* LED 6,2W (2700K / Ang. 70° / >90 CRI
350mA) / 230V / Typ 725 lumens
On/Off cord switch

FINISHES


26 BLK
74 WH
59 TC

EURO €

413
413
444

CUPOLINA

CUP_3939



FEATURES

* LED 6,2W (2700K / Ang. 70° / >90 CRI
350mA) / 230V / Typ 725 lumens
On/Off cord switch

FINISHES


26 BLK
74 WH
59 TC

EURO €

670
670
721

CYLS

CYL_3900



FEATURES

LED up to 10W / E14 / 230V
Dimmable when using dim. lamps

FINISHES

26 BLK
55 BG

EURO €

148
148

100006400


LED 6W / 2700K / E14 / 230V / Typ 650 lumens / Non Dimmable

EURO €

16

CYLS

CYL_3905



FEATURES

LED up to 20W / E27 / 120V - 240V
Dimmable when using dim. lamps


FINISHES

26 BLK
55 BG

EURO €

214
214

CYL_3905P



FEATURES

LED up to 20W / E27 / 120V - 240V
Dimmable when using dim. lamps
Translucent polyester shade

FINISHES

Shade: 27 WH
Body: 26 BLK
55 BG

EURO €

340
340

Product includes:

- 1 unit of T-3905
- 1 white pearl shade 123905270

100019420


LED 19W / 2700K / E27 / 230V
Typ 2452 lumens / Non Dimmable

EURO €

38

CYLS

CYL_3906




FEATURES
LED up to 20W / E27 / 230V
On/Off cord switch

FINISHES
26 BLK
55 BG

EURO €
178
178

CYL_3906P



FEATURES
LED up to 20W / E27 / 230V
On/Off cord switch
Translucent polyester shade

FINISHES
Shade: 27 WH
Body: 26 BLK
55 BG

EURO €
304
304

Product includes:
• 1 unit of M-3906
• 1 white pearl shade 123905270


100019420

LED 19W / 2700K / E27 / 230V / Typ 2452 lumens / Non Dimmable

EURO €
38

CYLS

CYL_3907



FEATURES
LED up to 10W
E14 / 230V
On/Off cord switch

FINISHES
26 BLK
55 BG

EURO €
324
324


100006400

LED 6W / 2700K / E14 / 230V / Typ 650 lumens / Non Dimmable

EURO €
16

CYLS

CYL_3908




FEATURES
LED up to 20W / E27 / 230V
On/Off cord switch

FINISHES
26 BLK
55 BG

EURO €
560
560

Product includes:
• 1 unit of p-3908
• 1 metal base 113908XX2

CYL_3908P



FEATURES
LED up to 20W / E27 / 230V
On/Off cord switch
Translucent polyester shade

FINISHES
Shade: 27 WH
Body: 26 BLK
55 BG

EURO €
686
686

Product includes:
• 1 unit of p-3908
• 1 metal base 113908XX2
• 1 white pearl shade 123905270


100019420

LED 19W / 2700K / E27 / 230V / Typ 2452 lumens / Non Dimmable

EURO €
38

CYLS

CYL_3908M



FEATURES

LED up to 20W / E27 / 230V
On/Off cord switch / Marble base

FINISHES

26 BLK


EURO €

778

Product includes:

- 1 unit of p-3908
- 1 marble base 113908503

CYL_3908MP



FEATURES

LED up to 20W / E27 / 230V
On/Off cord switch / Marble base
Translucent polyester shade

FINISHES

Shade: 27 WH
Body: 26 BLK

EURO €

904

Product includes:

- 1 unit of p-3908
- 1 marble base 113908503
- 1 white pearl shade 123905270

100019420


LED 19W / 2700K / E27 / 230V / Typ 2452 lumens / Non Dimmable

EURO €

38

ECLIPSI

ECL_3700



FEATURES


* LED 2x10W (2700K / Ang. 120° / >90 CRI)
230V / Typ 2x870 lumens
Dimmable Triac
Weight: 4,5Kg

FINISHES


74 WH

EURO €

511



Can be mounted on the ceiling



Signage


Optional laser-cut signage
Minimum order 18 units

EURO €

39

ECLIPSI

ECL_3701



FEATURES


* LED 2x15W (2700K / Ang. 120° / >90 CRI)
230V / Typ 2x1245 lumens
Dimmable Triac
Weight: 8,5Kg

FINISHES


74 WH

EURO €

696




Can be mounted on the ceiling



FLOW

FLO_3730



FEATURES

* LED 6,2W (2700K / Ang. 80° / >90 CRI 350mA) / 100V - 240V / Typ 725 lumens
Non dimmable

FINISHES


61 S GLD
26 BLK
74 WH

EURO €

355
318
318

FLOW

FLO_3734S - WITH SURFACE CANOPY



FEATURES

* LED 6,2W (2700K / Ang. 80° / >90 CRI 350mA) / 100V - 240V / Typ 725 lumens
Driver included / Non dimmable

FINISHES

Canopy: 26 BLK - 71WH
Shade: 61 S GLD
26 BLK
74 WH


EURO €

348
331
331

Product includes:

- 1 single canopy 113534XX0
- 1 unit of T-3734C with cable
- 1 driver 671000038 / Non Dimmable

FLO_3734R - WITH RECESSED CANOPY



FEATURES

* LED 6,2W (2700K / Ang. 80° / >90 CRI 350mA) / 230V / Typ 725 lumens
Remote driver included / Dimmable Triac

FINISHES

Canopy: 26 BLK - 71WH
Shade: 61 S GLD
26 BLK
74 WH

EURO €

334
317
317

Product includes:

- 1 recessed canopy 113534XX2
- 1 unit of T-3734C with cable
- 1 remote driver 671000061 / Dimmable Triac


Ø 45mm drill on dropped ceiling

REMOTE DRIVER DALI - 671000092

UPON REQUEST FOR T-3734 / T-3735 / T-3736
18W / 350mA / 230V / DALI Dimmable

EURO €


84



Ø 60mm drill on dropped ceiling

FLOW

FLO_3735S - WITH SURFACE CANOPY



FEATURES

* LED 6,2W (2700K / Ang. 80° / >90 CRI 350mA) / 100V - 240V / Typ 725 lumens
Driver included / Non dimmable

FINISHES

Canopy: 26 BLK - 71WH
Shade: 61 S GLD
26 BLK
74 WH


EURO €

370
352
352

Product includes:

- 1 single canopy 113534XX0
- 1 unit of T-3735C with cable
- 1 driver 671000038 / Non Dimmable

FLO_3735R - WITH RECESSED CANOPY



FEATURES

* LED 6,2W (2700K / Ang. 80° / >90 CRI 350mA) / 230V / Typ 725 lumens
Remote driver included / Dimmable Triac

FINISHES

Canopy: 26 BLK - 71WH
Shade: 61 S GLD
26 BLK
74 WH

EURO €

356
338
338

Product includes:

- 1 recessed canopy 113534XX2
- 1 unit of T-3735C with cable
- 1 remote driver 671000061 / Dimmable Triac


Ø 45mm drill on dropped ceiling

REMOTE DRIVER DALI - 671000092

UPON REQUEST FOR T-3734 / T-3735 / T-3736
18W / 350mA / 230V / DALI Dimmable


EURO €

84



Ø 60mm drill on dropped ceiling

FLOW



FLO_3736S - WITH SURFACE CANOPY

FEATURES

* LED 6,2W (2700K / Ang. 80° / >90 CRI 350mA) / 100V - 240V / Typ 725 lumens
Driver included / Non dimmable

FINISHES

Canopy: 26 BLK - 71WH
Shade: 61 S GLD
26 BLK
74 WH

EURO €

374
359
359

Product includes:

- 1 single canopy 113534XX0
- 1 unit of T-3736C with cable
- 1 driver 671000038 / Non Dimmable

FLO_3736R - WITH RECESSED CANOPY

FEATURES

* LED 6,2W (2700K / Ang. 80° / >90 CRI 350mA) / 230V / Typ 725 lumens
Remote driver included / Dimmable Triac

FINISHES

Canopy: 26 BLK - 71WH
Shade: 61 S GLD
26 BLK
74 WH

EURO €

360
345
345

Product includes:

- 1 recessed canopy 113534XX2
- 1 unit of T-3736C with cable
- 1 remote driver 671000061 / Dimmable Triac

Ø 45mm drill on dropped ceiling


DRIVER FLOW - 671000038

T-3734 / T-3735 / T-3736 (Max. 1x 6,1W) / 100V - 240V Non dimmable

EURO €

35

Ø 40mm drill on dropped ceiling




REMOTE DRIVER FLOW - 671000061

T-3734 / T-3735 / T-3736 (Max. 1x10W) / 230V Dimmable Triac

EURO €

41

Ø 45mm drill on dropped ceiling




DRIVER FLOW - 671000034

T-3734 / T-3735 / T-3736 (Min. 2x6,1W - Max. 3x 6,1W) 230V / Dimmable Triac

EURO €

50

Ø 50mm drill on dropped ceiling




REMOTE DRIVER DALI - 671000092

UPON REQUEST FOR T-3734 / T-3735 / T-3736
18W / 350mA / 230V / DALI Dimmable


EURO €

84

Ø 60mm drill on dropped ceiling



FLOW



FLO_L73S3S - WITH SURFACE CANOPY

Composition includes:

- 1 linear canopy 113415XX1
- 3 units of T-3734C with cable
- 1 driver 671000034 / Dimmable Triac

FINISHES


Canopy: 26 BLK - 71 WH
Shade: 61 S GLD
26 BLK
74 WH

EURO €

1016
965
965

Up to 2 additional FLOW can be added

FLOW



FLO_L92S4S - WITH SURFACE CANOPY

Composition includes:

- 1 linear canopy 113415XX3
- 4 units of T-3734C with cable
- 2 drivers 671000034 / Dimmable Triac

FINISHES

Canopy: 26 BLK - 71 WH
Shade: 61 S GLD
26 BLK
74 WH


EURO €

1310
1242
1242

Up to 3 additional FLOW can be added

FLOW

FLO_L165S6S - WITH SURFACE CANOPY



Composition includes:

- 1 linear canopy 113415XX7
- 6 units of T-3734C with cable
- 2 drivers 671000034 / Dimmable Triac

Up to 5 additional FLOW can be added

FINISHES


- Canopy: 26 BLK - 71 WH
 Shade: 61 S GLD
 26 BLK
 74 WH

EURO €

- 1916
 1814
 1814

FLOW

FLO_R40S3S - WITH SURFACE CANOPY



Composition includes:

- 1 round canopy 113415XX6
- 3 units of T-3734C with cable
- 1 driver 671000034 / Dimmable Triac

FINISHES


- Canopy: 26 BLK - 71 WH
 Shade: 61 S GLD
 26 BLK
 74 WH

EURO €

- 1402
 1351
 1351

FRAME

FRA_4050 - INDOOR



FEATURES

- * LED 6,2W (3000K / Ang. 70° / >90 CRI 350mA) / 100V - 240V / Typ 725 lumens
- Non Dimmable
- Transparent pyrex glass

FINISHES


- 96 BLK ANT

EURO €

- 302

FRAME

FRA_4051X - OUTDOOR



IP
65

FEATURES

- * LED 6,2W (3000K / Ang. 70° / >90 CRI 350mA) / 100V - 240V / Typ 725 lumens
- Non Dimmable
- Transparent pyrex glass

FINISHES / ACABADOS

- 96 BLK ANT

EURO €

- 379

Signage

Optional laser-cut signage.

EURO €

- 60

124051960 VEGETATION KIT


KIT for greenery. Plants not included.

EURO €

- 36

FRAME

FRA_4053X - OUTDOOR



IP
65

FEATURES

- * LED 6,2W (3000K / Ang. 70° / >90 CRI 350mA) / 100V - 240V / Typ 725 lumens
- Non Dimmable
- Transparent pyrex glass

FINISHES


- 96 BLK ANT

EURO €

- 371

FRAME

FRA_4054X - OUTDOOR



IP
65

FEATURES

* LED 6,2W (3000K / Ang. 70° / >90 CRI 350mA) / 100V - 240V / Typ 725 lumens
Non Dimmable / Hard wired (no plug)
Transparent pyrex glass

FINISHES


96 BLK ANT

EURO €

379

FRAME

FRA_4055X - OUTDOOR



IP
65

FEATURES

* LED 6,2W (3000K / Ang. 70° / >90 CRI 350mA) / 100V - 240V / Typ 725 lumens
Non Dimmable / Hard wired (no plug)
Transparent pyrex glass

FINISHES


96 BLK ANT

EURO €

396

FRAME

FRA_4056X - OUTDOOR



IP
65

FEATURES

* LED 6,2W (3000K / Ang. 70° / >90 CRI 350mA) / 100V - 240V / Typ 725 lumens
Non Dimmable / Hard wired (no plug)
Transparent pyrex glass

FINISHES


96 BLK ANT

EURO €

434

GADA

GAD_3921



FEATURES

* LED 22W (3000K / Ang. 90° / >90 CRI 500mA) / 230V / Typ 3150 lumens
Non Dimmable

FINISHES

Shade: 74 WH
Textured vinyl shade:
50 MM 482
51 CT 482
52 WD 482

EURO €

427

Signage



Optional laser-cut signage
Minimum order 13 units

EURO €

39

GADA

GAD_3924S - WITH SURFACE CANOPY



FEATURES

* LED 22W (3000K / Ang. 90° / >90 CRI 500mA) / 230V / Typ 3150 lumens
Driver included / Dimmable Triac

Product includes:

- 1 single canopy 113925XX2
- 1 unit of T-3924
- 1 driver 671000013 / Dimmable Triac



FINISHES

Shade: 74 WH
Textured vinyl shade:
50 MM
51 CT
52 WD

EURO €

566
620
620
620

GAD_3924R - WITH RECESSED CANOPY



FEATURES

* LED 22W (3000K / Ang. 90° / >90 CRI 500mA) / 230V / Typ 3150 lumens
Remote driver included / Dimmable Triac

Product includes:


- 1 recessed canopy 113534712
- 1 unit of T-3924
- 1 remote driver 671000013 / Dimmable Triac

FINISHES

Shade: 74 WH
Textured vinyl shade:
50 MM
51 CT
52 WD



EURO €

488
542
542
542

 Ø 55mm drill on dropped ceiling

GADA

GAD_3925S - WITH SURFACE CANOPY



FEATURES

* LED 33W (3000K / Ang. 90° / >90 CRI 500mA) / 230V / Typ 4725 lumens
Driver included / Dimmable Triac

Product includes:

- 1 single canopy 113925XX2
- 1 unit of T-3925
- 1 driver 671000080 / Dimmable Triac



FINISHES

Shade: 74 WH
Textured vinyl shade:
50 MM
51 CT
52 WD

EURO €

697
758
758
758

GAD_3925R - WITH RECESSED CANOPY



FEATURES

* LED 33W (3000K / Ang. 90° / >90 CRI 500mA) / 230V / Typ 4725 lumens
Remote driver included / Dimmable Triac

Product includes:


- 1 recessed canopy 113534712
- 1 unit of T-3925
- 1 remote driver 671000080 / Dimmable Triac

FINISHES

Shade: 74 WH
Textured vinyl shade:
50 MM
51 CT
52 WD



EURO €

619
680
680
680

 Ø 55mm drill on dropped ceiling

GADA

GAD_3927



FEATURES

* LED 22W (3000K / Ang. 90° / >90 CRI 500mA) / 230V / Typ 3150 lumens
On/Off switch on the base

FINISHES


Shade: 74 WH
Textured vinyl shade:
50 MM
51 CT
52 WD

EURO €

605
644
644
644

ICONS

ICO_1127



FEATURES

* Hal. up to 200W / 118mm / R7s base
230V / Dimmable

Compatible with Dimmable LED
118mm / R7s base / 230V
Not included

⊕ * LED 6,2W (2700K/ Ang.120°
>90 CRI / 350mA) / 230V
Typ 725 lumens
On/Off Switch

FINISHES


61 S GLD
37 NI
26 BLK

EURO €

1276
1097
1064

ICONS

ICO_1129



FEATURES

* Hal. up to 200W / 118mm / R7s base
230V / Dimmable

Compatible with Dimmable LED
118mm / R7s base / 230V
Not included

FINISHES


61 S GLD
37 NI
26 BLK

EURO €

775
732
611

ICONS

ICO_1139L



FEATURES

* LED 6,2W (2700K / Ang. 120°
>90 CRI / 350mA) / 230V
Typ 725 lumens
Push button dimmer

FINISHES

37 NI
26 BLK


EURO €

743
670

Available until end of stock

IRIS

IRI_2713



FEATURES

LED up to 3x20W
E27 / 120V - 240V
Dimmable when using dim. lamps
Translucent polyester shade

FINISHES

Shade: 26 BLK
27WH
Body: 37 NI


EURO €

965

Available until end of stock

IRIS

IRI_2714



FEATURES

LED up to 3x20W
E27 / 120V - 240V
Dimmable when using dim. lamps
Translucent polyester shade

FINISHES

Shade: 26 BLK
27WH
Body: 37 NI


EURO €

1205

Available until end of stock

IRIS

IRI_2718



FEATURES

* LED 3x8,5W (2700K / Ang. 120° / >80 CRI)
E27 / Typ 3x805 lumens / 230V
Dimmable
Translucent polyester shade

FINISHES

Shade: 26 BLK
27WH
Body: 37 NI

EURO €

2590


Available until end of stock

Product includes:

- 1 unit of P-2718
- 1 shade 112718XX0X
- 3 dimmable led bulbs

LAVERD

LAV_3805S



FEATURES

* LED 16x3W (2700K / Ang. 60° / >90 CRI
24V) 100V - 277V / Typ 16x300 lumens
Driver included / Dimmable 0-10V
Up and down light

FINISHES

Canopy: 26 BLK
Body: 26 BLK
Head: 26 BLK
61 S GLD


EURO €

2133
2311

Product includes:


- 1 round canopy 113805263
- 1 unit of T-3805
- 1 driver included / Dimmable 0-10V

Possible shapes / compositions



LAVERD

LAV_3806S - WITH SURFACE CANOPY



FEATURES

* LED 24x3W (2700K / Ang. 60° / >90 CRI
24V) 100V - 277V / Typ 24x300 lumens
Driver included / Dimmable 0-10V
Up and down light

FINISHES

Canopy: 26 BLK
Body: 26 BLK
Head: 26 BLK
61 S GLD


EURO €

3381
3650

Product includes:


- 1 round canopy 113805263
- 1 unit of T-3806
- 1 driver included / Dimmable 0-10V

Possible shapes / compositions



LAVERD

LAV_R11S1S1M - WITH SURFACE CANOPY



Composition includes:


- 1 round canopy 113805263
- 1 unit of T-3805
- 1 unit of T-3806
- 1 connection kit 123805262

FINISHES


Canopy: 26 BLK
Body: 26 BLK
Head: 26 BLK
61 S GLD

EURO €

5515
5962




Possible shapes / compositions



LAVERD

LAV_R11S1M1VK - WITH SURFACE CANOPY



FEATURES

* LED 24x3W (2700K / Ang. 60° / >90 CRI 24V) 100V - 277V / Typ 24x300 lumens
Dimmable 0-10V
Up and down light

Product includes:


- 1 round canopy 113805263
- 1 unit of T-3806
- 1 vegetation KIT 123815262 with artificial greenery included.
Not waterproof / Maximum 30kg

FINISHES

Canopy: 26 BLK
Body: 26 BLK
Head: 26 BLK
61 S GLD


EURO €

5545
5814



LUCK

LUC_2443S - WITH SURFACE CANOPY



FEATURES

LED up to 20W
Globe Ø 95mm / E27 / 120V - 240V
Dimmable when using dim. lamps

Composition includes:

- 1 single canopy 113416XX0
- 1 unit of T-2443C with textile cable
- 1 ceiling holder

FINISHES


Canopy: 26 BLK
37 NI
71 WH
Body: 37 NI
26 BLK

EURO €

556
533

LUCK

LUC_L73S3 - WITH SURFACE CANOPY



Composition includes:

- 1 linear canopy 113415XX1
- 3 units of T-2443C with textile cable

FINISHES


Canopy: 26 BLK - 71 WH
Body: 37 NI
26 BLK

EURO €

1674
1626

LUCK

LUC_R40S3 - WITH SURFACE CANOPY



Composition includes:

- 1 round canopy 113415XX6
- 3 units of T-2443C with textile cable

FINISHES


Canopy: 26 BLK - 71 WH
Body: 37 NI
26 BLK

EURO €

2060
2012

LUNE

LUN_3370-W OUTDOOR



IP
65

FEATURES

* LED 10W (2700K / Ang. 120° / >90 CRI)
230V / Typ 870 lumens
Dimmable Triac

FINISHES

Indoor & Outdoor: 26 BLK
74 WH
Indoor only: 61 S GLD
37 NI
52 WD

EURO €

385
385
429
414
454

Signage


Optional laser-cut signage

EURO €

60

MAINE

MAI_3410L / A-3410L



FEATURES

* LED 10W (2700K / Ang. 75° / >90 CRI)
230V / Typ 870 lumens
Dimmable Triac

FINISHES


45 CP M
20 GLD M
26 BLK

EURO €

302
302
286

MAINE

MAI_3415LS - WITH SURFACE CANOPY



FEATURES

* LED 10W (2700K / Ang. 75° / >90 CRI)
230V / Typ 870 lumens
Dimmable Triac

FINISHES

Canopy: 26 BLK - 71 WH
Shade: 45 CP M
20 GLD M
26 BLK

EURO €


399
399
384

Product includes:

- 1 single canopy 113416XX0
- 1 unit of T-3415LC with textile cable
- 1 ceiling holder

MAINE

MAI_R40S3 - WITH SURFACE CANOPY



Composition includes:

- 1 round canopy 113415XX6
- 3 units of T-3415LC with textile cable

FINISHES


Canopy: 26 BLK - 71 WH
Shade: 45 CP M
20 GLD M
26 BLK

EURO €

1610
1610
1565

MOOD

MOO_4064S - WITH SURFACE CANOPY



FEATURES

* LED 19W (2700K / Ang.120° / >80CRI 24V) / 230V / Typ 1800 lumens
Driver included / Dimmable Triac

FINISHES


74 WH
91 ND

EURO €


505
505

Product includes:

- 1 surface canopy 113925XX2
- 1 unit of T-4064
- 1 driver 671000090 / Dimmable Triac



MOO_4064R - WITH RECESSED CANOPY



FEATURES

* LED 19W (2700K / Ang.120° / >80CRI 24V) / 230V / Typ 1800 lumens
Remote driver included / Dimmable Triac

FINISHES


74 WH
91 ND

EURO €

427
427


Product includes:

- 1 recessed canopy 113534XX2
- 1 unit of T-4064
- 1 remote driver 671000090 / Dimmable Triac



MOOD

MOO_4062S - WITH SURFACE CANOPY



FEATURES

* LED 2x19W (2700K / Ang.120° / >80CRI 24V) / 230V / Typ 2x1800 lumens
Driver included / Dimmable Triac

FINISHES


74 WH
91 ND

EURO €


1105
1105

Product includes:

- 1 surface canopy 113815XX3
- 1 unit of T-4062
- 2 drivers 671000090 / Dimmable Triac



MOO_4062R - WITH RECESSED CANOPY



FEATURES

* LED 2x19W (2700K / Ang.120° / >80CRI 24V) / 230V / Typ 2x1800 lumens
Remote driver included / Dimmable Triac

FINISHES



74 WH
91 ND

EURO €


988
988

Product includes:

- 1 recessed canopy 113820XX3
- 1 unit of T-4062
- 2 remote drivers 671000090 / Dimmable Triac



MOO_L92S2D - WITH SURFACE CANOPY



Composition includes:

- 1 linear canopy 114063XX3
- 2 units of T-4062
- 1 driver 671000053 / Dimmable 0-10V
- 1 union KIT 124062002

FINISHES


74 WH
91 ND

EURO €

1900
1900

MOOD

MOO_4063S - WITH SURFACE CANOPY



FEATURES

* LED 3x19W (2700K / Ang.120° / >80CRI 24V) / 100V - 277V / Typ 3x1800 lumens
Driver included / Dimmable 0-10V

FINISHES



74 WH
91 ND

EURO €

1714
1714

Product includes:

- 1 surface canopy 113815XX3
- 1 unit of T-4063
- 2 drivers 671000052 / Dimmable 0-10V



MOO_4063R - WITH RECESSED CANOPY

FEATURES

* LED 3x19W (2700K / Ang.120° / >80CRI 24V) / 100V - 277V / Typ 3x1800 lumens
Driver included / Dimmable 0-10V

FINISHES


74 WH
91 ND



EURO €

1597
1597

Product includes:

- 1 recessed canopy 113820XX3
- 1 unit of T-4063
- 2 remote drivers 671000052 / Dimmable 0-10V

 Ø 65mm drill on dropped ceiling



MOO_L92S1D1T - WITH SURFACE CANOPY

Composition includes:


- 1 linear canopy 114063XX3
- 1 unit of T-4062
- 1 unit of T-4063
- 3 drivers 671000052 / Dimmable 0-10V
- 1 union KIT 124062002

FINISHES

74 WH
91 ND

EURO €

2655
2655



MOO_L92S2TV1 - WITH SURFACE CANOPY

Composition includes:

- 1 linear canopy 114063XX3
- 2 units of T-4063
- 3 drivers 671000052 / Dimmable 0-10V
- 2 union KIT 124062002

FINISHES

74 WH
91 ND

EURO €

3185
3185

MOO_L92S2TV2 - WITH SURFACE CANOPY

Composition includes:

- 1 linear canopy 114063XX3
- 2 units of T-4063
- 3 drivers 671000052 / Dimmable 0-10V
- 1 union KIT 124062002

FINISHES


74 WH
91 ND

EURO €


3156
3156

MOOD

MOO_4066



∅ 270 mm
∅ 10.5/8"



3500 mm
137.3/4"



FEATURES

* LED 19W (2700K / Ang.120° / >80CRI 24V) / 100V - 240V / Typ 1800 lumens
Push button dimmer on the cord
Universal plug

FINISHES

74 WH
91 ND


EURO €

354
354

40 mm
1.5/8"

MOO_4060 - FLAT WALL SUPPORT

9 mm
3/8"



114060000

Flat wall support

FINISHES

COLOURLESS

EURO €

29

SHADE M-4066 + FLAT WALL SUPPORT

Direct light

Product includes:



- 1 shade of M-4066
- 1 flat wall support 114060000

FINISHES

74 WH
91 ND

EURO €

383
383



124060262

Cable holder to guide the cord

EURO €

21

MOO_4061 - WALL SUPPORT STEM

110 mm
4.3/8"



114061XX0

Wall support stem

FINISHES

74 WH
91 ND

EURO €

127
127

SHADE M-4066 + WALL SUPPORT STEM

Direct or indirect light

Product includes:


- 1 shade of M-4066
- 1 wall support stem 114061XX0

FINISHES


74 WH
91 ND

EURO €

481
481



MOO_4067 - TABLE SUPPORT



114067XX0

Table support

FINISHES

74 WH
91 ND

EURO €

175
175

SHADE M-4066 + TABLE SUPPORT

Direct or indirect light

Product includes:


- 1 shade of M-4066
- 1 table support 114067XX0

FINISHES


74 WH
91 ND

EURO €

529
529



MOO_4065 - CEILING SUPPORT



114065000
Ceiling support

FINISHES
COLOURLESS

EURO €
60


SHADE M-4066 + CEILING SUPPORT

Direct or indirect light
Product includes:


- 1 shade of M-4066
- 1 ceiling support 114065000

FINISHES
74 WH
91 ND

EURO €
414
414



MOO_4068 - FLOOR SUPPORT



114068XX0
Floor support

FINISHES
74 WH
91 ND

EURO €
284
284


SHADE M-4066 + FLOOR SUPPORT

Direct or indirect light
Product includes:

- 1 shade of M-4066
- 1 floor support 114068XX0


FINISHES
74 WH
91 ND

EURO €
638
638



MORSE

MOR_3915S - WITH SURFACE CANOPY



FEATURES

* LED 3x6,2W (2700K / Ang. 80° / >90 CRI 350mA) 230V / Typ 3x725 lumens
Driver included / Dimmable Triac

FINISHES

Canopy: 26 BLK - 71 WH
Body: 26 BLK

EURO €

1059

Product includes:

- 1 single canopy 113924XX0
- 1 unit of T-3915
- 1 driver 671000034 / Dimmable Triac

123530XX3


3 units of embedded optic lens 30°

FINISHES / ACABADO

26 BLK

EURO €

87



MOR_3915R - WITH RECESSED CANOPY

FEATURES

* LED 3x6,2W (2700K / Ang. 80° / >90 CRI 350mA) 230V / Typ 3x725 lumens
Remote driver included / Dimmable Triac

FINISHES

Canopy: 26 BLK - 71 WH
Body: 26 BLK

EURO €

1031

Product includes:

- 1 single canopy 113534XX2
- 1 unit of T-3915
- 1 remote driver 671000034 / Dimmable Triac

Ø 55mm drill on dropped ceiling

123530XX3 (x3)


3 units of embedded optic lens 30°

FINISHES

26 BLK

EURO €

87



REMOTE DRIVER DALI - 671000092

18W / 350mA / 230V / DALI Dimmable
UPON REQUEST

EURO €

84



Ø 60mm drill on dropped ceiling

123915002

Union KIT for more than one Morse


EURO €

19



NÈBULA

NEB_3133



FEATURES

LED up to 3x20W
E27 / 120V - 240V
Dimmable when using dim. lamps

FINISHES

74 WH


EURO €

466

Available until end of stock

NIT

NIT_3520



FEATURES

* LED 1W (3000K / Ang. 60° / >80 CRI / 350mA)
100V - 240V / Typ 123 lumens
On/Off switch
2 Amp USB Charger
Low ripple

FINISHES

26 BLK
74 WH

EURO €

400

400


Available until end of stock

Product includes:

- 1 unit of A-3520
- 1 top shelf 113520XX0

OBS

OBS_3220L



FEATURES

* LED 15W (2700K / Ang. 120° / >90 CRI)
230V / Typ 1245 lumens
Dimmable Triac

FINISHES


44 CP
61 S GLD
76 WH

EURO €

347
338
251

PILA

PIL_3555S - WITH SURFACE CANOPY



FEATURES

* LED 10W (2700K / Ang. 120°
>90 CRI) 230V / Typ 870 lumens
Dimmable Triac

FINISHES

Canopy: 26 BLK - 71 WH
Body: 56 BLK - 74 WH
Head: CORK

EURO €


406

Product includes:

- 1 single canopy 113416XX0
- 1 unit of T-3555C with textile cable
- 1 ceiling holder

PILA

PIL_R40S3 - WITH SURFACE CANOPY



Composition includes:

- 1 round canopy 113415XX6
 - 3 units of T-3555C with textile cable
- Dimmable Triac

FINISHES


Canopy: 26 BLK - 71 WH
Body: 56 BLK - 74 WH
Head: CORK

EURO €

1631

PIU

PIU_3320L



FEATURES

* LED 15W (2700K / Ang. 120° / >90 CRI)
230V / Typ 1245 lumens
Dimmable Triac

FINISHES

74 WH

EURO €

237

Available until end of stock

Signage


Optional laser-cut signage
Minimum order 25 units

EURO €

39

PLUMA

PLU_2959



FEATURES

* LED 13W (2700K / Ang. 120° / >80 CRI)
E27 / Typ 1521 lumens / 230V
Dimmable

FINISHES

Body: 26 BLK
Shade: 64 BLK L

EURO €

2071

Product includes:

- 1 unit of P-2959
- 1 shade 112956640
- 1 dimmable LED bulb

122959000 - KIT T-2959


Bottom acrylic diffuser kit optional for black shade.

EURO €

152

REVOLTA

REV_3630



FEATURES

* LED 6,2W (Ang. 80° / >90 CRI / 350mA)
100V - 240V / Non Dimmable

FINISHES

Body: 26 BLK
Head: 26 BLK - 61 S GLD

EURO €

391

A-3630-W (2700K Typ 725 lumens)
A-3630-M (3000K Typ 763 lumens)

123530XX3


Embedded optic lens 30°

FINISHES

26 BLK
61 S GLD

EURO €

29
30

REVOLTA**REV_3635S - WITH SURFACE CANOPY****FEATURES**

*LED 6,2W (Ang. 80° / >90 CRI
350mA) / 230V
Driver included / Dimmable Triac

T-3635S-W (2700K Typ 725 lumens)
T-3635S-M (3000K Typ 763 lumens)

Product includes:

- 1 single canopy 113635XX0
- 1 unit of T-3635C

FINISHES

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD

EURO €

548

123635XX0 Acoustic panel

$\alpha_w = 0,4$ (Sound absorption indicator)
Ø 380 mm
95% Virgin wool, 5% polyamide

FINISHES

Acoustic Fabric Panel:
82 BL - 83 EGP - 84 SLM

EURO €

316

Other finishes available, consult our offices

123635XX0A Acoustic panel

$\alpha_w = 0,25$ (Sound absorption indicator)
Ø 380 mm
60% recycled bottles (PET)

FINISHES

Acoustic Foam Panel:
26 BLK

EURO €

132


Other finishes available, consult our offices

123530XX3

Embedded optic lens 30°

FINISHES

26 BLK
61 S GLD

EURO €29
30**REV_3635R - WITH RECESSED CANOPY****FEATURES**

*LED 6,2W (Ang. 80° / >90 CRI
350mA) / 230V
Remote driver included / Dimmable Triac

T-3635R-W (2700K Typ 725 lumens)
T-3635R-M (3000K Typ 763 lumens)

Product includes:


- 1 recessed canopy 113635XX0R
- 1 unit of T-3635C

FINISHES

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD

EURO €

548

Ø 50mm drill on dropped ceiling 

123635XX0 Acoustic panel

$\alpha_w = 0,4$ (Sound absorption indicator)
Ø 380 mm
95% Virgin wool, 5% polyamide

FINISHES

Acoustic Fabric Panel:
82 BL - 83 EGP - 84 SLM

EURO €

316

Other finishes available, consult our offices

123635XX0A Acoustic panel

$\alpha_w = 0,25$ (Sound absorption indicator)
Ø 380 mm
60% recycled bottles (PET)

FINISHES

Acoustic Foam Panel:
26 BLK

EURO €

132

Other finishes available, consult our offices

123530XX3

Embedded optic lens 30°

FINISHES


26 BLK
61 S GLD


EURO €29
30**REMOTE DRIVER DALI - 671000092**

18W / 350mA / 230V / DALI Dimmable
UPON REQUEST

EURO €


84

Ø 60mm drill on dropped ceiling 



REVOLTA

REV_3636S - WITH SURFACE CANOPY



FEATURES

* LED 2x6,2W (Ang. 80° / >90 CRI 350mA) / 230V
Driver included / Dimmable Triac

T-3636S-W (2700K Typ 2x725 lumens)
T-3636S-M (3000K Typ 2x763 lumens)

Product includes:

- 1 single canopy 113635XX0
- 1 unit of T-3636C

FINISHES

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD

EURO €

731

123636XX0 Acoustic panel

$\alpha_w = 0,4$ (Sound absorption indicator)
Ø 600 mm
95% Virgin wool, 5% polyamide

FINISHES

Acoustic Fabric Panel:
82 BL - 83 EGP - 84 SLM

EURO €

407

Other finishes available, consult our offices

123636XX0A Acoustic panel

$\alpha_w = 0,25$ (Sound absorption indicator)
Ø 600 mm
60% recycled bottles (PET)

FINISHES

Acoustic Foam Panel:
26 BLK

EURO €

178

Other finishes available, consult our offices

123530XX3 (x2)

2 units of embedded optic lens 30°

FINISHES


26 BLK
61 S GLD

EURO €

58

60

REV_3636R - WITH RECESSED CANOPY



FEATURES

*LED 2x6,2W (Ang. 80° / >90 CRI 350mA) / 230V
Remote driver included / Dimmable Triac

T-3636R-W (2700K Typ 2x725 lumens)
T-3636R-M (3000K Typ 2x763 lumens)

Product includes:


- 1 recessed canopy 113635XX0R
- 1 unit of T-3636C

FINISHES

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD

EURO €

731

 Ø 50mm drill on dropped ceiling

123636XX0 Acoustic panel

$\alpha_w = 0,4$ (Sound absorption indicator)
Ø 600 mm
95% Virgin wool, 5% polyamide

FINISHES

Acoustic Fabric Panel:
82 BL - 83 EGP - 84 SLM

EURO €

407

Other finishes available, consult our offices

123636XX0A Acoustic panel

$\alpha_w = 0,25$ (Sound absorption indicator)
Ø 600 mm
60% recycled bottles (PET)

FINISHES

Acoustic Foam Panel:
26 BLK

EURO €

178

Other finishes available, consult our offices

123530XX3 (x2)

2 units of embedded optic lens 30°

FINISHES

26 BLK
61 S GLD

EURO €

58

60


REMOTE DRIVER DALI - 671000092

18W / 350mA / 230V / DALI Dimmable
UPON REQUEST

EURO €


84

Ø 60mm drill on dropped ceiling 



REVOLTA

REV_L73S2D - WITH SURFACE CANOPY

**Composition includes:**

- 1 linear canopy 113535XX1
- 2 units of T-3636C
- 2 drivers / Dimmable Triac

FINISHES

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD

EURO €

1486

Optional, not included:

- Up to 2 acoustic panels 123636XX0X

123530XX3 (x4)

4 units of embedded optic lens 30°


FINISHES

26 BLK
61 S GLD

EURO €

116

120



REV_L73R2D - WITH RECESSED CANOPY

Composition includes:

- 1 recessed canopy 113535XX1R
- 2 units of T-3636C
- 2 remote drivers / Dimmable Triac

FINISHES

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD

EURO €

1486

Optional, not included:

- Up to 2 acoustic panels 123636XX0X

Ø 50mm drill on dropped ceiling

123530XX3 (x4)

4 units of embedded optic lens 30°

FINISHES

26 BLK
61 S GLD


EURO €

116

120

REVOLTA

REV_L73S1S1D - WITH SURFACE CANOPY

**Composition includes:**

- 1 linear canopy 113535XX1
- 1 unit of T-3635C
- 1 unit of T-3636C
- 2 drivers / Dimmable Triac

FINISHES

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD

EURO €

1303

Optional, not included:

- 1 acoustic panel 123635XX0X
- 1 acoustic panel 123636XX0X

123530XX3 (x3)

3 units of embedded optic lens 30°


FINISHES

26 BLK
61 S GLD

EURO €

87

90



REV_L73R1S1D - WITH RECESSED CANOPY

Composition includes:

- 1 recessed canopy 113535XX1R
- 1 unit of T-3635C
- 1 unit of T-3636C
- 2 remote drivers / Dimmable Triac

FINISHES

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD

EURO €

1303

Optional, not included:

- 1 acoustic panel 123635XX0X
- 1 acoustic panel 123636XX0X

Ø 50mm drill on dropped ceiling

123530XX3 (x3)

3 units of embedded optic lens 30°

FINISHES


26 BLK
61 S GLD

EURO €

87

90

REVOLTA



REV_L92S1S1D - WITH SURFACE CANOPY

Composition includes:

- 1 linear canopy 113535XX3
- 1 unit of T-3635C
- 1 unit of T-3636C
- 2 drivers / Dimmable Triac

FINISHES

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD

EURO €

1303

Optional, not included:

- 1 acoustic panel 123635XX0X
- 1 acoustic panel 123636XX0X

123530XX3 (x3)


3 units of embedded optic lens 30°

FINISHES

26 BLK
61 S GLD

EURO €

87
90



REV_L92R1S1D - WITH RECESSED CANOPY

Composition includes:

- 1 recessed canopy 113535XX3R
- 1 unit of T-3635C
- 1 unit of T-3636C
- 2 remote drivers / Dimmable Triac

FINISHES


Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD

EURO €


1303

Optional, not included:

- 1 acoustic panel 123635XX0X
- 1 acoustic panel 123636XX0X

 Ø 50mm drill on dropped ceiling

REVOLTA



REV_L165S5D - WITH SURFACE CANOPY

Composition includes:

- 1 linear canopy 113535XX7
- 5 units of T-3636C
- 5 drivers / Dimmable Triac

FINISHES

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD

EURO €

3480

Optional, not included:

- Up to 5 acoustic panels 123636XX0X

123530XX3 (x10)

10 units of embedded optic lens 30°


FINISHES

26 BLK
61 S GLD

EURO €

290
300

REVOLTA



REV_L40S1S1D - WITH SURFACE CANOPY

Composition includes:

- 1 linear canopy 113635XX2
- 1 unit of T-3635C
- 1 unit of T-3636C
- 2 drivers / Dimmable Triac

FINISHES

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD

EURO €

1242

Optional, not included:

- 1 acoustic panel 123635XX0X
- 1 acoustic panel 123636XX0X

123530XX3 (x3)


3 units of embedded optic lens 30°

FINISHES

26 BLK
61 S GLD

EURO €

87
90



REV_L40R1S1D - WITH RECESSED CANOPY

Composition includes:

- 1 recessed canopy 113635XX1R
- 1 unit of T-3635C
- 1 unit of T-3636C
- 2 remote drivers / Dimmable Triac

FINISHES


Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD

EURO €

1227

Optional, not included:

- 1 acoustic panel 123635XX0X
- 1 acoustic panel 123636XX0X

 Ø 55mm drill on dropped ceiling

123530XX3 (x3)

3 units of embedded optic lens 30°

FINISHES


26 BLK
61 S GLD

EURO €

87
90

REVOLTA

REV_R70S3S - WITH SURFACE CANOPY

**Composition includes:**

- 1 round canopy 113535XX4
- 3 units of T-3635C
- 3 drivers / Dimmable Triac

FINISHES

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD

EURO €

2091

Optional, not included:

- Up to 3 acoustic panels 123635XX0X

123530XX3 (x3)

3 units of embedded optic lens 30°

FINISHES


26 BLK
61 S GLD

EURO €

87
90

REVOLTA

REV_R100S5S - WITH SURFACE CANOPY

**Composition includes:**

- 1 round canopy 113535XX5
- 5 units of T-3635C
- 5 drivers / Dimmable Triac

FINISHES

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD

EURO €

3192

Optional, not included:

- Up to 5 acoustic panels 123635XX0X

123530XX3 (x5)

5 units of embedded optic lens 30°

FINISHES


26 BLK
61 S GLD

EURO €

145
150

REVOLTA

REV_3637

**FEATURES**

* LED 6,2W (Ang. 80° / >90 CRI / 350mA)
100V - 240V / Sensor Dimmer / Universal plug

FINISHES

Body: 26 BLK
Head: 26 BLK - 61 S GLD

EURO €

635

M-3637-W (2700K Typ 725 lumens)

M-3637-M (3000K Typ 763 lumens)

123530XX3

Embedded optic lens 30°

FINISHES


26 BLK
61 S GLD

EURO €

29
30

TIK

TIK_4090X - OUTDOOR

IP
65**FEATURES**

* LED 3W (2700K / Ang. 80° / >90CRI
24V) / 100V - 240V / Typ 300 lumens
Remote driver included / Non Dimmable
Non-adjustable tube enclosing light source

FINISHES

88 GR ST
89 PL GRN
96 BLK ANT


EURO €

348
348
348

Product includes:

- 1 unit of A-4090X
- 1 remote driver 671000062 / Non Dimmable

TIK_4090 - INDOOR

IP
20**FEATURES**


* LED 6,2W (2700K / Ang. 30° / >90CRI
300mA) / 230V / Typ 652 lumens
Driver included / Dimmable Triac
Non-adjustable tube enclosing light source


FINISHES


61 S GLD
88 GR ST
96 BLK ANT


EURO €


431
337
337

| | | | |
|---|---|---|---|
| TIK | TIK_4091X - OUTDOOR | | |
|  | <p>IP 65</p> <p>FEATURES * LED 2x3W (2700K / Ang. 80° / >90CRI 24V) / 230V / Typ 2x300 lumens Remote driver included / Non Dimmable Non-adjustable tube enclosing light source</p> <p>Product includes:</p> <ul style="list-style-type: none"> • 1 unit of A-4091X • 1 remote driver 671000026 / Non Dimmable | <p>FINISHES</p> <p>88 GR ST 89 PL GRN 96 BLK ANT</p> | <p>EURO €</p> <p>428 428 428</p> |

| | | | |
|---|--|--|---|
| | TIK_4091 - INDOOR | | |
|  | <p>IP 20</p> <p>FEATURES * LED 2x3W (2700K / Ang. 30° / >90CRI 300mA) / 230V / Typ 2x350 lumens Driver included / Dimmable Triac Non-adjustable tube enclosing light source</p> | <p>FINISHES</p> <p>61 S GLD 88 GR ST 96 BLK ANT</p> | <p>EURO €</p> <p>533 405 405</p> |


| | | | |
|--|--|---|---|
| TIK | TIK_4096X - OUTDOOR | | |
|  | <p>IP 65</p> <p>FEATURES * LED 6,2W (2700K / Ang. 80° / >90 CRI 350mA) / 230V / Typ 725 lumens Non dimmable / Hard wired (no plug) Non-adjustable tube enclosing light source</p> | <p>FINISHES</p> <p>88 GR ST 89 PL GRN 96 BLK ANT</p> | <p>EURO €</p> <p>405 405 405</p> |

| | | | |
|---|--|---|---|
| TIK | TIK_4097X - OUTDOOR | | |
|  | <p>IP 65</p> <p>FEATURES * LED 6,2W (2700K / Ang. 80° / >90 CRI 350mA) / 230V / Typ 725 lumens Non dimmable / Hard wired (no plug) Non-adjustable tube enclosing light source</p> | <p>FINISHES</p> <p>88 GR ST 89 PL GRN 96 BLK ANT</p> | <p>EURO €</p> <p>410 410 410</p> |

| | | | |
|---|--|---|---|
| TIK | TIK_4098X - OUTDOOR | | |
|  | <p>IP 65</p> <p>FEATURES * LED 6,2W (2700K / Ang. 80° / >90 CRI 350mA) / 230V / Typ 725 lumens Non dimmable / Hard wired (no plug) Non-adjustable tube enclosing light source</p> | <p>FINISHES</p> <p>88 GR ST 89 PL GRN 96 BLK ANT</p> | <p>EURO €</p> <p>468 468 468</p> |

TIK

TIK_4099X - OUTDOOR

IP
65

FEATURES

* LED 6,2W (2700K / Ang. 80° / >90 CRI / 350mA) / 230V / Typ 725 lumens
Non dimmable / Hard wired (no plug)
Non-adjustable tube enclosing light source

FINISHES


88 GR ST
89 PL GRN
96 BLK ANT

EURO €

493
493
493

VOLTA

VOL_3530



FEATURES

* LED 6,2W (Ang. 80° / >90 CRI / 350mA)
100V - 240V / Non Dimmable

FINISHES

Body: 26 BLK
Head: 26 BLK - 61 S GLD
Body & Head: 71 WH

EURO €

354
354

A-3530-W (2700K Typ 725 lumens)
A-3530-M (3000K Typ 763 lumens)

123530260 KIT A-3530

Cord & plug with on/off switch. 1400mm cable length.

EURO €

38

123530XX3

Embedded optic lens 30°

FINISHES


26 BLK
61 S GLD

EURO €

29
30

VOLTA

VOL_3531



FEATURES

* LED 6,2W (Ang. 80° / >90 CRI / 350mA)
100V - 240V / Non Dimmable

FINISHES

Body: 26 BLK
Head: 26 BLK - 61 S GLD
Body & Head: 71 WH

EURO €

396
396

A-3531-W (2700K Typ 725 lumens)
A-3531-M (3000K Typ 763 lumens)

123530260 KIT A-3530

Cord & plug with on/off switch. 1400mm cable length.

EURO €

38

123530XX3

Embedded optic lens 30°

FINISHES


26 BLK
61 S GLD

EURO €

29
30

VOLTA

VOL_3532S - WITH SURFACE CANOPY



FEATURES

* LED 3x6,2W (2700K / Ang. 30° / >90 CRI / 350mA) 230V / Typ 3x725 lumens
Driver included / Dimmable Triac

FINISHES

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK

EURO €

567


Product includes:

- 1 single canopy 113924XX0
- 1 unit of T-3532
- 1 driver 671000034 / Dimmable Triac

Available until end of stock

VOLTA

VOL_3533S - WITH SURFACE CANOPY



FEATURES

* LED 6,2W (Ang. 30° / >90 CRI / 350mA)
100V - 240V
Driver included / Non Dimmable
Additional 45° optic lens included

A-3533S-W (2700K Typ 725 lumens)
A-3533S-M (3000K Typ 763 lumens)

t-3533S-W (2700K Typ 725 lumens)
t-3533S-M (3000K Typ 763 lumens)

Product includes:

- 1 single canopy 113740262
- 1 unit of A-3533 or t-3533
- 1 driver 671000038 / Non Dimmable


FINISHES

26 BLK

EURO €

240

VOL_3533R - WITH RECESSED CANOPY



FEATURES

* LED 6,2W (Ang. 30° / >90 CRI / 350mA)
230V
Remote driver included / Dimmable Triac
Additional 45° optic lens included

A-3533R-W (2700K Typ 725 lumens)
A-3533R-M (3000K Typ 763 lumens)

t-3533R-W (2700K Typ 725 lumens)
t-3533R-M (3000K Typ 763 lumens)

Product includes:


- 1 unit of A-3533 or t-3533
- 1 remote driver 671000061 / Dimmable Triac

FINISHES

26 BLK

EURO €

183



VOLTA

VOL_3534S - WITH SURFACE CANOPY



FEATURES

* LED 6,2W (Ang. 80° / >90 CRI / 350mA)
100V - 240V / Driver included / Non dimmable

T-3534S-W (2700K Typ 725 lumens)
T-3534S-M (3000K Typ 763 lumens)

Product includes:

- 1 single canopy 113534XX0
- 1 unit of T-3534C with cable
- 1 driver 671000038 / Non Dimmable

FINISHES

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD
Body & Head: 71 WH

EURO €

324

324

123530XX3

Embedded optic lens 30°

FINISHES


26 BLK
61 S GLD

EURO €

29

30

VOL_3534R - WITH RECESSED CANOPY



FEATURES

* LED 6,2W (Ang. 80° / >90 CRI / 350mA)
230V / Remote driver included / Dimmable Triac

T-3534R-W (2700K Typ 725 lumens)
T-3534R-M (3000K Typ 763 lumens)

Product includes:

- 1 recessed canopy 113534XX2
- 1 unit of T-3534C with cable
- 1 remote driver 671000061 / Dimmable Triac


FINISHES

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD
Body & Head: 71 WH

EURO €

310

310



123530XX3

Embedded optic lens 30°

FINISHES

26 BLK
61 S GLD


EURO €

29

30

VOLTA

VOL_L73S3S - WITH SURFACE CANOPY

**Composition includes:**

- 1 linear canopy 113415XX1
- 3 units of T-3534C with cable
- 1 driver 671000034 / Dimmable Triac

FINISHES

Canopy: 26 BLK - 71 WH
 Body: 26 BLK
 Head: 26 BLK - 61 S GLD
 Body & Head: 71 WH

EURO €

944
 944

Up to 2 additional VOLTA can be added

123530XX3 (x3)

3 units of embedded optic lens 30°

FINISHES


26 BLK
 61 S GLD

EURO €

87
 90

VOLTA

VOL_L92S4S - WITH SURFACE CANOPY

**Composition includes:**

- 1 linear canopy 113415XX3
- 4 units of T-3534C with cable
- 2 drivers 671000034 / Dimmable Triac

FINISHES

Canopy: 26 BLK - 71 WH
 Body: 26 BLK
 Head: 26 BLK - 61 S GLD
 Body & Head: 71 WH

EURO €

1214
 1214

Up to 3 additional VOLTA can be added

123530XX3 (x4)

4 units of embedded optic lens 30°

FINISHES


26 BLK
 61 S GLD

EURO €

116
 120

VOLTA

VOL_L165S6S - WITH SURFACE CANOPY

**Composition includes:**

- 1 linear canopy 113415XX7
- 6 units of T-3534C with cable
- 2 drivers 671000034 / Dimmable Triac

FINISHES

Canopy: 26 BLK - 71 WH
 Body: 26 BLK
 Head: 26 BLK - 61 S GLD
 Body & Head: 71 WH

EURO €

1772
 1772

Up to 5 additional VOLTA can be added

123530XX3 (x6)

6 units of embedded optic lens 30°




FINISHES

26 BLK
 61 S GLD

EURO €

174
 180

VOLTA



VOL_3535S - WITH SURFACE CANOPY

FEATURES

* LED 2x6,2W (Ang. 80° / >90 CRI / 350mA)
230V / Driver included / Dimmable Triac

T-3535S-W (2700K Typ 2x725 lumens)
T-3535S-M (3000K Typ 2x763 lumens)

Product includes:

- 1 single canopy 113635XX0
- 1 unit of T-3535C

FINISHES

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD
Body & Head: 71 WH
Canopy, Body, Head: 87 AL F

EURO €

617
617
684

123530XX3 (x2)

2 units of embedded optic lens 30°

FINISHES

26 BLK
61 S GLD
87 AL F

EURO €

58
60
58

VOL_3535R - WITH RECESSED CANOPY

FEATURES

* LED 2x6,2W (Ang. 80° / >90 CRI / 350mA)
230V / Remote Driver included
Dimmable Triac

T-3535R-W (2700K Typ 2x725 lumens)
T-3535R-M (3000K Typ 2x763 lumens)

FINISHES

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD
Body & Head: 71 WH

EURO €

617
617

Ø 50mm drill on dropped ceiling

Product includes:

- 1 recessed canopy 113635XX0R
- 1 unit of T-3535C

REMOTE DRIVER DALI - 671000092




18W / 350mA / 230V / DALI Dimmable
UPON REQUEST

EURO €

84

Ø 60mm drill on dropped ceiling

VOLTA



VOL_3536S - WITH SURFACE CANOPY

FEATURES

* LED 3x6,2W (Ang. 80° / >90 CRI / 350mA)
230V / Driver included / Dimmable Triac

T-3536S-W (2700K Typ 3x725 lumens)
T-3536S-M (3000K Typ 3x763 lumens)

Product includes:

- 1 single canopy 113635XX0
- 1 unit of T-3536C

FINISHES

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD
Body & Head: 71 WH
Canopy, Body, Head: 87 AL F

EURO €

802
802
915

123530XX3 (x3)

3 units of embedded optic lens 30°

FINISHES

26 BLK
61 S GLD
87 AL F

EURO €

87
90
87

VOL_3536R - WITH RECESSED CANOPY

FEATURES

* LED 3x6,2W (Ang. 80° / >90 CRI / 350mA)
230V / Remote Driver included
Dimmable Triac

T-3536R-W (2700K Typ 3x725 lumens)
T-3536R-M (3000K Typ 3x763 lumens)

FINISHES

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD
Body & Head: 71 WH

EURO €

802
802

Ø 50mm drill on dropped ceiling

Product includes:

- 1 recessed canopy 113635XX0R
- 1 unit of T-3536C

REMOTE DRIVER DALI - 671000092



18W / 350mA / 230V / DALI Dimmable
UPON REQUEST

EURO €

84

Ø 60mm drill on dropped ceiling

VOLTA



VOL_L73S2D - WITH SURFACE CANOPY

Composition includes:

- 1 linear canopy 113535XX1
- 2 units of T-3535C
- 2 drivers / Dimmable Triac

FINISHES

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD
Body & Head: 71 WH

EURO €

1258
1258

123530XX3 (x4)

4 units of embedded optic lens 30°

FINISHES

26 BLK
61 S GLD

EURO €

116
120

VOL_L73R2D - WITH RECESSED CANOPY

Composition includes:

- 1 recessed canopy 113535XX1R
- 2 units of T-3535C
- 2 remote drivers / Dimmable Triac

FINISHES



Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD
Body & Head: 71 WH

EURO €

1258
1258

Ø 50mm drill on dropped ceiling

VOLTA



VOL_L78S1D1T - WITH SURFACE CANOPY

Composition includes:

- 1 linear canopy 113535XX2
- 1 unit of T-3535C
- 1 unit of T-3536C
- 2 drivers / Dimmable Triac

FINISHES

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD
Body & Head: 71 WH
Canopy, Body, Head: 87 AL F

EURO €

1443
1443
1615

123530XX3 (x5)

5 units of embedded optic lens 30°

FINISHES

26 BLK
61 S GLD
87 AL F

EURO €

145
150
145

VOL_L78R1D1T - WITH RECESSED CANOPY

Composition includes:

- 1 recessed canopy 113535XX2R
- 1 unit of T-3535C
- 1 unit of T-3536C
- 2 remote drivers / Dimmable Triac

FINISHES



Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD

EURO €

1443

Ø 50mm drill on dropped ceiling

VOLTA



VOL_L92S2T - WITH SURFACE CANOPY

Composition includes:

- 1 linear canopy 113535XX3
- 2 units of T-3536C
- 2 drivers / Dimmable Triac

FINISHES

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD
Body & Head: 71 WH

EURO €

1628
1628

123530XX3 (x6)

6 units of embedded optic lens 30°

FINISHES

26 BLK
61 S GLD

EURO €

174
180

VOL_L92R2T - WITH RECESSED CANOPY

Composition includes:

- 1 recessed canopy 113535XX3R
- 2 units of T-3536C
- 2 remote drivers / Dimmable Triac

FINISHES

Canopy: 26 BLK - 71 WH
Body: 26 BLK
Head: 26 BLK - 61 S GLD
Body & Head: 71 WH


EURO €

1628
1628

Ø 50mm drill on dropped ceiling

VOLTA

VOL_L165S3D - WITH SURFACE CANOPY



- Composition includes:**
- 1 linear canopy 113535XX7
 - 3 units of T-3535C
 - 3 drivers / Dimmable Triac

FINISHES
 Canopy: 26 BLK - 71 WH
 Body: 26 BLK
 Head: 26 BLK - 61 S GLD
 Body & Head: 71 WH

EURO €
 1900
 1900


123530XX3 (x6)
 6 units of embedded optic lens 30°

FINISHES
 26 BLK
 61 S GLD

EURO €
 174
 180

VOLTA

VOL_L165S1T1D1T - WITH SURFACE CANOPY



- Composition includes:**
- 1 linear canopy 113535XX7
 - 1 unit of T-3535C
 - 2 units of T-3536C
 - 3 drivers / Dimmable Triac

FINISHES
 Canopy: 26 BLK - 71 WH
 Body: 26 BLK
 Head: 26 BLK - 61 S GLD
 Body & Head: 71 WH

EURO €
 2270
 2270


123530XX3 (x8)
 8 units of embedded optic lens 30°

FINISHES
 26 BLK
 61 S GLD

EURO €
 232
 240

VOLTA

VOL_L165S1D2T - WITH SURFACE CANOPY



- Composition includes:**
- 1 linear canopy 113535XX7
 - 1 unit of T-3535C
 - 2 units of T-3536C
 - 3 drivers / Dimmable Triac

FINISHES
 Canopy: 26 BLK - 71 WH
 Body: 26 BLK
 Head: 26 BLK - 61 S GLD
 Body & Head: 71 WH

EURO €
 2270
 2270


123530XX3 (x8)
 8 units of embedded optic lens 30°

FINISHES
 26 BLK
 61 S GLD

EURO €
 232
 240

VOLTA

VOL_L165S3D2T - WITH SURFACE CANOPY



- Composition includes:**
- 1 linear canopy 113535XX7
 - 3 units of T-3535C
 - 2 units of T-3536C
 - 5 drivers / Dimmable Triac

FINISHES
 Canopy: 26 BLK - 71 WH
 Body: 26 BLK
 Head: 26 BLK - 61 S GLD
 Body & Head: 71 WH

EURO €
 3280
 3280


123530XX3 (x12)
 12 units of embedded optic lens 30°

FINISHES
 26 BLK
 61 S GLD

EURO €
 348
 360

VOLTA

VOL_R70S3D - WITH SURFACE CANOPY

**Composition includes:**

- 1 round canopy 113535XX4
- 3 units of T-3535C
- 3 drivers / Dimmable Triac

FINISHES

Canopy: 26 BLK - 71 WH
 Body: 26 BLK
 Head: 26 BLK - 61 S GLD
 Body & Head: 71 WH

EURO €

2298
 2298

123530XX3 (x6)

6 units of embedded optic lens 30°

FINISHES


26 BLK
 61 S GLD

EURO €

174
 180

VOLTA

VOL_R100S5D - WITH SURFACE CANOPY

**Composition includes:**

- 1 round canopy 113535XX5
- 5 units of T-3535C
- 5 drivers / Dimmable Triac

FINISHES

Canopy: 26 BLK - 71 WH
 Body: 26 BLK
 Head: 26 BLK - 61 S GLD
 Body & Head: 71 WH

EURO €

3537
 3537

123530XX3 (x10)

10 units of embedded optic lens 30°

FINISHES


26 BLK
 61 S GLD

EURO €

290
 300

VOLTA

VOL_3537

**FEATURES**

* LED 6,2W (Ang. 80° / >90 CRI
 350mA) / 230V
 On / Off Switch

FINISHES

Body: 26 BLK
 Head: 26 BLK - 61 S GLD
 Body & Head: 71 WH

EURO €

406
 406

M-3537-W (2700K Typ 725 lumens)
 M-3537-M (3000K Typ 763 lumens)

123530XX3

Embedded optic lens 30°

FINISHES


26 BLK
 61 S GLD

EURO €

29
 30

VOLTA

VOL_3538

**FEATURES**

* LED 6,2W (Ang. 80° / >90 CRI
 350mA) / 230V
 Push button dimmer on the head

FINISHES

Body: 26 BLK
 Head: 26 BLK - 61 S GLD
 Body & Head: 71 WH

EURO €

533
 533

p-3538-W (2700K Typ 725 lumens)
 p-3538-M (3000K Typ 763 lumens)

123530XX3

Embedded optic lens 30°





















FINISHES

26 BLK
 61 S GLD

EURO €

29
 30


DRIVERS, REPLACEMENTS AND CANOPIES

| | | | |
|---|------------------------------|---|---|
| DRIVER | 671000023 | FEATURES DRIVER BUTTON 10W (1x10W) 350mA / 100V - 240V / Non dimmable | EURO € 35 |
|  | | | Ø 50mm drill on dropped ceiling  |
| DRIVER | 671000026 | FEATURES REMOTE DRIVER TIK A-4091X 15W / 24V / 230V / Non dimmable | EURO € 41 |
|  | | | Ø 50mm drill on dropped ceiling  |
| DRIVER | 671000034 | FEATURES DRIVER CIRC / CUPOLINA / FLOW / MORSE / REVOLTA / VOLTA (Min. 2x6,2W - Max. 3x 6,2W) 350mA / 230V / Dimmable Triac | EURO € 50 |
|  | | | Ø 55mm drill on dropped ceiling  |
| DRIVER | 671000038 | FEATURES DRIVER ALFI WALL / CIRC / CUPOLINA / FLOW / VOLTA (Max. 1x 6,1W) 24V & 350mA / 100V - 240V / Non dimmable | EURO € 35 |
|  | | | Ø 40mm drill on dropped ceiling  |
| DRIVER | 671000052 | FEATURES DRIVER MOOD 60W / 24V / 90V - 305V Dimmable 0-10V | EURO € 127 |
|  | | | Ø 65mm drill on dropped ceiling  |
| DRIVER | 671000053 | FEATURES DRIVER MOOD 90W / 24V / 90V - 305V Dimmable 0-10V | EURO € 127 |
|  | | | Ø 75mm drill on dropped ceiling  |
| DRIVER | 671000061 | FEATURES REMOTE DRIVER ALFI WALL / BUTTON T-3302 / CUPOLINA / FLOW / REVOLTA / VOLTA T-3534 (Max. 1x10W) 350mA / 230V / Dimmable Triac | EURO € 41 |
|  | | | Ø 45mm drill on dropped ceiling  |
| DRIVER | 671000062 | FEATURES DRIVER ALFI SUSPENSION 6W / 24V / 100V - 240V Non Dimmable | EURO € 52 |
|  | | | Ø 60mm drill on dropped ceiling  |
| DRIVER | 671000064 / 671000065 | FEATURES / CARACTERÍSTICAS 671000064: DRIVER GADA 22W 500mA / 230V / Non dimmable 671000065: DRIVER GADA 31W 700mA / 230V / Non Dimmable | EURO € 47 |
|  | | | Ø 55mm drill on dropped ceiling  |
| DRIVER | 671000073 | FEATURES DRIVER ALFI WALL (Max. 1x3,5W) 350mA / 100V - 240V Non dimmable | EURO € 41 |
|  | | | Ø 40mm drill on dropped ceiling  |

| | | | | |
|--|--|---|--|---------------------------------------|
| DRIVER | 671000087 | | | |
| | FEATURES DRIVER COMPASS 15W / 300mA / 230V Dimmable Triac | | | EURO € 39 |
| | | | | Ø 50mm drill on dropped ceiling |
| DRIVER | 671000090 | | | |
| | FEATURES DRIVER ALFI / ARO / MOOD 30W / 24V / 230V Dimmable Triac | | | EURO € 73 |
| | | | | Ø 60mm drill on dropped ceiling |
| DRIVER | 671000091 | | | |
| | FEATURES / CARACTERÍSTICAS DRIVER CIRC 15W (2x6,2W) 350mA / 230V / Dimmable Triac | | | EURO € 50 |
| | | | | Ø 80mm drill on dropped ceiling |
| DRIVER DALI | 671000092 | | | |
| | FEATURES REMOTE DRIVER DALI (Min. 1x6,2W - Max. 3x 6,2W) CIRC / CUPOLINA / FLOW / MORSE / REVOLTA / VOLTA 18W / 350mA / 230V / DALI Dimmable | | | EURO € 84 |
| | | | | Ø 60mm drill on dropped ceiling |
| BULB / BOMBILLA (PLUMA) | 100013420 | | | |
| | FEATURES LED 13W (2700K) / Typ 1521 lumens E27 / 230V / Dimmable | | | EURO € 30 |
| BULB / BOMBILLA (CYLS) | 100019420 | | | |
| | FEATURES LED 19W (2700K) / Typ 2452 lumens E27 / 230V / Non dimmable | | | EURO € 38 |
| BULB / BOMBILLA (CYLS) | 100006400 | | | |
| | FEATURES LED 6W (2700K) / Typ 650 lumens E14 / 230V / Non dimmable | | | EURO € 16 |
| OPTIC LENS 30° (MORSE / VOLTA / REVOLTA) | 123530XX3 | | | |
| | FEATURES Embedded optic lens 30° Compatible with Volta / Revolta | FINISHES 26 BLK 61 S GLD 71 WH 87 AL F | | EURO € 29 30 29 29 |
| SPARE LED KIT (VOLTA / REVOLTA / FLOW / CUPOLINA) | 123530000 | | | |
| | FEATURES Spare LED 2700K (Volta / Revolta / Flow / Cupolina) | | | EURO € 52 |
| | 123530001 | | | |
| | FEATURES Spare LED 3000K (Volta / Revolta / Flow) | | | EURO € 52 |
| SPARE LED KIT (CIRC) | 123810000 | | | |
| | FEATURES Spare LED 2700K (Circ 6,2W) | | | EURO € 52 |
| SPARE LED KIT (ARO) | 670000088 | | | |
| | FEATURES Spare LED 2700K (Aro 10W) | | | EURO € 114 |

SPARE PARTS (ICONS AND CLASSICS COLLECTIONS)

460978011


**FEATURES**

Bulb protector (Halogen 118mm / R7s base)

EURO €

13

461124000


**FEATURES**

Bottom glass diffuser (Icons P-1127 / P-1129)

EURO €


8

660005600

**FEATURES**Dimmer (Icons P-1127 / P-1129)
(Classics P-1171 / P-1173 / P-1070 / P-1170
P-1122 / P-1062 / P-1225 / P-1235 / P-1062)**EURO €**

33

660020006


**FEATURES**

Transformer (Icons P-1127)

EURO €


61

480997002

**FEATURES**Potenciometer (Icons P-1127)
(Classics P-1171 / P-1173 / P-1070
P-1170 / P-2373 / P-1225 / P-1235)**EURO €**

30


480524001

**FEATURES**Potenciometer (Icons P-1129)
(Classics P-1122 / P-1062)**EURO €**

18

SINGLE CANOPY

113302XX1

**FEATURES**Canopy for 1 single pendant T-3302

Compatible with T-3302C adding strain relief
441137XX0 + 510037524**FINISHES**26 BLK
71 WH
93 GR LM**EURO €**


86

86

91

SINGLE CANOPY

113416XX0

**FEATURES**Canopy for 1 single pendant
1 ceiling holder included**FINISHES**26 BLK
37 NI
71 WH**EURO €**

69


76

69

Compatible with items: T-2443C / T-3055C
T-3415C / T-3555C

MULTIPOINT CANOPY

113415XX0

**FEATURES**Canopy for 7 single pendants,
7 ceiling holders included**FINISHES**26 BLK
71 WH**EURO €**


334

334

Compatible with items: T-2443C / T-3055C / T-3302C / T-3415C
T-3534C T-3555C / T-3734C / T-3735C / T-3736C / T-3744 / T-3934

SURFACE SINGLE CANOPY

113534XX0

**FEATURES**

Canopy for 1 single pendant

FINISHES20 GLD M
26 BLK
59 TC
71 WH**EURO €**









71

69

74

69


Compatible with items: T-3534C / T-3734C
T-3735C / T-3736C / T-3744 / T-3934

| | |
|--|---|
| <p>RECESSED SINGLE CANOPY</p>  | <p>113534XX2</p> <p>FEATURES Recessed canopy for 1 single pendant.</p> <p>Compatible with items: T-3302 / T-3305 / T-3306 T-3307 / T-3534 / T-3541 / T-3714 / T-3715 / T-3716 T-3734 / T-3735 / T-3736 / T-3744 / T-3915 / T-3934</p> <p>FINISHES 20 GLD M 26 BLK 59 TC 71 WH</p> <p>EURO € 52 49 54 49</p> |
| <p>LINEAR MULTIPLE CANOPY - L73S</p>  | <p>113415XX1</p> <p>FEATURES Canopy for 5 single pendants</p> <p>Compatible with items: T-2443C / T-3055C T-3302C / T-3415C / T-3534C / T-3555C / T-3734C T-3735C / T-3736C / T-3744 / T-3934</p> <p>FINISHES 26 BLK 71 WH</p> <p>EURO € 234 234</p> |
| <p>LINEAR MULTIPLE CANOPY - L92S</p>  | <p>113415XX3</p> <p>FEATURES Canopy for 7 single pendants</p> <p>Compatible with items: T-2443C / T-3055C T-3302C / T-3415C / T-3534C / T-3555C / T-3734C T-3735C / T-3736C / T-3744 / T-3934</p> <p>FINISHES 26 BLK 71 WH</p> <p>EURO € 234 234</p> |
| <p>LINEAR MULTIPLE CANOPY - L165S</p>  | <p>113415XX7</p> <p>FEATURES Canopy for 11 single pendants</p> <p>Compatible with items: T-2443C / T-3055C T-3302C / T-3415C / T-3534C / T-3555C / T-3734C T-3735C / T-3736C / T-3744 / T-3934</p> <p>FINISHES 26 BLK 71 WH</p> <p>EURO € 352 352</p> |
| <p>ROUND MULTIPLE CANOPY - R40S</p>  | <p>113415XX6</p> <p>FEATURES Canopy for 3 single pendants</p> <p>Compatible with items: T-2443C / T-3055C T-3302C / T-3415C / T-3534C / T-3555C / T-3734C T-3735C / T-3736C / T-3744 / T-3934</p> <p>FINISHES 26 BLK 71 WH</p> <p>EURO € 620 620</p> |
| <p>ROUND MULTIPLE CANOPY - R70S</p>  | <p>113415XX4</p> <p>FEATURES Canopy for 7 single pendants</p> <p>Compatible with items: T-2443C / T-3055C T-3302C / T-3415C / T-3534C / T-3555C / T-3734C T-3735C / T-3736C / T-3744 / T-3934</p> <p>FINISHES 26 BLK 71 WH</p> <p>EURO € 874 874</p> |
| <p>ROUND MULTIPLE CANOPY - R100S</p>  | <p>113415XX5</p> <p>FEATURES Canopy for 17 single pendants</p> <p>Compatible with items: T-2443C / T-3055C T-3302C / T-3415C / T-3534C / T-3555C / T-3734C T-3735C / T-3736C / T-3744 / T-3934</p> <p>FINISHES 26 BLK 71 WH</p> <p>EURO € 1132 1132</p> |
| <p>SURFACE SINGLE CANOPY (VOLTA / REVOLTA)</p>  | <p>113635XX0</p> <p>1 REVOLTA T-3635S</p> <p>FEATURES Canopy for 1 volta / revolta pendant</p> <p>Compatible with items: T-3535C / T-3536C / T-3635C / T-3636C</p> <p>FINISHES 26 BLK 71 WH 87 AL F</p> <p>EURO € 112 112 129</p> |


| | | | | | |
|--|--|---|---|------------------------------------|--|
| RECESSED SINGLE CANOPY (VOLTA / REVOLTA) | | 113635XX0R | | | |
| | | FEATURES Recessed canopy for 1 pendant Compatible with items: T-3535C / T-3536C / T-3635C / T-3636C | FINISHES 26 BLK 71 WH | EURO € 112 112 | |
| SURFACE LINEAR CANOPY - L73S (VOLTA / REVOLTA) | | 113535XX1 | | | |
| | | FEATURES Canopy for 2 volta / revolta pendants Compatible with items: T-3535C / T-3536C / T-3635C / T-3636C | FINISHES 26 BLK 71 WH | EURO € 248 248 | |
| RECESSED LINEAR CANOPY - L73R (VOLTA / REVOLTA) | | 113535XX1R | | | |
| | | FEATURES Recessed canopy for 2 pendants Compatible with items: T-3535 / T-3536 T-3635 / T-3636 | FINISHES 26 BLK 71 WH | EURO € 248 248 | |
| SURFACE LINEAR CANOPY - L78S (VOLTA / REVOLTA) | | 113535XX2 | | | |
| | | FEATURES Canopy for 2 volta / revolta pendants Compatible with items: T-3535C / T-3536C / T-3635C / T-3636C | FINISHES 26 BLK 71 WH 87 AL F | EURO € 248 248 274 | |
| RECESSED LINEAR CANOPY - L78R (VOLTA / REVOLTA) | | 113535XX2R | | | |
| | | FEATURES Recessed canopy for 2 pendants Compatible with items: T-3535 / T-3536 T-3635 / T-3636 | FINISHES 26 BLK 71 WH | EURO € 248 248 | |
| SURFACE LINEAR CANOPY - L92S (VOLTA / REVOLTA) | | 113535XX3 | | | |
| | | FEATURES Canopy for 2 volta / revolta pendants Sujeción para 2 suspensiones volta / revolta Compatible with items: T-3535C / T-3536C / T-3635C / T-3636C | FINISHES 26 BLK 71 WH | EURO € 248 248 | |
| RECESSED LINEAR CANOPY - L92R (VOLTA / REVOLTA) | | 113535XX3R | | | |
| | | FEATURES Recessed canopy for 2 pendants Compatible with items: T-3535 / T-3536 T-3635 / T-3636 | FINISHES 26 BLK 71 WH | EURO € 248 248 | |
| SURFACE LINEAR CANOPY - L165S (VOLTA / REVOLTA) | | 113535XX7 | | | |
| | | FEATURES Canopy for 5 volta / revolta pendants Sujeción para 5 suspensiones volta / revolta Compatible with items: T-3535C / T-3536C / T-3635C / T-3636C | FINISHES 26 BLK 71 WH | EURO € 385 385 | |
| ROUND MULTIPLE CANOPY - R70S (VOLTA / REVOLTA) | | 113535XX4 | | | |
| | | FEATURES Canopy for 3 volta / revolta pendants Compatible with items: T-3535C / T-3536C / T-3635C / T-3636C | FINISHES 26 BLK 71 WH | EURO € 783 783 | |

ROUND MULTIPLE CANOPY - R100S (VOLTA / REVOLTA)

113535XX5



5 VOLTA T-3535



FEATURES

Canopy for 5 volta / revolta pendants

Compatible with items:
T-3535C / T-3536C / T-3635C / T-3636C

FINISHES


26 BLK
71 WH

EURO €

1012
1012

ROUND MULTIPLE CANOPY - L40S (REVOLTA)

113635XX2



1 REVOLTA T-3535 + 1 REVOLTA T-3635



FEATURES

Canopy for 2 revolta pendants

Compatible with items:
T-3535C / T-3536C / T-3635C / T-3636C

FINISHES


26 BLK
71 WH

EURO €

187
187

RECESSED MULTIPLE CANOPY - L40R (REVOLTA)

113635XX1R



1 REVOLTA T-3535 + 1 REVOLTA T-3635



FEATURES

Recessed canopy for 2 revolta pendants

Compatible with items:
T-3535C / T-3536C / T-3635C / T-3636C

FINISHES



26 BLK
71 WH

EURO €

172
172

SURFACE CANOPY - R30 (CIRC)

113815XX3



FEATURES

Canopy for 6 single pendants,

Compatible with items: t-3810 / t-3810A / t-3811
t-3811A / T-3815 / T-3815A T-3816 / T-3816A
t-3820 / t-3821 / A-3830 / R30 compositions

FINISHES



26 BLK
74 WH
91 ND

EURO €

211
211
211

RECESSED CANOPY - R12 (CIRC)

113820XX3



FEATURES

Canopy for remote driver, 6 pendants max

Compatible with items: t-3810 / t-3811 T-3815 /
T-3816 / t-3820 / t-3821 R12 compositions

FINISHES


26 BLK
74 WH
91 ND

EURO €

94
94
94

SINGLE CANOPY (GADA)

113924XX0



FEATURES

Surface canopy for 1 pendant

Compatible with items: T-3305S / T-3306S
T-3307S / T-3714S / T-3715S / T-3716S / T-3915S
T-3924S / T-3925S

FINISHES



26 BLK
74 WH

EURO €

77
77

SURFACE LINEAR CANOPY (CUPOLINA)

113935XX2



FEATURES

Canopy for 1 Cupolina pendant T-3935

FINISHES


26 BLK
71 WH

EURO €

192
192

SURFACE LINEAR CANOPY (MOOD COMPOSITIONS)

114063XX3



FEATURES

Canopy for Mood compositions.

FINISHES

74 WH
91 ND

EURO €

248
248

GENERAL TERMS OF SALE

GENERAL TERMS OF SALE

1. Terms

Sales of our products are subject to present general conditions, which prevail over any other terms of purchase, unless there is a formal written agreement between Estiluz and the client.

2. Prices

All prices published in the Price List are recommended retail prices without taxes. Bulbs are not included with the exception of the items marked accordingly.

3. Project Registration

For the protection of our distributors and agents, all projects should be registered with our Estiluz office.

4. Discounts

The standard discount granted to a distributor does not apply in case of projects registered by another distributor or agent. The distributor shall contact Estiluz to inquire about these projects and ask for pricing.

5. Special Orders

All orders including non-standard products must be pre-paid at the confirmation of the order.

6. Terms

All past due invoices are subject to interest penalties at current legal rates.

7. Transportation

Freight will be paid by the client. Freight due (FCA Barcelona or EXW). Estiluz will not be responsible for any damages that may occur in transit. Exceptions: Consult specific policies per country.

8. Order confirmations and cancellations

Orders must be sent in writing, either by mail, email or fax. Estiluz is not responsible for any mistakes on orders that have not been received in writing. Orders will not be cancelled unless we receive notice from customer prior to shipment. Special orders cannot be cancelled.

9. Claims and returns

Estiluz will only accept claims filed within 15 days after shipment of merchandise. Returned merchandise will not be accepted unless prior arrangements have been made with our Customer Service department. Handling and Repair fees will apply if the product is not received in perfect conditions and its original packaging. All returns due to reasons for which Estiluz cannot be held responsible, will be charged 20% restocking fee and original freight.

10. Delivery

If the merchandise received is not in good condition or does not match the packing slip, it should be noted on the packing slip prior to signature. Estiluz should also receive a written notice in the following three days.

11. Property Rights

The merchandise will remain property of Estiluz until it is paid in full. Estiluz reserves the right to retrieve all unpaid goods without advanced notice. If that is case, the client is responsible for all costs involved with the return and assume the risk of damage.

12. Warranty

Our manufactured products (except for bulbs) are guaranteed against any manufacturing defects for two years from date of delivery. The warranty is limited to replacement of defective material and does not include any labor, expenses or damages contingent or incidental thereto. This warranty does not apply to products damaged due to accident, tampering, misuse or abuse.

13. Modifications

Estiluz reserves the right to modify and/or discontinue any products illustrated in this Price list.

14. Disputes

Any disputes are subject to arbitration in equity in Barcelona, according to the Spanish law.

CONDIZIONI GENERALI DI VENDITA

1. Validità

Le vendite dei nostri prodotti sono soggette ai presenti termini e condizioni, che prevalgono su qualsiasi altra condizione di acquisto, a meno che non vi sia un accordo formale scritto tra Estiluz e il suo cliente.

2. Prezzi

I prezzi indicati sul presente listino sono prezzi al dettaglio consigliati e non includono le tasse. Le lampadine non sono incluse, tranne per i prodotti dove indicato.

3. Registrazione dei progetti

Per garantire la tutela del lavoro svolto da distributori e agenti, tutti i progetti devono essere registrati presso i nostri uffici.

4. Sconti commerciali

Lo sconto abituale per i distributori non si applica nel caso di progetti registrati da un altro distributore o agente. Il distributore deve contattare Estiluz per ottenere il prezzo netto di questi progetti.

5. Ordini speciali

Tutti gli ordini che includono prodotti non standard devono essere pagati anticipatamente.

6. Pagamenti

A meno che non vi sia un accordo esplicito tra Estiluz e il Cliente, tutte le fatture devono essere pagate entro un massimo di 30 giorni dalla data della fattura. Le penali per i ritardi di pagamento saranno addebitate al tasso di interesse legale in vigore.

7. Trasporto

Tutti gli ordini saranno spediti in porto franco (FCA Barcelona o EXW Factory). Estiluz non è responsabile di eventuali incidenti che possono verificarsi durante il trasporto. Eccezioni: si prega di consultare le politiche specifiche di ciascun Paese.

8. Formalizzazione di ordini e cancellazioni

Gli ordini devono essere effettuati per iscritto, per posta, e-mail o fax. Estiluz non sarà responsabile di eventuali errori negli ordini che non siano stati effettuati per iscritto. Non consideriamo annullato alcun ordine senza un preavviso da parte dei nostri clienti prima che la merce lasci le nostre strutture. Gli ordini di prodotti speciali e di modifiche non possono essere annullati.

9. Reclami e resi

I reclami ricevuti per iscritto saranno trattati entro 15 giorni dalla consegna della merce. I resi non saranno accettati senza la nostra preventiva autorizzazione e ci riserviamo il diritto di rifiutarli se ci arrivano in porto franco e con un imballaggio insufficiente. Se il prodotto non è in perfette condizioni, ci riserviamo il diritto di addebitare i costi di gestione e riparazione. I resi senza una causa giustificata o per motivi che esulano dal controllo di Estiluz saranno soggetti a una tassa di gestione del 20%. Le spese di spedizione sono a carico del cliente.

10. Consegna

Se la merce non arriva al cliente in buone condizioni o non corrisponde alla bolla di consegna, questo deve essere annotato sulla bolla di consegna del vettore al momento della firma e Estiluz deve essere informata entro un massimo di tre giorni per posta, e-mail o fax.

11. Clausola di riserva di proprietà

La merce rimane di proprietà di Estiluz fino al completo pagamento. Il rifiuto del pagamento può comportare la richiesta di restituzione della merce da parte dell'azienda. In questo caso, l'acquirente dovrà sostenere tutti i costi e i rischi che la spedizione comporta.

12. Garanzia

I nostri prodotti (escluse le lampadine) sono garantiti per due anni dalla data di consegna al cliente, contro qualsiasi difetto o malfunzionamento, a condizione che siano stati utilizzati correttamente e che siano state rispettate le condizioni d'uso riportate sul dispositivo.

13. Modifiche

Estiluz si riserva il diritto di modificare e/o cancellare i modelli del presente listino.

14. Controversie

In caso di controversia, entrambe le parti si sottopongono alla giurisdizione dei tribunali di Barcellona.

ALLGEMEINE GESCHÄFTSBEDINGUNGEN

1. Gültigkeit

Der Verkauf unserer Produkte unterliegt den allgemeinen Geschäftsbedingungen, die vor allen anderen Kaufbedingungen gültig sind, es sei denn, es existiert eine gesonderte schriftliche Vereinbarung zwischen Estiluz und seinem Kunden.

2. Preise

Die in der Preistabelle aufgeführten Preise verstehen sich als Preisempfehlungen und enthalten keine Steuern. In den Produkten sind, wenn nicht anders angegeben, keine Glühlampen enthalten.

3. Projektanmeldung

Zur Gewährleistung des Schutzes der von Vertriebspartnern und Vertragshändlern erbrachten Leistungen müssen alle Projekte, in unseren Büros registriert werden.

4. Händlerrabatte

Der übliche Rabatt für Vertriebspartner kann dann nicht zur Anwendung kommen, wenn ein Projekt, von einem anderen Vertriebspartner oder Repräsentanten registriert worden ist. Der Vertriebspartner muss sich mit Estiluz in Verbindung zu setzen, um die Produkte zum Nettopreis zu erhalten.

5. Sonderbestellungen

Alle Bestellungen die nicht dem Standard entsprechen müssen im Voraus bezahlt werden.

6. Zahlungen

Sofern keine anders lautende, ausdrückliche Vereinbarung zwischen Estiluz und dem Kunden besteht, müssen alle Rechnungen spätestens bis 30 Tage nach Rechnungsdatum bezahlt sein. Bei Zahlungsverzug kommt ein Strafzins in Höhe des gesetzlichen Zinssatzes zur Anwendung.

7. Lieferung und Versand

Alle Bestellungen sind unfrei (FCA Barcelona oder ab Werk). Estiluz übernimmt für etwaige Vorkommnisse während des Transports keinerlei Verantwortung. Ausnahmen: Länderspezifische Richtlinien werden berücksichtigt.

8. Bestellformen und Stornierung

Bestellungen müssen in schriftlicher Form vorgenommen werden, sei es per Brief, E-Mail oder Fax. Estiluz haftet nicht für Fehler und Irrtümer bei Bestellungen, die nicht in schriftlicher Form vorgenommen wurden.

Stornierungen werden von uns nicht anerkannt, wenn diese uns kundenseits nicht mitgeteilt wurden, bevor die Ware unsere Einrichtungen verlassen hat. Sonderbestellungen und Bestelländerungen können nicht storniert werden.

9. Reklamationen und Rücksendungen

Es können nur schriftliche Reklamationen berücksichtigt werden, die innerhalb eines Zeitraums von 15 Tagen ab Warenübergabe bei uns eingegangen sind.

Bitte nehmen Sie keine Rücksendungen ohne unsere vorherige Genehmigung vor, da wir uns das Recht zur Verweigerung der Annahme vorbehalten, falls die Ware unfrei und unzureichend verpackt an uns versandt wird. Sollte sich das zurückgesandte Produkt nicht mehr in einwandfreiem Zustand befinden, behalten wir uns das Recht vor, Verwaltungs- und Reparaturkosten in Rechnung zu stellen.

Für Rücksendungen ohne gerechtfertigten Grund oder andere nicht einsichtige Motive erhebt Estiluz eine zusätzliche Verwaltungsgebühr von 20 %. Die Versandkosten gehen zu Lasten des Kunden.

10. Lieferung

Sollte die Ware den Kunden nicht in einwandfreiem Zustand erreichen oder nicht mit dem Lieferschein übereinstimmen, ist der Lieferant bei der Unterzeichnung sofort darauf hinzuweisen und Estiluz innerhalb von maximal drei Tagen per Brief, E-Mail oder Fax davon in Kenntnis zu setzen.

11. Eigentumsvorbehalt

Die gelieferte Ware bleibt bis zur Bezahlung sämtlicher Forderungen Eigentum von Estiluz. Die Zahlungsverweigerung kann zur Folge haben, dass das Unternehmen die Rückgabe seines Eigentums fordert. In diesem Fall trägt der Käufer alle Kosten und Risiken, die aus dem Versand entstehen.

12. Garantie

Unsere Produkte (ausgenommen Glühlampen) besitzen einen Garantieanspruch von zwei Jahren ab Datum der Übergabe an den Kunden. Diese Garantie gilt für jede Art von Defekt oder Fehlfunktion, jedoch nur unter Voraussetzung der sachgerechten Nutzung und der Einhaltung der auf dem Gerät angegebenen Nutzungsbedingungen.

13. Preisänderungen

Estiluz behält sich das Recht vor, die aktuellen Preismodelle zu verändern oder außer Kraft zu setzen.

14. Streitfälle

Im Streitfall unterliegen beide Parteien der Gerichtsbarkeit der zuständigen Gerichte von Barcelona.

CONDITIONS GÉNÉRALES DE VENTE

1. Validité

Nos ventes sont soumises aux présentes conditions générales qui prévalent sur toute autre condition d'achat, sauf accord formel écrit entre Estiluz et son client.

2. Prix

Les prix indiqués dans nos tarifs sont des prix public conseillés et s'entendent hors taxes (H.T.). Les ampoules ne sont pas fournies excepté avec certains produits pour lesquels cette information est clairement spécifiée.

3. Enregistrement des projets

Afin de garantir la protection du travail effectué par les distributeurs et les agents, tous les projets doivent être enregistrés auprès de notre société.

4. Rabais commerciaux

Le rabais habituellement accordé à un distributeur peut ne pas s'appliquer en cas de projets enregistré par un autre distributeur ou représentant. Le distributeur devra contacter Estiluz pour obtenir le prix net de ces projets.

5. Commandes spéciales

Toutes les commandes qui incluent des articles non standards doivent être prépayées à la commande ferme.

6. Paiements

Sauf convention expresse entre Estiluz et le Client, toutes les factures doivent être réglées dans un délai de 30 jours suivant leur date d'émission.

En cas de retard de paiement, des pénalités de retard seront appliquées au taux d'intérêt légal en vigueur.

7. Transport

Toutes les commandes seront envoyées en port dû (FCA Barcelona ou EXW Factory). Estiluz ne sera pas tenu pour responsable des pertes ou dommages survenus pendant le transport. Exceptions : consultez les politiques spécifiques par pays.

8. Passation et annulation de commande

Toute commande doit être passée par écrit, par courrier postal, courriel ou fax. Nous déclinons toute responsabilité en cas d'erreur dans une commande qui n'aurait pas été validée par écrit. Nous ne pourrions considérer une commande comme définitivement annulée qu'après notification de l'annulation par le client, cette notification devant nous être parvenue avant le départ des marchandises de nos entrepôts. Les commandes de produits spéciaux et modifiés ne peuvent pas être annulées.

9. Réclamations et retours de marchandises

Les réclamations doivent nous parvenir par écrit au plus tard dans les 15 jours qui suivent la date de livraison.

Aucun retour de marchandises ne sera accepté sans notre autorisation préalable. Nous nous réservons le droit de refuser tout retour qui nous parviendrait en port dû ou insuffisamment emballé. Si le produit n'est pas en parfait état, des frais de manutention et de réparation pourront être facturés.

Tout retour non justifié ou non imputable à Estiluz donnera lieu à une majoration pour manutention de 20 %. Les frais de port seront à la charge du client.

10. Livraison

Si la marchandise livrée est en mauvais état ou ne correspond pas au bordereau de livraison, le client devra constater les anomalies détectées sur le bordereau de livraison du transporteur au moment de sa signature et en informer Estiluz dans un délai maximum de trois jours par courrier postal, courriel ou fax.

11. Clause de réserve de propriété

Les marchandises restent la propriété d'Estiluz jusqu'au paiement intégral du prix. Le défaut de paiement pourra entraîner la revendication des biens. Dans ce cas, l'acheteur devra renvoyer les marchandises à ses frais et risques.

12. Garantie

Nos produits (excepté les ampoules) sont garantis deux ans à compter de la date de livraison au client contre tout défaut de fonctionnement ou tout dysfonctionnement, hormis en cas de mauvaise utilisation ou de non-respect des conditions d'utilisation spécifiées sur l'appareil.

13. Modifications

Estiluz se réserve le droit de modifier et/ou d'annuler à tout moment les modèles commercialisés.

14. Litiges

En cas de litige, les deux parties se soumettent à la juridiction des tribunaux de Barcelone.

ESTILUZ (Headquarters) / Carretera d'Ogassa s/n
E- 17860 St Joan de les Abadesses (Girona) Spain
T +34 972 720 125
estiluz@estiluz.com

www.estiluz.com

estiluz[®]