

# Rotaliana

# Price list 2025

Alle Preise zzgl. ges. MwSt.



# Index

Antares	3	MultiPot+	45
Aries	3	Pomi	46
Belvedere	4	Prince	48
Ciminiere d'Italia	5	QB	48
CM2	7	Sol	49
Collide	8	Souvlaki	54
Dina	16	Souvlaki System	60
Dina+	17	Squiggle	70
Dresscode	18	String / String mini	76
Drink	19	String XL	80
Dry	20	Sunset	81
Eden Collection	23	Tick	82
Febo	24	Tide	83
Flow Glass	25	Tobu	84
Frame	30	Totem & Tabù	86
Furin	32	Venere	89
Goccia	33		
InOut	34		
Ipe	36	ACCESSORIES	90
Lightwire	38	R1 / R2 / R3	91
Luxy	39	Certifications	99
Luxy Glam	43	General terms of sale	101


# ROTALIANA COLORS COLLECTION

Altri colori personalizzabili su richiesta  
Custom colors available on demand

## Satin Collection




## Metallic Collection



## Outdoor Collection



## Architectural Collection




Verniciabile  
Paintable  
cod. V1

"Questa finitura è compatibile con la sovraverniciatura mediante pitture murali per interni."

"This finish can be overpainted with interior wall paints."

## Ethic Collection



"Le nostre nuove finiture ecologiche ad acqua garantiscono un impatto ambientale ridotto, senza compromettere la qualità e la resistenza del prodotto. Grazie a vernici prive di solventi nocivi, ogni lampada riflette il nostro impegno verso la sostenibilità. Scegli un design che rispetta l'ambiente senza rinunciare allo stile."


"Our new environmentally friendly water-based finishings guarantee a very small environmental impact without compromising the product's quality and durability. Thanks to the use of paints free of toxic solvents, each lamp is the embodiment of our commitment to sustainability. Choose a design that respects the environment, without giving up on style."

Iva esclusa-Vat excluded-Ohne MWSt

### ANTARES W2

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC	
	Wall Surface On-Off, Push, Dali IP20 4.000 lumen - luminaire flux Indoor use Box measurements cm: L 34 x D 33 x H 13 Gross weight: KG,2,02	POWER LED 2.700K, 3.000K, 4.000K CRI 90 1.150mA Macadam step 3 LED Life L70 B50 > 54.000 h Energy Class: E	220-240 V 50 Hz 43W Class 1 Driver included	Lighting type: Indirect Light distribution: Asymmetric 	
STRUCTURE	DIMMING	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>					
Bianco / White / Weiß	On/off	8013210227909	1ANW2 000 13 ZL0	2 Weeks	355,00
Bianco / White / Weiß	Push	8013210227947	1ANW2 000 13 HLO	3 Weeks	386,00
Bianco / White / Weiß	Dali	8013210227978	1ANW2 000 13 PLO	3 Weeks	386,00
<b>3.000 Kelvin</b>					
Bianco / White / Weiß	On/off	8013210228005	1ANW2 000 13 ZL1	2 Weeks	355,00
Bianco / White / Weiß	Push	8013210227954	1ANW2 000 13 HL1	3 Weeks	386,00
Bianco / White / Weiß	Dali	8013210227985	1ANW2 000 13 PL1	3 Weeks	386,00
<b>4.000 Kelvin</b>					
Bianco / White / Weiß	On/off	8013210228012	1ANW2 000 13 ZL2	3 Weeks	355,00
Bianco / White / Weiß	Push	8013210227961	1ANW2 000 13 HL2	3 Weeks	386,00
Bianco / White / Weiß	Dali	8013210227992	1ANW2 000 13 PL2	3 Weeks	386,00


### ROTALIANA COLORS COLLECTION



### ARIES W1

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC	
	Wall Surface On-Off, Phase, Push, Dali IP20 4.900 lumen - luminaire flux Indoor use Box measurements cm: L 35 x D 19 x H 7 Gross weight: KG,1,70	MID POWER LED 2.700K, 3.000K CRI 90 900mA Macadam step 3 LED Life L70 B50 > 60.000 h Energy Class: E	220-240 V 50 Hz 37W Class 1 Driver included	Lighting type: Indirect Light distribution: Symmetric 	
STRUCTURE	DIMMING	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>					
Bianco / White / Weiß	On/off	8013210227916	1ARW1 000 13 ZL0	2 Weeks	355,00
Bianco / White / Weiß	Phase	8013210228029	1ARW1 000 13 FLO	3 Weeks	386,00
Bianco / White / Weiß	Push	8013210228036	1ARW1 000 13 HLO	3 Weeks	386,00
Bianco / White / Weiß	Dali	8013210228043	1ARW1 000 13 PLO	3 Weeks	386,00
<b>3.000 Kelvin</b>					
Bianco / White / Weiß	On/off	8013210228050	1ARW1 000 13 ZL1	2 Weeks	355,00
Bianco / White / Weiß	Phase	8013210228067	1ARW1 000 13 FL1	3 Weeks	386,00
Bianco / White / Weiß	Push	8013210228074	1ARW1 000 13 HL1	3 Weeks	386,00
Bianco / White / Weiß	Dali	8013210228081	1ARW1 000 13 PL1	3 Weeks	386,00

### ROTALIANA COLORS COLLECTION



**BELVEDERE W1**

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC
	Wall Surface On-Off IP20 1.400 lumen - luminaire flux Indoor use Box measurements cm: L 37 x D 21 x H 9 Gross weight: KG.0,90	MID POWER LED 2.700K, 3.000K CRI 90 350mA Mono Bin LED Life L70 B50 > 72.000 h Energy Class: F	220-240 V 50 Hz 14W Class 1 Driver included	Lighting type: Indirect Light distribution: Asymmetric Discover Belvedere

STRUCTURE	DIMMING	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>					
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>On/off</b>	8013210172728	1BEW1 000 63 ZL0	2 Weeks	<b>248,00</b>
<b>3.000 Kelvin</b>					
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>On/off</b>	8013210176009	1BEW1 000 63 ZL1	2 Weeks	<b>248,00</b>

**ROTALIANA COLORS COLLECTION**

**Satin Collection**  
3 weeks | € 273,00

**Ethic Collection**  
3 weeks | € 273,00

**BELVEDERE W2**

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC
	Wall Surface On-Off, Phase, Dali IP20 3.200 lumen - luminaire flux Indoor use Box measurements cm: L 37 x D 21 x H 9 Gross weight: KG.1,30	MID POWER LED 2.700K, 3.000K, DTW 2.200K - 3.000K CRI 90 700mA Kitting LED Life L70 B50 > 60.000 h Energy Class: E	220-240 V 50 Hz 29W Class 1 Driver included	Lighting type: Indirect Light distribution: Asymmetric Discover Belvedere

STRUCTURE	DIMMING	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>					
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>On/off</b>	8013210185360	1BEW2 000 63 ZL1	2 Weeks	<b>320,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Phase</b>	8013210185377	1BEW2 000 63 FL1	2 Weeks	<b>353,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Dali</b>	8013210185391	1BEW2 000 63 PL1	3 Weeks	<b>370,00</b>
<b>3.000 Kelvin</b>					
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>On/off</b>	8013210179802	1BEW2 000 63 ZL0	2 Weeks	<b>320,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Phase</b>	8013210180709	1BEW2 000 63 FL0	2 Weeks	<b>353,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Dali</b>	8013210180723	1BEW2 000 63 PL0	3 Weeks	<b>370,00</b>
<b>DTW 2.200 - 3.000 Kelvin</b>					
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Phase</b>	8013210229095	1BEW2 W00 63 FL0	3 Weeks	<b>388,00</b>

**ROTALIANA COLORS COLLECTION**

**Satin Collection**  
3 weeks | + 10% extra

**Ethic Collection**  
3 weeks | + 10% extra

**CIMINIERE D'ITALIA F1**

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC
	Floor Standing Foot dimmer IP20 4.000 lumen - luminaire flux Indoor use Box measurements cm: L 30 x D 30 x H 190 Gross weight: KG.14,00	COB LED 3.000K CRI 90 950mA Mono Bin LED Life L80 B50 > 50.000 h Energy Class: E	220-240 V 50 Hz 36W Class 2 Driver included Europe plug	Lighting type: Indirect Light distribution: Symmetric Discover Ciminiere d'Italia

STRUCTURE	BASE	EAN	CODE	DELIVERY	EURO
<input type="checkbox"/> Bianco opaco / <b>Matt white</b> / Weiß matt	Bianco / <b>White</b> / Weiß	8013210192887	1CMF1 L00 63 EL0	3 Weeks	<b>895,00</b>
<input checked="" type="checkbox"/> Azzurro / <b>LightBlue</b> / Hellblau	Oro lucido / <b>Glossy gold</b> / Gold Glänzend	8013210192832	1CMF1 L05 60 EL0	3 Weeks	<b>1.299,00</b>

**ROTALIANA COLORS COLLECTION**

**Satin Collection**  
5 weeks | € 985,00

**Ethic Collection**  
5 weeks | € 985,00

**CIMINIERE D'ITALIA F2**

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC
	Floor Standing Foot dimmer IP20 4.000 lumen - luminaire flux Indoor use Box measurements cm: L 30 x D 30 x H 190 Gross weight: KG.14,00	COB LED 3.000K CRI 90 950mA Mono Bin LED Life L80 B50 > 50.000 h Energy Class: E	220-240 V 50 Hz 36W Class 2 Driver included Europe plug	Lighting type: Indirect Light distribution: Symmetric Discover Ciminiere d'Italia

STRUCTURE	BASE	EAN	CODE	DELIVERY	EURO
<input type="checkbox"/> Bianco opaco / <b>Matt white</b> / Weiß matt	Bianco / <b>White</b> / Weiß	8013210192870	1CMF2 L00 63 EL0	3 Weeks	<b>895,00</b>
<input checked="" type="checkbox"/> Bianca a scacchi neri / <b>White black checkered</b> / Weiß-Schwarz kariert	Oro lucido / <b>Glossy gold</b> / Gold Glänzend	8013210192856	1CMF2 L05 59 EL0	3 Weeks	<b>1.299,00</b>

**ROTALIANA COLORS COLLECTION**

**Satin Collection**  
5 weeks | € 985,00

**Ethic Collection**  
5 weeks | € 985,00

**CIMINIERE D'ITALIA F3**

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC	
	Floor Standing Foot dimmer IP20 4.000 lumen - luminaire flux Indoor use Box measurements cm: L 30 x D 30 x H 190 Gross weight: KG.14,00	COB LED 3.000K CRI 90 950mA Mono Bin LED Life L80 B50 > 50.000 h Energy Class: E	220-240 V 50 Hz 36W Class 2 Driver included Europe plug	Lighting type: Indirect Light distribution: Symmetric 	
STRUCTURE	BASE	EAN	CODE	DELIVERY	EURO
Bianco opaco / <b>Matt white</b> / Weiß matt	Bianco / <b>White</b> / Weiß	8013210192917	1CMF3 L00 63 EL0	3 Weeks	<b>895,00</b>
Bianca a righe rosse / <b>White with red lines</b> / Weiß-Rot gestreift	Oro lucido / <b>Glossy gold</b> / Gold Glänzend	8013210192894	1CMF3 L05 58 EL0	3 Weeks	<b>1.299,00</b>

**ROTALIANA COLORS COLLECTION**

**Satin Collection**  
5 weeks | € 985,00

**Ethic Collection**  
5 weeks | € 985,00

**CM2 W1**

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC	
	Wall Surface Phase IP20 1.500 lumen - luminaire flux Indoor use Box measurements cm: L 37 x D 21 x H 9 Gross weight: KG.1,80	ACRICHE HV LED 2.700K, 3.000K CRI 90 230V Macadam step 3 LED Life L70 B50 > 50.000 h Energy Class: F	220-240 V 50 Hz 16W Class 1 Driver included	Lighting type: Indirect Light distribution: Symmetric 	
STRUCTURE	DIMMING	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>					
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Phase</b>	8013210229255	1C2W1 D00 63 ZL1	2 Weeks	<b>248,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	<b>Phase</b>	8013210229262	1C2W1 D00 62 ZL1	3 Weeks	<b>248,00</b>
<b>3.000 Kelvin</b>					
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Phase</b>	8013210229279	1C2W1 D00 63 ZL0	2 Weeks	<b>248,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	<b>Phase</b>	8013210229286	1C2W1 D00 62 ZL0	3 Weeks	<b>248,00</b>

**ROTALIANA COLORS COLLECTION**

**Architectural Collection**  
3 Weeks | No extra cost

**Satin Collection**  
3 weeks | € 273,00

**Ethic Collection**  
3 weeks | € 273,00

**CM2 W2**

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC	
	Wall Surface Phase IP20 3.000 lumen - luminaire flux Indoor use Box measurements cm: L 37 x D 21 x H 9 Gross weight: KG.2,60	ACRICHE HV LED 2.700K, 3.000K CRI 90 230V Macadam step 3 LED Life L70 B50 > 50.000 h Energy Class: F	220-240 V 50 Hz 32W Class 1 Driver included	Lighting type: Indirect Light distribution: Symmetric 	
STRUCTURE	DIMMING	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>					
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Phase</b>	8013210211380	1C2W2 D00 63 ZL1	<b>7 Days</b>	<b>385,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	<b>Phase</b>	8013210229248	1C2W2 D00 62 ZL1	3 Weeks	<b>385,00</b>
<b>3.000 Kelvin</b>					
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Phase</b>	8013210209516	1C2W2 D00 63 ZL0	<b>7 Days</b>	<b>385,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	<b>Phase</b>	8013210229293	1C2W2 D00 62 ZL0	3 Weeks	<b>385,00</b>

**ROTALIANA COLORS COLLECTION**

**Architectural Collection**  
3 weeks | No extra cost

**Satin Collection**  
3 weeks | € 424,00

**Ethic Collection**  
3 weeks | € 424,00

COLLIDE H0

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC	
	Ceiling/Wall Surface Phase IP20 1.500 lumen - luminaire flux Indoor use Box measurements cm: L 28 x D 26 x H 13 Gross weight: KG.1,60	ACRICHE HV LED 2.700K, 3.000K CRI 90 230V Macadam step 3 LED Life L70 B50 > 50.000 h Energy Class: F	220-240 V 50 Hz 16W Class 1 Driver included	Lighting type: Indirect Light distribution: Asymmetric	
STRUCTURE	DIMMING	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>					
Bianco / White / Weiß	Phase	8013210227923	1CDH0 D00 13 ZL1	7 Days	272,00
<b>3.000 Kelvin</b>					
Bianco / White / Weiß	Phase	8013210227930	1CDH0 D00 13 ZL0	7 Days	272,00
Piastra Ø 12 per rosone (Bianco opaco) / Plate for canopy Ø 12 (Matt white) / Rückplatte Ø 12 für Deckenrosette (Weiß matt) KPA20063					38,00

ROITALIANA COLORS COLLECTION

**Architctural Collection** 3 weeks | No extra cost

**Satin Collection** 3 weeks | € 299,00

**Ethic Collection** 3 weeks | € 299,00

**Metallic Collection** 6 weeks | € 340,00

COLLIDE H1

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC	
	Ceiling/Wall Surface Phase IP20 3.000 lumen - luminaire flux Indoor use Box measurements cm: L 50 x D 26 x H 13 Gross weight: KG.2,50	ACRICHE HV LED 2.700K, 3.000K CRI 90 230V Macadam step 3 LED Life L70 B50 > 50.000 h Energy Class: F	220-240 V 50 Hz 32W Class 1 Driver included	Lighting type: Indirect Light distribution: Symmetric	
STRUCTURE	DIMMING	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>					
Bianco / White / Weiß	Phase	8013210228098	1CDH1 D00 13 ZL1	7 Days	389,00
<b>3.000 Kelvin</b>					
Bianco / White / Weiß	Phase	8013210228104	1CDH1 D00 13 ZL0	7 Days	389,00
Piastra Ø 12 per rosone (Bianco opaco) / Plate for canopy Ø 12 (Matt white) / Rückplatte Ø 12 für Deckenrosette (Weiß matt) KPA20063					38,00

ROITALIANA COLORS COLLECTION

**Architctural Collection** 3 weeks | No extra cost

**Satin Collection** 3 weeks | € 428,00

**Ethic Collection** 3 weeks | € 428,00

**Metallic Collection** 6 weeks | € 486,00

COLLIDE H2

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC	
	Ceiling/Wall Surface Phase IP20 3.000 lumen - luminaire flux Indoor use Box measurements cm: L 46 x D 39 x H 17 Gross weight: KG.3,10	ACRICHE HV LED 2.700K, 3.000K CRI 90 230V Macadam step 3 LED Life L70 B50 > 50.000 h Energy Class: F	220-240 V 50 Hz 32W Class 1 Driver included	Lighting type: Indirect Light distribution: Symmetric	
STRUCTURE	DIMMING	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>					
Bianco / White / Weiß	Phase	8013210228111	1CDH2 D00 13 ZL1	7 Days	389,00
<b>3.000 Kelvin</b>					
Bianco / White / Weiß	Phase	8013210228128	1CDH2 D00 13 ZL0	7 Days	389,00
Piastra Ø 12 per rosone (Bianco opaco) / Plate for canopy Ø 12 (Matt white) / Rückplatte Ø 12 für Deckenrosette (Weiß matt) KPA20063					38,00

ROITALIANA COLORS COLLECTION

**Architctural Collection** 3 weeks | No extra cost

**Satin Collection** 3 weeks | € 428,00

**Ethic Collection** 3 weeks | € 428,00

**Metallic Collection** 6 weeks | € 486,00

COLLIDE H3

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC	
	Ceiling/Wall Surface Phase IP20 4.500 lumen - luminaire flux Indoor use Box measurements cm: L 58 x D 58 x H 20 Gross weight: KG.5,10	ACRICHE HV LED 2.700K, 3.000K CRI 90 230V Macadam step 3 LED Life L70 B50 > 50.000 h Energy Class: F	220-240 V 50 Hz 48W Class 1 Driver included	Lighting type: Indirect Light distribution: Symmetric	
STRUCTURE	DIMMING	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>					
Bianco / White / Weiß	Phase	8013210228135	1CDH3 D00 13 ZL1	7 Days	600,00
<b>3.000 Kelvin</b>					
Bianco / White / Weiß	Phase	8013210228142	1CDH3 D00 13 ZL0	7 Days	600,00
Piastra Ø 12 per rosone (Bianco opaco) / Plate for canopy Ø 12 (Matt white) / Rückplatte Ø 12 für Deckenrosette (Weiß matt) KPA20063					38,00

ROITALIANA COLORS COLLECTION

**Architctural Collection** 3 weeks | No extra cost

**Satin Collection** 3 weeks | € 660,00

**Ethic Collection** 3 weeks | € 660,00

**Metallic Collection** 6 weeks | € 750,00

**COLLIDE H3 REGOLABILE**

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC	
	Ceiling/Wall Surface Phase IP20 4.500 lumen - luminaire flux Indoor use Box measurements cm: L 58 x D 58 x H 20 Gross weight: KG.5,30	ACRICHE HV LED 2.700K, 3.000K CRI 90 230V Macadam step 3 LED Life L70 B50 > 50.000 h Energy Class: F	220-240 V 50 Hz 48W Class 1 Driver included	Lighting type: Indirect Light distribution: Symmetric 	
STRUCTURE	DIMMING	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>					
Bianco / White / Weiß	Phase	8013210230664	1CDH3 DR0 13 ZL1	3 Weeks	<b>670,00</b>
<b>3.000 Kelvin</b>					
Bianco / White / Weiß	Phase	8013210230671	1CDH3 DR0 13 ZL0	3 Weeks	<b>670,00</b>

**ROITALIANA COLORS COLLECTION**

**Architectural Collection** 3 weeks | No extra cost

**Satin Collection** 4 weeks | € 737,00

**Ethic Collection** 4 weeks | € 737,00

**Metallic Collection** 6 weeks | € 838,00

**COLLIDE H4**

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC	
	Ceiling/Wall Surface Phase IP20 6.000 lumen - luminaire flux Indoor use Box measurements cm: L 74 x D 74 x H 20 Gross weight: KG.10,00	ACRICHE HV LED 2.700K, 3.000K CRI 90 230V Macadam step 3 LED Life L70 B50 > 50.000 h Energy Class: F	220-240 V 50 Hz 64W Class 1 Driver included	Lighting type: Indirect Light distribution: Symmetric 	
STRUCTURE	DIMMING	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>					
Bianco / White / Weiß	Phase	8013210228159	1CDH4 D00 13 ZL1	3 Weeks	<b>876,00</b>
<b>3.000 Kelvin</b>					
Bianco / White / Weiß	Phase	8013210228166	1CDH4 D00 13 ZL0	3 Weeks	<b>876,00</b>

**ROITALIANA COLORS COLLECTION**

**Architectural Collection** 3 weeks | No extra cost

**Satin Collection** 4 weeks | € 964,00

**Ethic Collection** 4 weeks | € 964,00

**Metallic Collection** 6 weeks | € 1.095,00

**COLLIDE H3 DOUBLE**

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC	
	Ceiling/Wall Surface Phase IP20 up 4.500 + down 1.300 lumen luminaire flux Indoor use Box measurements cm: L 58 x D 58 x H 20 Gross weight: KG.6,50	ACRICHE HV LED + COB LED 2.700K, 3.000K CRI 90 230V Macadam step 3 LED Life L70 B50 > 50.000 h Energy Class: F	220-240 V 50 Hz 60W Class 1 Driver included	Lighting type: Indirect up + direct down Light distribution: Symmetric 	
STRUCTURE	DIMMING	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>					
Bianco / White / Weiß	Phase	8013210230688	1CDH3 D20 13 ZL1 *	3 Weeks	<b>876,00</b>
<b>3.000 Kelvin</b>					
Bianco / White / Weiß	Phase	8013210230695	1CDH3 D20 13 ZL0 *	3 Weeks	<b>876,00</b>

**ROITALIANA COLORS COLLECTION**

**Architectural Collection** 3 weeks | No extra cost

**Satin Collection** 4 weeks | € 964,00

**Ethic Collection** 4 weeks | € 964,00

**Metallic Collection** 6 weeks | € 1.095,00

**ROITALIANA COLORS COLLECTION**

**\* RING COLOURS DIFFERENT THAN STRUCTURE**

Nessuna maggiorazione / No surcharge / Kein Aufpreis

**Example:**

1CDH3 D20 13 ZL1 **20**

Aggiungere il codice colore dell'anello in coda al codice articolo  
 Add the ring color code at the end of the item code  
 Farbcode zu dem Ring am Ende der Artikelnummer dazu schreiben

**REPLACEMENT**

REPLACEMENT	RING COLOURS	CODE	EURO
	Grafite / Graphite / Graphit	KPA27020	60,00
	Oro regale / Royal gold / Luxus-Gold	KPA27033	60,00
	Argento / Silver / Silber	KPA27043	60,00
	Bronzo scuro / Dark bronze / Bronze Dunkel	KPA27048	60,00
	Nero opaco / Matt black / Schwarz matt	KPA27062	60,00
	Bronzo opaco / Matt bronze / Bronze matt	KPA27064	60,00
	Champagne / Champagne / Champagner	KPA27065	60,00
	Bronzo opaco / Matt bronze / Bronze matt	KPA27026	60,00
	Rame opaco / Matt Copper / Kupfer matt	KPA27027	60,00
	Canna di fucile / Powder gun matt / Matter Rotguss	KPA27032	60,00
	Oro opaco / Matt gold / Gold matt	KPA27034	60,00
	Nichel opaco / Nickel matt / Nickel matt	KPA27035	60,00
	Sabbia / Sand / Sand	KPA270W2	60,00
	Corda / Rope color / Schnur-Beige	KPA270W4	60,00
	Tortora / Dove-gray / Taubengrau	KPA270W6	60,00
	Caffè / Coffee / Kaffee-Braun	KPA270W8	60,00

**COLLIDE H4 DOUBLE**

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC	
	Ceiling/Wall Surface Phase IP20 up 6.000 + down 1.300 lumen luminaire flux Indoor use Box measurements cm: L 72 x D 72 x H 17 Gross weight: KG.7,80	ACRICHE HV LED + COB LED 2.700K, 3.000K CRI 90 230V Macadam step 3 LED Life L70 B50 > 50.000 h Energy Class: F	220-240 V 50 Hz 80W Class 1 Driver included	Lighting type: Indirect up + direct down Light distribution: Symmetric Discover Collide Double	
STRUCTURE	DIMMING	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>					
Bianco / White / Weiß	Phase	8013210228241	1CDH4 D20 13 ZL1 *	3 Weeks	1.082,00
<b>3.000 Kelvin</b>					
Bianco / White / Weiß	Phase	8013210228234	1CDH4 D20 13 ZL0 *	3 Weeks	1.082,00

**ROTALIANA COLORS COLLECTION**

**Architectural Collection** 3 weeks | No extra cost

**Satin Collection** 4 weeks | € 1.190,00

**Ethic Collection** 4 weeks | € 1.190,00

**Metallic Collection** 6 weeks | € 1.353,00

**ROTALIANA COLORS COLLECTION**

**\* RING COLOURS DIFFERENT THAN STRUCTURE**

Nessuna maggiorazione / No surcharge / Kein Aufpreis

**Example:**  
 1CDH3 D20 13 ZL1 **20**  
 Aggiungere il codice colore dell'anello in coda al codice articolo  
 Add the ring color code at the end of the item code  
 Farbcode zu dem Ring am Ende der Artikelnummer dazu schreiben

**REPLACEMENT**

RING COLOURS	CODE	EURO
Grafite / Graphite / Graphit	KPA27020	60,00
Oro regale / Royal gold / Luxus-Gold	KPA27033	60,00
Argento / Silver / Silber	KPA27043	60,00
Bronzo scuro / Dark bronze / Bronze Dunkel	KPA27048	60,00
Nero opaco / Matt black / Schwarz matt	KPA27062	60,00
Bronzo opaco / Matt bronze / Bronze matt	KPA27064	60,00
Champagne / Champagne / Champagner	KPA27065	60,00
Bronzo opaco / Matt bronze / Bronze matt	KPA27026	60,00
Rame opaco / Matt Copper / Kupfer matt	KPA27027	60,00
Canna di fucile / Powder gun matt / Matter Rotguss	KPA27032	60,00
Oro opaco / Matt gold / Gold matt	KPA27034	60,00
Nichel opaco / Nickel matt / Nickel matt	KPA27035	60,00
Sabbia / Sand / Sand	KPA270W2	60,00
Corda / Rope color / Schnur-Beige	KPA270W4	60,00
Tortora / Dove-gray / Taubengrau	KPA270W6	60,00
Caffè / Coffee / Kaffee-Braun	KPA270W8	60,00

**COLLIDE H5**

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC	
	Ceiling/Wall Surface Phase IP20 7.500 lumen - luminaire flux Indoor use Box measurements cm: L 88 x D 88 x H 20 Gross weight: KG.12,40	ACRICHE HV LED 2.700K, 3.000K CRI 90 230V Macadam step 3 LED Life L70 B50 > 50.000 h Energy Class: F	220-240 V 50 Hz 80W Class 1 Driver included	Lighting type: Indirect Light distribution: Symmetric Discover Collide	
STRUCTURE	DIMMING	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>					
Bianco / White / Weiß	Phase	8013210228173	1CDH5 D00 13 ZL1	3 Weeks	1.082,00
<b>3.000 Kelvin</b>					
Bianco / White / Weiß	Phase	8013210228180	1CDH5 D00 13 ZL0	3 Weeks	1.082,00

**ROTALIANA COLORS COLLECTION**

**Architectural Collection** 3 weeks | No extra cost

**Satin Collection** 4 weeks | € 1.190,00

**Ethic Collection** 4 weeks | € 1.190,00

**Metallic Collection** 6 weeks | € 1.353,00

**COLLIDE H6**

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC	
	Ceiling Suspended Phase IP20 up 6.000 + down 1.300 lumen luminaire flux Indoor use Box measurements cm: L 74 x D 74 x H 24 Gross weight: KG.8,70	ACRICHE HV LED + COB LED 2.700K, 3.000K CRI 90 230V Macadam step 3 LED Life L70 B50 > 50.000 h Energy Class: F	220-240 V 50 Hz 80W Class 1 Driver included	Lighting type: Indirect up + direct down Light distribution: Symmetric Discover Collide	
STRUCTURE	DIMMING	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>					
Bianco / White / Weiß	Phase	8013210228197	1CDH6 D00 13 ZL1	3 Weeks	1.082,00
<b>3.000 Kelvin</b>					
Bianco / White / Weiß	Phase	8013210228203	1CDH6 D00 13 ZL0	3 Weeks	1.082,00

**ROTALIANA COLORS COLLECTION**


Canopy: same colour as diffuser / Cable: transparent or black

**Satin Collection** 4 weeks | € 1.190,00

**Ethic Collection** 4 weeks | € 1.190,00

**Metallic Collection** 6 weeks | € 1.353,00

## COLLIDE H7

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC
	Ceiling Suspended Phase IP20 up 6.000 + down 1.300 lumen luminaire flux Indoor use Box measurements cm: L 72 x D 72 x H 21 Gross weight: KG.8,00	ACRICHE HV LED + COB LED 2.700K, 3.000K CRI 90 230V Macadam step 3 LED Life L70 B50 > 50.000 h Energy Class: F	220-240 V 50 Hz 80W Class 1 Driver included	Lighting type: Indirect up + direct down Light distribution: Symmetric  Discover Collide


STRUCTURE	DIMMING	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>					
Bianco / White / Weiß	Phase	8013210228210	1CDH7 D00 13 ZL1	3 Weeks	1.133,00
<b>3.000 Kelvin</b>					
Bianco / White / Weiß	Phase	8013210228227	1CDH7 D00 13 ZL0	3 Weeks	1.133,00

## ROITALIANA COLORS COLLECTION

Canopy: same colour as diffuser / Cable: transparent or black

Satin Collection	Ethic Collection	Metallic Collection
4 weeks   € 1.246,00	4 weeks   € 1.246,00	6 weeks   € 1.416,00
20 Grafite Graphite 33 Oro regale Royal gold Luxus-Gold 43 Argento Silver Silber 48 Bronzo scuro Dark bronze 62 Nero opaco Matt black Schwarz matt 64 Bronzo Bronze 65 Champagne Champagner	26 Bronzo opaco Matt bronze Bronze matt 27 Rame opaco Matt Copper Kupfer matt 32 Ceramica di Luce Powder gun matt Marmor Rotguss 34 Oro opaco Matt gold Gold matt 35 Nichel opaco Nickel matt Nickel matt W2 Sabbia Sand W4 Corda Rope color Schnur-Blige W6 Torbra Dovegray Taubengrau W8 Caffè Coffee Kaffee-Braun	14 Ottone anti. Antique brass Messing antik 19 Pietra del. Peltar del. Zinn del. 22 Rame del. Copper del. Kupfer del. 23 Oro della Gold della Gold della

## Connection Kit Collide

CODE	EURO
	Use it to connect: <b>Collide H3 REGOLABILE</b> <b>Collide H4</b> <b>Collide H5</b>  <b>Collide H3 DOUBLE</b> <b>Collide H4 DOUBLE</b>

Kit connessione Collide H3 Regolabile - H4 - H5 / <b>Connection Kit Collide H3 Regolabile - H4 - H5</b> / Verbindung-Kit Collide H3 Regulabile - H4 - H5	SCDH4KIT000	26,00
Kit connessione Collide H3 Double - H4 Double / <b>Connection Kit Collide H3 Double - H4 Double</b> / Verbindung-Kit Collide H3 Double - H4 Double	SCDH3KITD20	26,00

## Dimmer input PUSH/DALI output PHASE-CUT



CODE	EURO	
Dimmer ingresso PUSH/DALI uscita TAGLIO DI FASE / <b>Dimmer input PUSH/DALI output PHASE-CUT</b> / Dimmer PUSH/DALI steuerbar, AUSGANG PHASE	20120713	119,00

**DINA H1**

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC
	Ceiling Suspended On-Off IP20 460 lumen - luminaire flux Indoor use Box measurements cm: L 34 x D 22 x H 21 Gross weight: KG.0,90	MID POWER LED 2.700K CRI 90 350mA Mono Bin LED Life L70 B50 > 60.000 h Energy Class: E	220-240 V 50 Hz 7W Class 1 Driver included	Lighting type: Diffused Light distribution: Symmetric 
DIFFUSER	EAN	CODE	DELIVERY	EURO
Trasparente / <b>Transparent</b> / Transparent	8013210176511	1DNH1 001 02 ZL0	3 Weeks	<b>245,00</b>
Bianco / <b>White</b> / Weiß	8013210176504	1DNH1 002 02 ZL0	3 Weeks	<b>245,00</b>

**DINA +**

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC	
	Table Standing IR Touch IP20 400 lumen - luminaire flux Indoor use Box measurements cm: L 26 x D 26 x H 43 Gross weight: KG.2,00	MID POWER LED 2.700K CRI 90 350mA Mono Bin LED Life L70 B50 > 60.000 h Energy Class: E	220-240 V 50 Hz 8W Class 2 Driver included 2 Diffuser included Europe plug USB charger Battery life: light 70% - 5h light 40% - 10h light 5% - 30h	Lighting type: Diffused Light distribution: Symmetric 	
STRUCTURE	DIFFUSER	EAN	CODE	DELIVERY	EURO
<input type="checkbox"/> Bianco opaco / <b>Matt white</b> / Weiß matt	Transparent + White diffuser	8013210187432	1DPT1 012 63 ELO	3 Weeks	<b>337,00</b>

**ROTALIANA COLORS COLLECTION**

**Satin Collection**  
4 weeks | € 371,00

- 20 Grafite Graphite
- 33 Oro regale Royal gold Luxus-Gold
- 43 Argento Silver Silber
- 48 Bronzo scuro Dark bronze Bronze Dunkel
- 62 Nero opaco Matt black Schwarz matt
- 64 Bronzo Bronze
- 65 Champagne Champagner

**Dina Collection**  
4 weeks | € 371,00

- 18 Verde Green Grün
- 21 Azzurro Light blue Hellblau
- 68 Rosso Red Rot
- 69 Giallo Yellow Gelb

**Ethic Collection**  
4 weeks | € 371,00

- 26 Bronzo opaco Matt bronze Bronze matt
- 27 Rame opaco Matt Copper Kupfer matt
- 32 Corina di luce Powder gun matt Mather Rotguss
- 34 Oro opaco Matt gold Gold matt
- 35 Nichel opaco Nickel matt Nickel matt
- W2 Sabbia Sand Sand
- W4 Corda Rope color Schnur-Beige
- W6 Torbra Dovegray Taubengrau
- W8 Caffè Coffee Kaffee-Braun

**DINA T1**

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC	
	Table Standing Dimmer push button IP20 600 lumen - luminaire flux Indoor use Box measurements cm: L 25 x D 25 x H 43 Gross weight: KG.1,60	MID POWER LED 2.700K CRI 90 350mA Mono Bin LED Life L70 B50 > 60.000 h Energy Class: E	220-240 V 50 Hz 8,2W Class 2 Driver included Europe plug	Lighting type: Diffused Light distribution: Symmetric 	
STRUCTURE	DIFFUSER	EAN	CODE	DELIVERY	EURO
Bianco opaco / <b>Matt white</b> / Weiß matt	Trasparente / <b>Transparent</b> / Transparent	8013210192924	1DNT1 001 63 ELO	3 Weeks	<b>265,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Bianco / <b>White</b> / Weiß	8013210194010	1DNT1 002 63 ELO	3 Weeks	<b>265,00</b>

**ROTALIANA COLORS COLLECTION**

**Satin Collection**  
4 weeks | € 292,00

- 20 Grafite Graphite
- 33 Oro regale Royal gold Luxus-Gold
- 43 Argento Silver Silber
- 48 Bronzo scuro Dark bronze Bronze Dunkel
- 62 Nero opaco Matt black Schwarz matt
- 64 Bronzo Bronze
- 65 Champagne Champagner

**Dina Collection**  
4 weeks | € 292,00

- 18 Verde Green Grün
- 21 Azzurro Light blue Hellblau
- 68 Rosso Red Rot
- 69 Giallo Yellow Gelb


**Ethic Collection**  
4 weeks | € 292,00

- 26 Bronzo opaco Matt bronze Bronze matt
- 27 Rame opaco Matt Copper Kupfer matt
- 32 Corina di luce Powder gun matt Mather Rotguss
- 34 Oro opaco Matt gold Gold matt
- 35 Nichel opaco Nickel matt Nickel matt
- W2 Sabbia Sand Sand
- W4 Corda Rope color Schnur-Beige
- W6 Torbra Dovegray Taubengrau
- W8 Caffè Coffee Kaffee-Braun

**DRESSCODE W1**

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC	
	Wall Surface Phase, Dali IP20 1.250 lumen - luminaire flux Indoor use Box measurements cm: L 40 x D 18 x H 16 Gross weight: KG.1,30	MID POWER LED 2.700K, 3.000K, DTW 2.200K - 3.000K CRI 90 350mA Kitting LED Life L70 B50 > 60.000 h Energy Class: E	220-240 V 50 Hz 16W Class 1 Driver included	Lighting type: Indirect Light distribution: Symmetric 	
STRUCTURE	DIMMING	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>					
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Phase</b>	8013210194058	1DCW1 000 <b>63</b> FL0	2 Weeks	<b>289,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Dali</b>	8013210204771	1DCW1 000 <b>63</b> PL0	3 Weeks	<b>329,00</b>
<b>3.000 Kelvin</b>					
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Phase</b>	8013210192948	1DCW1 000 <b>63</b> FL1	2 Weeks	<b>289,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Dali</b>	8013210196069	1DCW1 000 <b>63</b> PL1	3 Weeks	<b>329,00</b>
<b>DTW 2.200 - 3.000 Kelvin</b>					
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Phase</b>	8013210229033	1DCW1 W00 <b>63</b> FL0	3 Weeks	<b>318,00</b>

**ROTALIANA COLORS COLLECTION**



**DRINK F1 LED**

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC	
	Floor Standing Push button dimmer IP20 4.400 lumen - luminaire flux Indoor use Box measurements cm: L 31 x D 31 x H 190 Gross weight: KG.13,00	MID POWER LED 2.700K, 3.000K CRI 90 1.845mA Mono bin LED Life L70 B50 > 54.000 h Energy Class: E	220-240 V 50 Hz 27W Class 2 Driver included Europe plug	Lighting type: Indirect Light distribution: Symmetric 	
STRUCTURE	DIMMING	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>					
Bianco opaco / <b>Matt white</b> / Weiß matt		8013210198667	1DRF1 LED <b>63</b> EL2	3 Weeks	<b>721,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt		8013210198650	1DRF1 LED <b>62</b> EL2	3 Weeks	<b>721,00</b>
<b>3.000 Kelvin</b>					
Bianco opaco / <b>Matt white</b> / Weiß matt		8013210229040	1DRF1 LED <b>63</b> EL0	3 Weeks	<b>721,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt		8013210229057	1DRF1 LED <b>62</b> EL0	3 Weeks	<b>721,00</b>

**ROTALIANA COLORS COLLECTION**



**DRESSCODE W2**

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC	
	Wall Surface On-Off, Phase, Push, Dali IP20 2.360 lumen - luminaire flux Indoor use Box measurements cm: L 40 x D 18 x H 16 Gross weight: KG.1,70	MID POWER LED 2.700K, 3.000K, DTW 2.200K - 3.000K CRI 90 700mA Kitting LED Life L70 B50 > 60.000 h Energy Class: E	220-240 V 50 Hz 29W Class 1 Driver included	Lighting type: Indirect Light distribution: Symmetric 	
STRUCTURE	DIMMING	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>					
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>On/off</b>	8013210192986	1DCW2 000 <b>63</b> ZL0	2 Weeks	<b>346,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Phase</b>	8013210192955	1DCW2 000 <b>63</b> FL0	2 Weeks	<b>380,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Push</b>	8013210204979	1DCW2 000 <b>63</b> HL0	3 Weeks	<b>398,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Dali</b>	8013210205020	1DCW2 000 <b>63</b> PL0	3 Weeks	<b>398,00</b>
<b>3.000 Kelvin</b>					
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>On/off</b>	8013210192979	1DCW2 000 <b>63</b> ZL1	2 Weeks	<b>346,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Phase</b>	8013210192962	1DCW2 000 <b>63</b> FL1	2 Weeks	<b>380,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Push</b>	8013210205082	1DCW2 000 <b>63</b> HL1	3 Weeks	<b>398,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Dali</b>	8013210205112	1DCW2 000 <b>63</b> PL1	3 Weeks	<b>398,00</b>
<b>DTW 2.200 - 3.000 Kelvin</b>					
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Phase</b>	8013210229088	1DCW2 W00 <b>63</b> FL0	3 Weeks	<b>418,00</b>

**ROTALIANA COLORS COLLECTION**



**DRINK H1** In esaurimento / Phase out / Auslaufartikel

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC	
	Ceiling Suspended On-Off, Phase IP20 Indoor use Box measurements cm: L 35 x D 22 x H 22 Gross weight: KG.1,10	1x E27 LED not included	220-240 V 50 Hz Class 1	Lighting type: Direct Light distribution: Symmetric 	
STRUCTURE	CABLE COLOR	EAN	CODE	DELIVERY	EURO
Bianco opaco / <b>Matt white</b> / Weiß matt	Trasparente / <b>Transparent</b> / Transparent	8013210154328	1DRH1 000 <b>63</b> ZB0	3 Weeks	<b>246,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Nero / <b>Black</b> / Schwarz	8013210196717	1DRH1 N00 <b>62</b> ZB0	3 Weeks	<b>246,00</b>

**ROTALIANA COLORS COLLECTION**

Canopy: same colour as diffuser / Cable: transparent or black



DRY F1

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC		
	Floor Standing Push button dimmer IP20 4.800 lumen - luminaire flux Indoor use Box measurements cm: L 37 x D 37 x H 191 Gross weight: KG.15,00	MID POWER LED 2.700K, 3.000K CRI 90 1.940mA Macadam step 3 LED Life L70 B50 > 54.000 h Energy Class: E	220-240 V 50 Hz 45W Class 2 Driver included Europe plug	Lighting type: Indirect Light distribution: Symmetric 		
STRUCTURE			EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>						
Bianco opaco / <b>Matt white</b> / Weiß matt			8013210188521	1DYF1 000 63 EL1	3 Weeks	877,00
Nero opaco / <b>Matt black</b> / Schwarz matt			8013210188552	1DYF1 000 62 EL1	3 Weeks	877,00
<b>3.000 Kelvin</b>						
Bianco opaco / <b>Matt white</b> / Weiß matt			8013210229071	1DYF1 000 63 EL0	3 Weeks	877,00
Nero opaco / <b>Matt black</b> / Schwarz matt			8013210229064	1DYF1 000 62 EL0	3 Weeks	877,00

ROITALIANA COLORS COLLECTION

**Satin Collection**  
4 weeks | € 964,00

DRY H2

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC			
	Ceiling Suspended On-Off, Phase IP20 2.920 lumen - luminaire flux Indoor use Box measurements cm: L 41 x D 32 x H 32 Gross weight: KG.3,20	MID POWER LED 2.700K, 3.000K CRI 90 700mA Mono Bin LED Life L70 B50 > 72.000 h Energy Class: F	220-240 V 50 Hz 32W Class 1 Driver included	Lighting type: Direct Light distribution: Symmetric 			
STRUCTURE	DIMMING	CABLE *	EAN	CODE	DELIVERY	EURO	
<b>2.700 Kelvin</b>							
Bianco opaco / <b>Matt white</b> / Weiß matt	On/off	Trasp. / <b>Transp.</b> / Transp.	8013210188750	1DYH2 000 63 ZL0	3 Weeks	698,00	
Bianco opaco / <b>Matt white</b> / Weiß matt	Phase	Trasp. / <b>Transp.</b> / Transp.	8013210188743	1DYH2 000 63 FL0	3 Weeks	753,00	
Nero opaco / <b>Matt black</b> / Schwarz matt	On/off	Nero / <b>Black</b> / Schwarz	8013210197158	1DYH2 N00 62 ZL0	3 Weeks	698,00	
Nero opaco / <b>Matt black</b> / Schwarz matt	Phase	Nero / <b>Black</b> / Schwarz	8013210191347	1DYH2 N00 62 FL0	3 Weeks	753,00	
<b>3.000 Kelvin</b>							
Bianco opaco / <b>Matt white</b> / Weiß matt	On/off	Trasp. / <b>Transp.</b> / Transp.	8013210229361	1DYH2 000 63 ZL1	3 Weeks	698,00	
Bianco opaco / <b>Matt white</b> / Weiß matt	Phase	Trasp. / <b>Transp.</b> / Transp.	8013210229378	1DYH2 000 63 FL1	3 Weeks	753,00	
Nero opaco / <b>Matt black</b> / Schwarz matt	On/off	Nero / <b>Black</b> / Schwarz	8013210229385	1DYH2 N00 62 ZL1	3 Weeks	698,00	
Nero opaco / <b>Matt black</b> / Schwarz matt	Phase	Nero / <b>Black</b> / Schwarz	8013210229392	1DYH2 N00 62 FL1	3 Weeks	753,00	
Piastra Ø 12 per rosone (Bianco opaco) / <b>Plate for canopy Ø 12 (Matt white)</b> / Rückplatte Ø 12 für Deckenrosette (Weiß matt)					KPA20063	3 Weeks	38,00

ROITALIANA COLORS COLLECTION

**Satin Collection** 4 weeks | + 10% extra

**Ethic Collection** 4 weeks | + 10% extra

\* Canopy: same colour as diffuser  
Cable: transparent or black

DRY H1

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC			
	Ceiling Suspended On-Off, Phase IP20 1.460 lumen - luminaire flux Indoor use Box measurements cm: L 40 x D 33 x H 34 Gross weight: KG.2,70	MID POWER LED 2.700K, 3.000K CRI 90 700mA Mono Bin LED Life L70 B50 > 72.000 h Energy Class: F	220-240 V 50 Hz 16W Class 1 Driver included	Lighting type: Direct Light distribution: Symmetric 			
STRUCTURE	DIMMING	CABLE *	EAN	CODE	DELIVERY	EURO	
<b>2.700 Kelvin</b>							
Bianco opaco / <b>Matt white</b> / Weiß matt	On/off	Trasp. / <b>Transp.</b> / Transp.	8013210188729	1DYH1 000 63 ZL0	3 Weeks	377,00	
Bianco opaco / <b>Matt white</b> / Weiß matt	Phase	Trasp. / <b>Transp.</b> / Transp.	8013210188736	1DYH1 000 63 FL0	3 Weeks	431,00	
Nero opaco / <b>Matt black</b> / Schwarz matt	On/off	Nero / <b>Black</b> / Schwarz	8013210196434	1DYH1 N00 62 ZL0	3 Weeks	377,00	
Nero opaco / <b>Matt black</b> / Schwarz matt	Phase	Nero / <b>Black</b> / Schwarz	8013210197141	1DYH1 N00 62 FL0	3 Weeks	431,00	
<b>3.000 Kelvin</b>							
Bianco opaco / <b>Matt white</b> / Weiß matt	On/off	Trasp. / <b>Transp.</b> / Transp.	8013210229323	1DYH1 000 63 ZL1	3 Weeks	377,00	
Bianco opaco / <b>Matt white</b> / Weiß matt	Phase	Trasp. / <b>Transp.</b> / Transp.	8013210229330	1DYH1 000 63 FL1	3 Weeks	431,00	
Nero opaco / <b>Matt black</b> / Schwarz matt	On/off	Nero / <b>Black</b> / Schwarz	8013210229347	1DYH1 N00 62 ZL1	3 Weeks	377,00	
Nero opaco / <b>Matt black</b> / Schwarz matt	Phase	Nero / <b>Black</b> / Schwarz	8013210229354	1DYH1 N00 62 FL1	3 Weeks	431,00	
Piastra Ø 12 per rosone (Bianco opaco) / <b>Plate for canopy Ø 12 (Matt white)</b> / Rückplatte Ø 12 für Deckenrosette (Weiß matt)					KPA20063	3 Weeks	38,00

ROITALIANA COLORS COLLECTION

**Satin Collection** 4 weeks | + 10% extra

**Ethic Collection** 4 weeks | + 10% extra

\* Canopy: same colour as diffuser  
Cable: transparent or black

DRY H3

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC			
	Ceiling Suspended On-Off IP20 900 lumen - luminaire flux Indoor use Box measurements cm: L 41 x D 32 x H 32 Gross weight: KG.4,00	ACRICHE HV LED 2.700K, 3.000K CRI 90 230V Macadam step 3 LED Life L70 B50 > 50.000 h Energy Class: F	220-240 V 50 Hz 16W Class 1 Driver included	Lighting type: Direct Light distribution: Symmetric 			
STRUCTURE	DIMMING	CABLE *	EAN	CODE	DELIVERY	EURO	
<b>2.700 Kelvin</b>							
Bianco opaco / <b>Matt white</b> / Weiß matt	On/off	Trasp. / <b>Transp.</b> / Transp.	8013210192993	1DYH3 000 63 ZL0	3 Weeks	322,00	
Nero opaco / <b>Matt black</b> / Schwarz matt	On/off	Nero / <b>Black</b> / Schwarz	8013210197165	1DYH3 N00 62 ZL0	3 Weeks	322,00	
<b>3.000 Kelvin</b>							
Bianco opaco / <b>Matt white</b> / Weiß matt	On/off	Trasp. / <b>Transp.</b> / Transp.	8013210193006	1DYH3 000 63 ZL1	3 Weeks	322,00	
Nero opaco / <b>Matt black</b> / Schwarz matt	On/off	Nero / <b>Black</b> / Schwarz	8013210197172	1DYH3 N00 62 ZL1	3 Weeks	322,00	
Piastra Ø 12 per rosone (Bianco opaco) / <b>Plate for canopy Ø 12 (Matt white)</b> / Rückplatte Ø 12 für Deckenrosette (Weiß matt)					KPA20063	3 Weeks	38,00

ROITALIANA COLORS COLLECTION

**Satin Collection** 4 weeks | € 354,00

**Ethic Collection** 4 weeks | € 354,00

\* Canopy: same colour as diffuser  
Cable: transparent or black

**DRY H4**

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC		
	Ceiling Suspended On-Off IP20 1.800 lumen - luminaire flux Indoor use Box measurements cm: L 40 x D 33 x H 34 Gross weight: KG.3,90	ACRICHE HV LED 2.700K, 3.000K CRI 90 230V Macadam step 3 LED Life L70 B50 > 50.000 h Energy Class: F	220-240 V 50 Hz 32W Class 1 Driver included	Lighting type: Direct Light distribution: Symmetric 		
STRUCTURE	DIMMING	CABLE *	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>						
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>On/off</b>	Trasp. / <b>Transp.</b> / Transp.	8013210193013	1DYH4 000 <b>63</b> ZL0	3 Weeks	<b>577,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	<b>On/off</b>	Nero / <b>Black</b> / Schwarz	8013210197189	1DYH4 N00 <b>62</b> ZL0	3 Weeks	<b>577,00</b>
<b>3.000 Kelvin</b>						
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>On/off</b>	Trasp. / <b>Transp.</b> / Transp.	8013210193020	1DYH4 000 <b>63</b> ZL1	3 Weeks	<b>577,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	<b>On/off</b>	Nero / <b>Black</b> / Schwarz	8013210197196	1DYH4 N00 <b>62</b> ZL1	3 Weeks	<b>577,00</b>
Piastra Ø 12 per rosone (Bianco opaco) / <b>Plate for canopy Ø 12 (Matt white)</b> / Rückplatte Ø 12 für Deckenrosette (Weiß matt) KPA20063					3 Weeks	<b>38,00</b>
ROTALIANA COLORS COLLECTION						
<b>Satin Collection</b> 4 weeks   € 635,00 		<b>Ethic Collection</b> 4 weeks   € 635,00 		* Canopy: same colour as diffuser Cable: transparent or black		

**EDEN F1**

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC	
	Floor Standing Touch dimmer IP20 3.500 lumen - luminaire flux Indoor use Dimensions cm and Weight L 80 x D 5 x H 190 - KG.7,80 L 47 x D 42 x H 3 - KG.7,30 L 13 x D 8 x H 150 - KG.1,60	MID POWER LED 2.700K CRI 90 24V Macadam step 3 LED Life L70 B50 > 60.000 h Energy Class: E	220-240 V 50 Hz 40W Class 1 Driver included Europe plug	Lighting type: Indirect Light distribution: Symmetric 	
STRUCTURE	TEXTILE CODE	EAN	CODE	DELIVERY	EURO
Verde germoglio / <b>Sprout green</b> / Grüner Sprösslingt	68002 Medley by Gabriel	8013210191590	1EDF1 001 20 ELO	4 Weeks	<b>1.026,00</b>
Verde muschio / <b>Moss green</b> / Moosgrün	68005 Medley by Gabriel	8013210191606	1EDF1 002 20 ELO	4 Weeks	<b>1.026,00</b>
Ruggine / <b>Rust</b> / Rost	63017 Medley by Gabriel	8013210191613	1EDF1 003 20 ELO	4 Weeks	<b>1.026,00</b>
Giallo girasole / <b>Sunflower yellow</b> / Sonnenblume gelb	62002 Medley by Gabriel	8013210191880	1EDF1 004 20 ELO	4 Weeks	<b>1.026,00</b>
Grigio fumo / <b>Smokey grey</b> / Rauchgrau	60004 Medley by Gabriel	8013210191620	1EDF1 005 20 ELO	4 Weeks	<b>1.026,00</b>
LEAF ONLY	TEXTILE CODE	EAN	CODE	DELIVERY	EURO
Verde germoglio / <b>Sprout green</b> / Grüner Sprösslingt	68002 Medley by Gabriel	8013210192191	1EDF1 001 20 000	4 Weeks	<b>684,00</b>
Verde muschio / <b>Moss green</b> / Moosgrün	68005 Medley by Gabriel	8013210192061	1EDF1 002 20 000	4 Weeks	<b>684,00</b>
Ruggine / <b>Rust</b> / Rost	63017 Medley by Gabriel	8013210194201	1EDF1 003 20 000	4 Weeks	<b>684,00</b>
Giallo girasole / <b>Sunflower yellow</b> / Sonnenblume gelb	62002 Medley by Gabriel	8013210192511	1EDF1 004 20 000	4 Weeks	<b>684,00</b>
Grigio fumo / <b>Smokey grey</b> / Rauchgrau	60004 Medley by Gabriel	8013210192412	1EDF1 005 20 000	4 Weeks	<b>684,00</b>
LAMP ONLY	EAN	CODE	DELIVERY	EURO	
Tubo LED Ø 2,8 L 130 con sensore touch + driver a muro / <b>LED Tube Lamp Ø 2,8 L 130 touch sensor + wall driver</b>	8013210194317	AEDFO 000 62 ELO	4 Weeks	<b>342,00</b>	

**EDEN F2**

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC	
	Floor Standing Touch dimmer IP20 3.500 lumen - luminaire flux Indoor use Dimensions cm and Weight L 80 x D 5 x H 190 - KG.7,80 L 47 x D 42 x H 3 - KG.7,30 L 13 x D 8 x H 150 - KG.1,60	MID POWER LED 2.700K CRI 90 24V Macadam step 3 LED Life L70 B50 > 60.000 h Energy Class: E	220-240 V 50 Hz 40W Class 1 Driver included Europe plug	Lighting type: Indirect Light distribution: Symmetric 	
STRUCTURE	TEXTILE CODE	EAN	CODE	DELIVERY	EURO
Verde germoglio / <b>Sprout green</b> / Grüner Sprösslingt	68002 Medley by Gabriel	8013210191705	1EDF2 001 20 ELO	4 Weeks	<b>1.026,00</b>
Verde muschio / <b>Moss green</b> / Moosgrün	68005 Medley by Gabriel	8013210191712	1EDF2 002 20 ELO	4 Weeks	<b>1.026,00</b>
Ruggine / <b>Rust</b> / Rost	63017 Medley by Gabriel	8013210191637	1EDF2 003 20 ELO	4 Weeks	<b>1.026,00</b>
Giallo girasole / <b>Sunflower yellow</b> / Sonnenblume gelb	62002 Medley by Gabriel	8013210194218	1EDF2 004 20 ELO	4 Weeks	<b>1.026,00</b>
Grigio fumo / <b>Smokey grey</b> / Rauchgrau	60004 Medley by Gabriel	8013210191729	1EDF2 005 20 ELO	4 Weeks	<b>1.026,00</b>
LEAF ONLY	TEXTILE CODE	EAN	CODE	DELIVERY	EURO
Verde germoglio / <b>Sprout green</b> / Grüner Sprösslingt	68002 Medley by Gabriel	8013210194232	1EDF2 001 20 000	4 Weeks	<b>684,00</b>
Verde muschio / <b>Moss green</b> / Moosgrün	68005 Medley by Gabriel	8013210192078	1EDF2 002 20 000	4 Weeks	<b>684,00</b>
Ruggine / <b>Rust</b> / Rost	63017 Medley by Gabriel	8013210194249	1EDF2 003 20 000	4 Weeks	<b>684,00</b>
Giallo girasole / <b>Sunflower yellow</b> / Sonnenblume gelb	62002 Medley by Gabriel	8013210191644	1EDF2 004 20 000	4 Weeks	<b>684,00</b>
Grigio fumo / <b>Smokey grey</b> / Rauchgrau	60004 Medley by Gabriel	8013210192528	1EDF2 005 20 000	4 Weeks	<b>684,00</b>
LAMP ONLY	EAN	CODE	DELIVERY	EURO	
Tubo LED Ø 2,8 L 130 con sensore touch + driver a muro / <b>LED Tube Lamp Ø 2,8 L 130 touch sensor + wall driver</b>	8013210194317	AEDFO 000 62 ELO	4 Weeks	<b>342,00</b>	

**EDEN F3**

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC	
	Floor Standing Touch dimmer IP20 3.500 lumen - luminaire flux Indoor use Dimensions cm and Weight L 80 x D 5 x H 190 - KG.7,80 L 47 x D 42 x H 3 - KG.7,30 L 13 x D 8 x H 150 - KG.1,60	MID POWER LED 2.700K CRI 90 24V Macadam step 3 LED Life L70 B50 > 60.000 h Energy Class: E	220-240 V 50 Hz 40W Class 1 Driver included Europe plug	Lighting type: Indirect Light distribution: Symmetric 	
STRUCTURE	TEXTILE CODE	EAN	CODE	DELIVERY	EURO
Verde germoglio / <b>Sprout green</b> / Grüner Sprösslingt	68002 Medley by Gabriel	8013210191651	1EDF3 001 20 ELO	4 Weeks	<b>1.026,00</b>
Verde muschio / <b>Moss green</b> / Moosgrün	68005 Medley by Gabriel	8013210191668	1EDF3 002 20 ELO	4 Weeks	<b>1.026,00</b>
Ruggine / <b>Rust</b> / Rost	63017 Medley by Gabriel	8013210191675	1EDF3 003 20 ELO	4 Weeks	<b>1.026,00</b>
Giallo girasole / <b>Sunflower yellow</b> / Sonnenblume gelb	62002 Medley by Gabriel	8013210191682	1EDF3 004 20 ELO	4 Weeks	<b>1.026,00</b>
Grigio fumo / <b>Smokey grey</b> / Rauchgrau	60004 Medley by Gabriel	8013210191699	1EDF3 005 20 ELO	4 Weeks	<b>1.026,00</b>
LEAF ONLY	TEXTILE CODE	EAN	CODE	DELIVERY	EURO
Verde germoglio / <b>Sprout green</b> / Grüner Sprösslingt	68002 Medley by Gabriel	8013210192092	1EDF3 001 20 000	4 Weeks	<b>684,00</b>
Verde muschio / <b>Moss green</b> / Moosgrün	68005 Medley by Gabriel	8013210194256	1EDF3 002 20 000	4 Weeks	<b>684,00</b>
Ruggine / <b>Rust</b> / Rost	63017 Medley by Gabriel	8013210192535	1EDF3 003 20 000	4 Weeks	<b>684,00</b>
Giallo girasole / <b>Sunflower yellow</b> / Sonnenblume gelb	62002 Medley by Gabriel	8013210194263	1EDF3 004 20 000	4 Weeks	<b>684,00</b>
Grigio fumo / <b>Smokey grey</b> / Rauchgrau	60004 Medley by Gabriel	8013210194270	1EDF3 005 20 000	4 Weeks	<b>684,00</b>
LAMP ONLY	EAN	CODE	DELIVERY	EURO	
Tube LED Ø 2,8 L 130 con sensore touch + driver a muro / <b>LED Tube Lamp Ø 2,8 L 130 touch sensor + wall driver</b>	8013210194317	AEDF0 000 62 ELO	4 Weeks	<b>342,00</b>	

**FEBO H1**

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC		
	Ceiling Suspended Phase IP20 3.120 lumen - luminaire flux Indoor use Box measurements cm: L 68 x D 68 x H 30 Gross weight: KG.9,00	MID POWER LED 2.700K CRI 90 1.400mA Macadam step 3 LED Life L70 B50 > 60.000 h Energy Class: F	220-240 V 50 Hz 48W Class 2 Driver included	Lighting type: Direct Light distribution: Symmetric 		
STRUCTURE	DIMMING	CABLE *	EAN	CODE	DELIVERY	EURO
Bianco opaco / <b>Matt white</b> / Weiß matt	Phase	Trasp. / <b>Transp.</b> / Transp.	8013210195062	1FBH1 000 63 FL0	3 Weeks	<b>1.237,00</b>

**ROTALIANA COLORS COLLECTION**

**Satin Collection**  
5 weeks | € 1.361,00

**Ethic Collection**  
5 weeks | € 1.361,00

\* Canopy: same colour as diffuser  
Cable: transparent or black on demand


**FLOW GLASS F1**

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC
	Floor Standing Foot dimmer IP20 Indoor use Box measurements cm: L 53 x D 53 x H 49 Gross weight: KG.5,40 Box measurements cm: L 44 x D 44 x H 164 Gross weight: KG.15,00	1 X E27 LED not included	220-240 V 50 Hz Class 2 Europe plug	Lighting type: Diffused Light distribution: Symmetric 
STRUCTURE	EAN	CODE	DELIVERY	EURO
Bianco opaco / <b>Matt white</b> / Weiß matt	8013210193105	1FWF1 G01 63 EBO	3 Weeks	<b>829,00</b>


**FLOW GLASS F2**

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC
	Floor Standing Foot dimmer IP20 Indoor use Box measurements cm: L 44 x D 44 x H 164 Gross weight: KG.13,20 Box measurements cm: L 43 x D 43 x H 39 Gross weight: KG.3,40	1 X E27 LED not included	220-240 V 50 Hz Class 2 Europe plug	Lighting type: Diffused Light distribution: Symmetric 
STRUCTURE	EAN	CODE	DELIVERY	EURO
Bianco opaco / <b>Matt white</b> / Weiß matt	8013210193112	1FWF2 G01 63 EBO	3 Weeks	<b>709,00</b>


## FLOW GLASS H1

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC
	Ceiling Suspended IP20 Indoor use Box measurements cm: L 53 x D 53 x H 47 Gross weight: KG.6,50	1 X E27 LED not included	220-240 V 50 Hz Class 1	Lighting type: Diffused Light distribution: Symmetric  Discover Flow Glass
STRUCTURE	EAN	CODE	DELIVERY	EURO
Bianco opaco / <b>Matt white</b> / Weiß matt	8013210193068	1FWH1 G01 63 ZB0	3 Weeks	<b>449,00</b>
Kit decentramento / <b>Decentralization kit</b> / Verstell-Kit		SETROS02		<b>57,00</b>
Canopy: matt white				

## FLOW GLASS H2

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC
	Ceiling Suspended IP20 Indoor use Box measurements cm: L 43 x D 43 x H 38 Gross weight: KG.4,60	1 X E27 LED not included	220-240 V 50 Hz Class 1	Lighting type: Diffused Light distribution: Symmetric  Discover Flow Glass
STRUCTURE	EAN	CODE	DELIVERY	EURO
Bianco opaco / <b>Matt white</b> / Weiß matt	8013210193075	1FWH2 G01 63 ZB0	3 Weeks	<b>329,00</b>
Kit decentramento / <b>Decentralization kit</b> / Verstell-Kit		SETROS02		<b>57,00</b>
Canopy: matt white				


## FLOW GLASS H3

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC
	Ceiling Surface IP20 Indoor use Box measurements cm: L 53 x D 53 x H 47 Gross weight: KG.6,50	1 X E27 LED not included	220-240 V 50 Hz Class 1	Lighting type: Diffused Light distribution: Symmetric  Discover Flow Glass
STRUCTURE	EAN	CODE	DELIVERY	EURO
Bianco opaco / <b>Matt white</b> / Weiß matt	8013210193082	1FWH3 G01 63 ZB0	3 Weeks	<b>449,00</b>

## FLOW GLASS H4

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC
	Ceiling Surface IP20 Indoor use Box measurements cm: L 43 x D 43 x H 38 Gross weight: KG.4,50	1 X E27 LED not included	220-240 V 50 Hz Class 1	Lighting type: Diffused Light distribution: Symmetric  Discover Flow Glass
STRUCTURE	EAN	CODE	DELIVERY	EURO
Bianco opaco / <b>Matt white</b> / Weiß matt	8013210193099	1FWH4 G01 63 ZB0	3 Weeks	<b>329,00</b>


## FLOW GLASS T2

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC				
	Table Standing Cord dimmer IP20 Indoor use Box measurements cm: L 44 x D 44 x H 39 Gross weight: KG.3,40 Box measurements cm: L 44 x D 44 x H 49 Gross weight: KG.8,00	1 X E27 LED dimm. not included	220-240 V 50 Hz Class 2 Europe plug	Lighting type: Diffused Light distribution: Symmetric  <small>Discover Flow Glass</small>				
STRUCTURE			EAN	CODE	DELIVERY	EURO		
Bianco opaco / <b>Matt white</b> / Weiß matt			8013210193129	1FWT2 G01 63 EBO	3 Weeks	<b>590,00</b>		

## FLOW GLASS T4

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC				
	Table, Floor Standing Cord dimmer IP20 Indoor use Box measurements cm: L 43 x D 43 x H 38 Gross weight: KG.4,70	1 X E27 LED dimm. not included	220-240 V 50 Hz Class 2 Europe plug	Lighting type: Diffused Light distribution: Symmetric  <small>Discover Flow Glass</small>				
STRUCTURE			EAN	CODE	DELIVERY	EURO		
Bianco opaco / <b>Matt white</b> / Weiß matt			8013210193143	1FWT4 G01 63 EBO	3 Weeks	<b>352,00</b>		

## FLOW GLASS T3

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC				
	Table, Floor Standing Cord dimmer IP20 Indoor use Box measurements cm: L 53 x D 53 x H 47 Gross weight: KG.6,50	1 X E27 LED dimm. not included	220-240 V 50 Hz Class 2 Europe plug	Lighting type: Diffused Light distribution: Symmetric  <small>Discover Flow Glass</small>				
STRUCTURE			EAN	CODE	DELIVERY	EURO		
Bianco opaco / <b>Matt white</b> / Weiß matt			8013210193136	1FWT3 G01 63 EBO	3 Weeks	<b>472,00</b>		

Iva esclusa-Vat excluded-Ohne MWST

FRAME W1

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC	
	Wall Surface On-Off, Phase IP20 1.600 lumen - luminaire flux Indoor use Box measurements cm: L 37 x D 22 x H 9 Gross weight: KG.0,90	MID POWER LED 2.700K, 3.000K DTW 2.200K - 3.000K CRI 90 350mA Kitting LED Life L70 B50 > 60.000 h Energy Class: E	220-240 V 50 Hz 16W Class 1 Driver included	Lighting type: Indirect Light distribution: Symmetric 	
STRUCTURE	DIMMING	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>					
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>On/off</b>	8013210184448	1FRW1 000 63 ZL0	<b>7 Days</b>	<b>248,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Phase</b>	8013210203927	1FRW1 000 63 FL0	2 Weeks	<b>282,00</b>
<b>3.000 Kelvin</b>					
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>On/off</b>	8013210184448	1FRW1 000 63 ZL1	<b>7 Days</b>	<b>248,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Phase</b>	8013210204061	1FRW1 000 63 FL1	2 Weeks	<b>282,00</b>
<b>DTW 2.200 - 3.000 Kelvin</b>					
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Phase</b>	8013210229101	1FRW1 W00 63 FLO	3 Weeks	<b>310,00</b>

ROTALIANA COLORS COLLECTION

<p><b>Satin Collection</b> 3 weeks   + 10% extra</p>	<p><b>Galvanic Collection</b> 6 weeks   + 25% extra</p>	<p><b>Ethic Collection</b> 3 weeks   + 10% extra</p>	<p><b>Metallic Collection</b> 6 weeks   + 25% extra</p>
--	---	--	---

FRAME W2

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC	
	Wall Surface On-Off, Phase, Push, Dali IP20 3.200 lumen - luminaire flux Indoor use Box measurements cm: L 37 x D 21 x H 9 Gross weight: KG.1,20	MID POWER LED 2.700K, 3.000K DTW 2.200K - 3.000K CRI 90 700mA Kitting LED Life L70 B50 > 60.000 h Energy Class: E	220-240 V 50 Hz 29W Class 1 Driver included	Lighting type: Indirect Light distribution: Symmetric 	
STRUCTURE	DIMMING	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>					
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>On/off</b>	8013210187289	1FRW2 000 63 ZL0	<b>7 Days</b>	<b>320,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Phase</b>	8013210184486	1FRW2 000 63 FL0	2 Weeks	<b>353,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Push</b>	8013210200384	1FRW2 000 63 HL0	3 Weeks	<b>370,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Dali</b>	8013210187067	1FRW2 000 63 PL0	3 Weeks	<b>370,00</b>
<b>3.000 Kelvin</b>					
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>On/off</b>	8013210186985	1FRW2 000 63 ZL1	<b>7 Days</b>	<b>320,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Phase</b>	8013210184479	1FRW2 000 63 FL1	2 Weeks	<b>353,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Push</b>	8013210201176	1FRW2 000 63 HL1	3 Weeks	<b>370,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Dali</b>	8013210186503	1FRW2 000 63 PL1	3 Weeks	<b>370,00</b>
<b>DTW 2.200 - 3.000 Kelvin</b>					
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Phase</b>	8013210229118	1FRW2 W00 63 FLO	3 Weeks	<b>388,00</b>

ROTALIANA COLORS COLLECTION

<p><b>Satin Collection</b> 3 weeks   + 10% extra</p>	<p><b>Galvanic Collection</b> 6 weeks   + 25% extra</p>	<p><b>Ethic Collection</b> 3 weeks   + 10% extra</p>	<p><b>Metallic Collection</b> 6 weeks   + 25% extra</p>
--	---	--	---

Iva esclusa-Vat excluded-Ohne MWST

FRAME W3

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC	
	Wall Surface On-Off, Push, Dali IP20 4.950 lumen - luminaire flux Indoor use Box measurements cm: L 66 x D 16 x H 16 Gross weight: KG.1,90	MID POWER LED 2.700K, 3.000K CRI 90 900mA Macadam Step 3 LED Life L70 B50 > 60.000 h Energy Class: E	220-240 V 50 Hz 45W Class 1 Driver included	Lighting type: Indirect Light distribution: Symmetric 	
STRUCTURE	DIMMING	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>					
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>On/off</b>	8013210187319	1FRW3 000 63 ZL0	2 Weeks	<b>436,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Push</b>	8013210205150	1FRW3 000 63 HL0	3 Weeks	<b>485,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Dali</b>	8013210187326	1FRW3 000 63 PL0	3 Weeks	<b>485,00</b>
<b>3.000 Kelvin</b>					
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>On/off</b>	8013210186770	1FRW3 000 63 ZL1	2 Weeks	<b>436,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Push</b>	8013210205273	1FRW3 000 63 HL1	3 Weeks	<b>485,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Dali</b>	8013210189559	1FRW3 000 63 PL1	3 Weeks	<b>485,00</b>

ROTALIANA COLORS COLLECTION

<p><b>Satin Collection</b> 3 weeks   + 10% extra</p>	<p><b>Galvanic Collection</b> 6 weeks   + 25% extra</p>	<p><b>Ethic Collection</b> 3 weeks   + 10% extra</p>	<p><b>Metallic Collection</b> 6 weeks   + 25% extra</p>
--	---	--	---


FRAME W4

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC	
	Wall Surface On-Off, Push, Dali IP20 6.390 lumen - luminaire flux Indoor use Box measurements cm: L 96 x D 16 x H 16 Gross weight: KG.2,70	MID POWER LED 2.700K, 3.000K CRI 90 1200mA Macadam Step 3 LED Life L70 B50 > 60.000 h Energy Class: E	220-240 V 50 Hz 57W Class 1 Driver included	Lighting type: Indirect Light distribution: Symmetric 	
STRUCTURE	DIMMING	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>					
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>On/off</b>	8013210192597	1FRW4 000 63 ZL0	2 Weeks	<b>513,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Push</b>	8013210205303	1FRW4 000 63 HL0	3 Weeks	<b>562,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Dali</b>	8013210189535	1FRW4 000 63 PL0	3 Weeks	<b>562,00</b>
<b>3.000 Kelvin</b>					
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>On/off</b>	8013210192580	1FRW4 000 63 ZL1	2 Weeks	<b>513,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Push</b>	8013210205310	1FRW4 000 63 HL1	3 Weeks	<b>562,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Dali</b>	8013210189566	1FRW4 000 63 PL1	3 Weeks	<b>562,00</b>

ROTALIANA COLORS COLLECTION


<p><b>Satin Collection</b> 3 weeks   + 10% extra</p>	<p><b>Galvanic Collection</b> 6 weeks   + 25% extra</p>	<p><b>Ethic Collection</b> 3 weeks   + 10% extra</p>	<p><b>Metallic Collection</b> 6 weeks   + 25% extra</p>
--	---	--	---

**FURIN**

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC
<p><b>R1</b></p>  <p>Ø 7,8</p> <p><b>R5</b></p>  <p>78 / 156 / 234</p> <p>5 10 13 13</p>	<p>Ceiling Suspended On-Off IP20 150 lumen - luminaire flux Indoor use</p>	<p>MID POWER LED 2.700K CRI 90 700mA Mono Bin LED Life L70 B50 &gt; 36.000 h Energy Class: G</p>	<p>220-240 V 50 Hz 3,9W Class 1 Driver included</p>	<p>Lighting type: Direct Light distribution: Symmetric</p>  <p>Discover Furin</p>
STRUCTURE	EAN	CODE	DELIVERY	EURO
<b>R1</b> Rosone rotondo bianco / <b>White round ceiling rose</b> / Weißer runder Baldachin	1 Tubo / <b>Tube</b> / Rohre	8013210175545	AFUR1 000 <b>02</b> ZLO	4 Weeks <b>107,00</b>
<b>R5</b> Estruso Bianco / <b>White extruded bar</b> / Weißer Baldachin	cm 78 6 Tubi / <b>Tube</b> / Rohre	8013210175590	AFUR5 078 <b>02</b> ZLO	4 Weeks <b>425,00</b>
<b>R5</b> Estruso Bianco / <b>White extruded bar</b> / Weißer Baldachin	cm 156 12 Tubi / <b>Tube</b> / Rohre	8013210220122	AFUR5 156 <b>02</b> ZLO	4 Weeks <b>766,00</b>
<b>R5</b> Estruso Bianco / <b>White extruded bar</b> / Weißer Baldachin	cm 234 18 Tubi / <b>Tube</b> / Rohre	8013210175637	AFUR5 234 <b>02</b> ZLO	4 Weeks <b>1.119,00</b>

Chiedi preventivo per estrusi con lunghezze diverse / Ask quotation for customized extruded bar length / Fragen Sie ein Angebot für Pressprofil maßgefertigt

**TUBES**




TUBES COLOR	H cm	EAN	CODE	DELIVERY	EURO
Bianco opaco / <b>Matt white</b> / Weiß matt	100	8013210186510	AFUHC 100 <b>63</b> ZLO	4 Weeks	<b>138,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	125	8013210212318	AFUHC 125 <b>63</b> ZLO	4 Weeks	<b>157,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	150	8013210233269	AFUHC 150 <b>63</b> ZLO	4 Weeks	<b>174,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	175	8013210194942	AFUHC 175 <b>63</b> ZLO	4 Weeks	<b>194,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	200	8013210212301	AFUHC 200 <b>63</b> ZLO	4 Weeks	<b>212,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	225	8013210189542	AFUHC 225 <b>63</b> ZLO	4 Weeks	<b>231,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	250	8013210233405	AFUHC 250 <b>63</b> ZLO	4 Weeks	<b>249,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	275	8013210235478	AFUHC 275 <b>63</b> ZLO	4 Weeks	<b>269,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	300	8013210234877	AFUHC 300 <b>63</b> ZLO	4 Weeks	<b>287,00</b>
TEXTILE COLOR	H cm	EAN	CODE	DELIVERY	EURO
Rosso / <b>Red</b> / Rot	100	8013210175378	AFUH1 100 <b>03</b> ZLO	4 Weeks	<b>126,00</b>
Rosso / <b>Red</b> / Rot	125	8013210175392	AFUH1 125 <b>03</b> ZLO	4 Weeks	<b>142,00</b>
Rosso / <b>Red</b> / Rot	150	8013210175415	AFUH1 150 <b>03</b> ZLO	4 Weeks	<b>159,00</b>
Rosso / <b>Red</b> / Rot	175	8013210175439	AFUH1 175 <b>03</b> ZLO	4 Weeks	<b>176,00</b>
Rosso / <b>Red</b> / Rot	200	8013210175453	AFUH1 200 <b>03</b> ZLO	4 Weeks	<b>193,00</b>
Rosso / <b>Red</b> / Rot	225	8013210175477	AFUH1 225 <b>03</b> ZLO	4 Weeks	<b>210,00</b>
Rosso / <b>Red</b> / Rot	250	8013210175491	AFUH1 250 <b>03</b> ZLO	4 Weeks	<b>227,00</b>
Rosso / <b>Red</b> / Rot	275	8013210175514	AFUH1 275 <b>03</b> ZLO	4 Weeks	<b>244,00</b>
Rosso / <b>Red</b> / Rot	300	8013210175538	AFUH1 300 <b>03</b> ZLO	4 Weeks	<b>262,00</b>
Maggiorazione taglio tubo fuori standard / <b>Unit tube cost for custom measurements</b> / Aufpreis für Kundenmaß					<b>12,00</b>

**ROTALIANA COLORS COLLECTION**




**GOCCIA H1**

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC
 <p>Ø 9 pag. 86</p> <p>max 200</p> <p>63</p> <p>Ø 23</p>	<p>Ceiling Suspended IP20 Indoor use Box measurements cm: L 32 x D 32 x H 67 Gross weight: KG.3,40</p>	<p>1 X E27 LED not included</p>	<p>220-240 V 50 Hz Class 1</p>	<p>Lighting type: Diffused Light distribution: Symmetric</p>  <p>Discover Goccia</p>
STRUCTURE	EAN	CODE	DELIVERY	EURO
Bianco acidato / <b>Etched white</b> / Weiß matt	8013210143193	1GOH1 001 00 ZBO	3 Weeks	<b>526,00</b>

Canopy: etched white

**GOCCIA H2**

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC
 <p>Ø 9 pag. 86</p> <p>max 200</p> <p>45</p> <p>Ø 16,5</p>	<p>Ceiling Suspended IP20 Indoor use Box measurements cm: L 29 x D 28 x H 55 Gross weight: KG.2,00</p>	<p>1 X E27 LED not included</p>	<p>220-240 V 50 Hz Class 1</p>	<p>Lighting type: Diffused Light distribution: Symmetric</p>  <p>Discover Goccia</p>
STRUCTURE	EAN	CODE	DELIVERY	EURO
Bianco acidato / <b>Etched white</b> / Weiß matt	8013210143186	1GOH2 001 00 ZBO	3 Weeks	<b>413,00</b>

Canopy: etched white

**INOUT W1 - INDOOR**

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC	
	Wall Surface On-Off, Phase IP65 2.000 lumen - luminaire flux Indoor use Box measurements cm: L 37 x D 22 x H 9 Gross weight: KG.1,90	MID POWER LED 2.700K, 3.000K DTW 2.200K - 3.000K CRI 90 700mA Kitting LED Life L70 B50 > 60.000 h Energy Class: E	220-240 V 50 Hz 29W <sup>1</sup> Class 1 Driver included	Lighting type: Indirect Light distribution: Symmetric 	
<b>IP65</b>					
STRUCTURE	DIMMING	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>					
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>On/off</b>	8013210188828	1IOW1 000 63 ZL0	2 Weeks	<b>320,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Phase</b>	8013210189016	1IOW1 000 63 FL0	2 Weeks	<b>353,00</b>
<b>3.000 Kelvin</b>					
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>On/off</b>	8013210188835	1IOW1 000 63 ZL1	2 Weeks	<b>320,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Phase</b>	8013210189023	1IOW1 000 63 FL1	2 Weeks	<b>353,00</b>
<b>DTW 2.200 - 3.000 Kelvin</b>					
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Phase</b>	8013210229149	1IOW1 W00 63 FL0	3 Weeks	<b>388,00</b>

<sup>1</sup> Alimentatore multipotenza con selezione della corrente in uscita (da 250 mA a 700 mA) / Multipower driver with switch to select the output (from 250 mA to 700 mA)

**ROTALIANA COLORS COLLECTION**

**Architectural Collection**  
3 weeks | No extra cost

V1

Verniciabile  
Paintable  
Nachlackierbar

**Satin Collection**

3 weeks | + 10% extra

20 33 43 48 62 64 65

Griffite Graphite Graphit  
Oro regale Royal gold Luxus-Gold  
Argento Silver Silber  
Bronzo scuro Dark bronze Bronze Dunkel  
Nero opaco Matt black Schwarz matt  
Bronzo Bronze Bronze  
Champagne Champagne Champagner

**Ethic Collection**

3 weeks | + 10% extra

26 27 32 34 35 W2 W4 W6 W8

Bronzo opaco Matt bronze Bronze matt  
Rame opaco Matt Copper Kupfer matt  
Corno di fucile Powder gun matt Mitter Rotgus  
Oro opaco Matt gold Gold matt  
Nichel opaco Nickel matt Nickel matt  
Sabbia Sand Sand  
Corda Rope color Schnur-Bäuge  
Torbra Torbra  
Dovegray Taubengrau  
Caffè Coffee Kaffee-Braun

**INOUT W2 - INDOOR**

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC	
	Wall Surface On-Off, Phase IP65 2.250 lumen - luminaire flux Indoor use Box measurements cm: L 37 x D 22 x H 9 Gross weight: KG.1,80	MID POWER LED 2.700K, 3.000K DTW 2.200K - 3.000K CRI 90 700mA Kitting LED Life L70 B50 > 60.000 h Energy Class: E	220-240 V 50 Hz 29W <sup>1</sup> Class 1 Driver included	Lighting type: Indirect Light distribution: Symmetric 	
<b>IP65</b>					
STRUCTURE	DIMMING	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>					
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>On/off</b>	8013210188910	1IOW2 000 63 ZL0	2 Weeks	<b>320,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Phase</b>	8013210189047	1IOW2 000 63 FL0	2 Weeks	<b>353,00</b>
<b>3.000 Kelvin</b>					
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>On/off</b>	8013210188934	1IOW2 000 63 ZL1	2 Weeks	<b>320,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Phase</b>	8013210189030	1IOW2 000 63 FL1	2 Weeks	<b>353,00</b>
<b>DTW 2.200 - 3.000 Kelvin</b>					
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Phase</b>	8013210229156	1IOW2 W00 63 FL0	3 Weeks	<b>388,00</b>

<sup>1</sup> Alimentatore multipotenza con selezione della corrente in uscita (da 250 mA a 700 mA) / Multipower driver with switch to select the output (from 250 mA to 700 mA)

**ROTALIANA COLORS COLLECTION**

**Architectural Collection**  
3 weeks | No extra cost

V1

Verniciabile  
Paintable  
Nachlackierbar

**Satin Collection**

3 weeks | + 10% extra

20 33 43 48 62 64 65

Griffite Graphite Graphit  
Oro regale Royal gold Luxus-Gold  
Argento Silver Silber  
Bronzo scuro Dark bronze Bronze Dunkel  
Nero opaco Matt black Schwarz matt  
Bronzo Bronze Bronze  
Champagne Champagne Champagner

**Ethic Collection**

3 weeks | + 10% extra

26 27 32 34 35 W2 W4 W6 W8

Bronzo opaco Matt bronze Bronze matt  
Rame opaco Matt Copper Kupfer matt  
Corno di fucile Powder gun matt Mitter Rotgus  
Oro opaco Matt gold Gold matt  
Nichel opaco Nickel matt Nickel matt  
Sabbia Sand Sand  
Corda Rope color Schnur-Bäuge  
Torbra Torbra  
Dovegray Taubengrau  
Caffè Coffee Kaffee-Braun

**INOUT W1 - OUTDOOR**

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC	
	Wall Surface On-Off IP65 2.000 lumen - luminaire flux Outdoor use Box measurements cm: L 37 x D 22 x H 9 Gross weight: KG.1,90	MID POWER LED 2.700K, 3.000K CRI 90 700mA Kitting LED Life L70 B50 > 60.000 h Energy Class: E	220-240 V 50 Hz 29W <sup>1</sup> Class 1 Driver included	Lighting type: Indirect Light distribution: Symmetric 	
<b>IP65</b>					
STRUCTURE	DIMMING	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>					
Ruggine / <b>Rust</b> / Rostfarbe	<b>On/off</b>	8013210240113	1IOW1 000 29 ZL0	3 Weeks	<b>320,00</b>
Argento goffrato / <b>Embossed silver</b> / Siber geprägt	<b>On/off</b>	8013210188781	1IOW1 000 44 ZL0	3 Weeks	<b>320,00</b>
Bianco goffrato / <b>Embossed white</b> / Weiß geprägt	<b>On/off</b>	8013210188804	1IOW1 000 55 ZL0	3 Weeks	<b>320,00</b>
Antracite goffrato / <b>Embossed anthracite</b> / Anthrazit geprägt	<b>On/off</b>	8013210189115	1IOW1 000 56 ZL0	3 Weeks	<b>320,00</b>
<b>3.000 Kelvin</b>					
Ruggine / <b>Rust</b> / Rostfarbe	<b>On/off</b>	8013210238172	1IOW1 000 29 ZL1	3 Weeks	<b>320,00</b>
Argento goffrato / <b>Embossed silver</b> / Siber geprägt	<b>On/off</b>	8013210188798	1IOW1 000 44 ZL1	3 Weeks	<b>320,00</b>
Bianco goffrato / <b>Embossed white</b> / Weiß geprägt	<b>On/off</b>	8013210188811	1IOW1 000 55 ZL1	3 Weeks	<b>320,00</b>
Antracite goffrato / <b>Embossed anthracite</b> / Anthrazit	<b>On/off</b>	8013210189122	1IOW1 000 56 ZL1	3 Weeks	<b>320,00</b>

<sup>1</sup> Alimentatore multipotenza con selezione della corrente in uscita (da 250 mA a 700 mA) / Multipower driver with switch to select the output (from 250 mA to 700 mA)

**INOUT W2 - OUTDOOR**

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC	
	Wall Surface On-Off IP65 2.250 lumen - luminaire flux Outdoor use Box measurements cm: L 37 x D 22 x H 9 Gross weight: KG.1,80	MID POWER LED 2.700K, 3.000K CRI 90 700mA Kitting LED Life L70 B50 > 60.000 h Energy Class: E	220-240 V 50 Hz 29W <sup>1</sup> Class 1 Driver included	Lighting type: Indirect Light distribution: Symmetric 	
<b>IP65</b>					
STRUCTURE	DIMMING	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>					
Ruggine / <b>Rust</b> / Rostfarbe	<b>On/off</b>	8013210240120	1IOW2 000 29 ZL0	3 Weeks	<b>320,00</b>
Argento goffrato / <b>Embossed silver</b> / Siber geprägt	<b>On/off</b>	8013210188866	1IOW2 000 44 ZL0	3 Weeks	<b>320,00</b>
Bianco goffrato / <b>Embossed white</b> / Weiß geprägt	<b>On/off</b>	8013210188897	1IOW2 000 55 ZL0	3 Weeks	<b>320,00</b>
Antracite goffrato / <b>Embossed anthracite</b> / Anthrazit geprägt	<b>On/off</b>	8013210189146	1IOW2 000 56 ZL0	3 Weeks	<b>320,00</b>
<b>3.000 Kelvin</b>					
Ruggine / <b>Rust</b> / Rostfarbe	<b>On/off</b>	8013210238189	1IOW2 000 29 ZL1	3 Weeks	<b>320,00</b>
Argento goffrato / <b>Embossed silver</b> / Siber geprägt	<b>On/off</b>	8013210188873	1IOW2 000 44 ZL1	3 Weeks	<b>320,00</b>
Bianco goffrato / <b>Embossed white</b> / Weiß geprägt	<b>On/off</b>	8013210188903	1IOW2 000 55 ZL1	3 Weeks	<b>320,00</b>
Antracite goffrato / <b>Embossed anthracite</b> / Anthrazit	<b>On/off</b>	8013210189139	1IOW2 000 56 ZL1	3 Weeks	<b>320,00</b>

<sup>1</sup> Alimentatore multipotenza con selezione della corrente in uscita (da 250 mA a 700 mA) / Multipower driver with switch to select the output (from 250 mA to 700 mA)

IPE W1

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC	
	Wall Surface On-Off, Phase IP20 1.320 lumen - luminaire flux Indoor use Box measurements cm: L 33 x D 16 x H 16 Gross weight: KG.0,70	MID POWER LED 2.700K, 3.000K DTW 2.200K - 3.000K CRI 90 350mA Kitting LED Life L70 B50 > 60.000 h Energy Class: E	220-240 V 50 Hz 16W Class 1 Driver included	Lighting type: Indirect Light distribution: Symmetric 	
STRUCTURE	DIMMING	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>					
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>On/off</b>	8013210205327	1IPW1 LED 63 ZL0	2 Weeks	<b>248,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Phase</b>	8013210202944	1IPW1 LED 63 FLO	2 Weeks	<b>282,00</b>
<b>3.000 Kelvin</b>					
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>On/off</b>	8013210205334	1IPW1 LED 63 ZL1	2 Weeks	<b>248,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Phase</b>	8013210202937	1IPW1 LED 63 FL1	2 Weeks	<b>282,00</b>
<b>DTW 2.200 - 3.000 Kelvin</b>					
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Phase</b>	8013210229125	1IPW1 W00 63 FLO	3 Weeks	<b>310,00</b>

ROITALIANA COLORS COLLECTION

**Satin Collection**  
3 weeks | + 10% extra

**Ethic Collection**  
3 weeks | + 10% extra

IPE W2

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC	
	Wall Surface On-Off, Phase, Push, Dali IP20 2.650 lumen - luminaire flux Indoor use Box measurements cm: L 34 x D 16 x H 16 Gross weight: KG.1,40	MID POWER LED 2.700K, 3.000K DTW 2.200K - 3.000K CRI 90 700mA Kitting LED Life L70 B50 > 60.000 h Energy Class: E	220-240 V 50 Hz 29W Class 1 Driver included	Lighting type: Indirect Light distribution: Symmetric 	
STRUCTURE	DIMMING	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>					
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>On/off</b>	8013210202975	1IPW2 LED 63 ZL0	2 Weeks	<b>320,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Phase</b>	8013210202968	1IPW2 LED 63 FLO	2 Weeks	<b>353,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Push</b>	8013210205341	1IPW2 LED 63 HLO	2 Weeks	<b>370,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Dali</b>	8013210205358	1IPW2 LED 63 PLO	2 Weeks	<b>370,00</b>
<b>3.000 Kelvin</b>					
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>On/off</b>	8013210202982	1IPW2 LED 63 ZL1	2 Weeks	<b>320,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Phase</b>	8013210202951	1IPW2 LED 63 FL1	2 Weeks	<b>353,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Push</b>	8013210205365	1IPW2 LED 63 HL1	2 Weeks	<b>370,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Dali</b>	8013210205372	1IPW2 LED 63 PL1	3 Weeks	<b>370,00</b>
<b>DTW 2.200 - 3.000 Kelvin</b>					
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Phase</b>	8013210229132	1IPW2 W00 63 FLO	3 Weeks	<b>388,00</b>

ROITALIANA COLORS COLLECTION

**Satin Collection**  
3 weeks | + 10% extra

**Ethic Collection**  
3 weeks | + 10% extra

IPE W3

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC	
	Wall Surface On-Off, Push, Dali IP20 4.250 lumen - luminaire flux Indoor use Box measurements cm: L 63 x D 15 x H 15 Gross weight: KG.2,50	MID POWER LED 2.700K, 3.000K CRI 90 900mA Kitting LED Life L70 B50 > 60.000 h Energy Class: E	220-240 V 50 Hz 45W Class 1 Driver included	Lighting type: Indirect Light distribution: Symmetric 	
STRUCTURE	DIMMING	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>					
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>On/off</b>	8013210208434	1IPW3 LED 63 ZL0	3 Weeks	<b>436,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Push</b>	8013210208427	1IPW3 LED 63 HLO	3 Weeks	<b>485,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Dali</b>	8013210208441	1IPW3 LED 63 PLO	3 Weeks	<b>485,00</b>
<b>3.000 Kelvin</b>					
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>On/off</b>	8013210208465	1IPW3 LED 63 ZL1	3 Weeks	<b>436,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Push</b>	8013210208458	1IPW3 LED 63 HL1	3 Weeks	<b>485,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Dali</b>	8013210208472	1IPW3 LED 63 PL1	3 Weeks	<b>485,00</b>

ROITALIANA COLORS COLLECTION

**Satin Collection**  
4 weeks | + 10% extra

**Ethic Collection**  
4 weeks | + 10% extra

IPE W4


TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC	
	Wall Surface On-Off, Push, Dali IP20 5.380 lumen - luminaire flux Indoor use Box measurements cm: L 96 x D 16 x H 16 Gross weight: KG.3,50	MID POWER LED 2.700K, 3.000K CRI 90 1200mA Kitting LED Life L70 B50 > 60.000 h Energy Class: E	220-240 V 50 Hz 57W Class 1 Driver included	Lighting type: Indirect Light distribution: Symmetric 	
STRUCTURE	DIMMING	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>					
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>On/off</b>	8013210208489	1IPW4 LED 63 ZL0	3 Weeks	<b>513,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Push</b>	8013210208496	1IPW4 LED 63 HLO	3 Weeks	<b>562,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Dali</b>	8013210208502	1IPW4 LED 63 PLO	3 Weeks	<b>562,00</b>
<b>3.000 Kelvin</b>					
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>On/off</b>	8013210208519	1IPW4 LED 63 ZL1	3 Weeks	<b>513,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Push</b>	8013210208526	1IPW4 LED 63 HL1	3 Weeks	<b>562,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Dali</b>	8013210208533	1IPW4 LED 63 PL1	3 Weeks	<b>562,00</b>

ROITALIANA COLORS COLLECTION


**Satin Collection**  
4 weeks | + 10% extra

**Ethic Collection**  
4 weeks | + 10% extra


## LIGHTWIRE F1

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC		
	Floor Standing Touch dimmer IP20 4.570 lumen - luminaire flux Indoor use Box measurements cm: L 40 x D 40 x H 198 Gross weight: KG.13,00	MID POWER LED 3.000 K CRI 90 24V Macadam step 3 LED Life L70 B50 > 60.000 h Energy Class: E	220-240 V 50 Hz 43W Class 2 Driver included Europe plug	Lighting type: Indirect Light distribution: Symmetric  Discover Lightwire		
STRUCTURE			EAN	CODE	DELIVERY	EURO
Bianco opaco / <b>Matt white</b> / Weiß matt			8013210193297	1LLF1 LED 63 ELO	3 Weeks	<b>1.481,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt			8013210193280	1LLF1 LED 62 ELO	3 Weeks	<b>1.481,00</b>


## LUXY T1

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC	
	Table Standing On-Off IP20 Indoor use Box measurements cm: L 35 x D 35 x H 80 Gross weight: KG.8,40	1x E14 LED not included	220-240 V 50 Hz Class 2 Europe plug	Lighting type: Direct Light distribution: Symmetric  Discover Luxy	
STRUCTURE	DIFFUSER	EAN	CODE	DELIVERY	EURO
Nero opaco / <b>Matt black</b> / Schwarz matt	Bianco lucido / <b>Glossy white</b> / Weiß glänzend	8013210135556	1LXT1 001 01 ERO	3 Weeks	<b>371,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Bianco acidato / <b>Etched white</b> / Weiß matt	8013210139820	1LXT1 002 01 ERO	3 Weeks	<b>371,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Rosso lucido / <b>Glossy red</b> / Rot glänzend	8013210146835	1LXT1 004 01 ERO	3 Weeks	<b>371,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Giallo lucido / <b>Glossy yellow</b> / Gelb glänzend	8013210144305	1LXT1 005 01 ERO	3 Weeks	<b>371,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Nero lucido / <b>Glossy black</b> / Schwarz glänzend	8013210162835	1LXT1 008 01 ERO	3 Weeks	<b>371,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Bianco lucido / <b>Glossy white</b> / Weiß glänzend	8013210228289	1LXT1 001 63 ERO	3 Weeks	<b>371,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Bianco acidato / <b>Etched white</b> / Weiß matt	8013210228296	1LXT1 002 63 ERO	3 Weeks	<b>371,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Rosso lucido / <b>Glossy red</b> / Rot glänzend	8013210229309	1LXT1 004 63 ERO	3 Weeks	<b>371,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Giallo lucido / <b>Glossy yellow</b> / Gelb glänzend	8013210228302	1LXT1 005 63 ERO	3 Weeks	<b>371,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Nero lucido / <b>Glossy black</b> / Schwarz glänzend	8013210229316	1LXT1 008 63 ERO	3 Weeks	<b>371,00</b>
Argento / <b>Silver</b> / Silber	Bianco lucido / <b>Glossy white</b> / Weiß glänzend	8013210135563	1LXT1 001 43 ERO	3 Weeks	<b>371,00</b>
Argento / <b>Silver</b> / Silber	Bianco acidato / <b>Etched white</b> / Weiß matt	8013210136447	1LXT1 002 43 ERO	3 Weeks	<b>371,00</b>
Argento / <b>Silver</b> / Silber	Rosso lucido / <b>Glossy red</b> / Rot glänzend	8013210143476	1LXT1 004 43 ERO	3 Weeks	<b>371,00</b>
Argento / <b>Silver</b> / Silber	Giallo lucido / <b>Glossy yellow</b> / Gelb glänzend	8013210136881	1LXT1 005 43 ERO	3 Weeks	<b>371,00</b>
Argento / <b>Silver</b> / Silber	Nero lucido / <b>Glossy black</b> / Schwarz glänzend	8013210163474	1LXT1 008 43 ERO	3 Weeks	<b>371,00</b>

## LUXY T2


TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC	
	Table Standing On-Off IP20 Indoor use Box measurements cm: L 35 x D 25 x H 80 Gross weight: KG.8,60	1x E14 LED not included	220-240 V 50 Hz Class 2 Europe plug	Lighting type: Direct Light distribution: Symmetric  Discover Luxy	
STRUCTURE	DIFFUSER	EAN	CODE	DELIVERY	EURO
Nero opaco / <b>Matt black</b> / Schwarz matt	Bianco lucido / <b>Glossy white</b> / Weiß glänzend	8013210134825	1LXT2 001 01 ERO	3 Weeks	<b>451,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Bianco acidato / <b>Etched white</b> / Weiß matt	8013210134832	1LXT2 002 01 ERO	3 Weeks	<b>451,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Rosso lucido / <b>Glossy red</b> / Rot glänzend	8013210146194	1LXT2 004 01 ERO	3 Weeks	<b>451,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Giallo lucido / <b>Glossy yellow</b> / Gelb glänzend	8013210155189	1LXT2 005 01 ERO	3 Weeks	<b>451,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Nero lucido / <b>Glossy black</b> / Schwarz glänzend	8013210160268	1LXT2 008 01 ERO	3 Weeks	<b>451,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Bianco lucido / <b>Glossy white</b> / Weiß glänzend	8013210228333	1LXT2 001 63 ERO	3 Weeks	<b>451,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Bianco acidato / <b>Etched white</b> / Weiß matt	8013210228340	1LXT2 002 63 ERO	3 Weeks	<b>451,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Rosso lucido / <b>Glossy red</b> / Rot glänzend	8013210228364	1LXT2 004 63 ERO	3 Weeks	<b>451,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Giallo lucido / <b>Glossy yellow</b> / Gelb glänzend	8013210228371	1LXT2 005 63 ERO	3 Weeks	<b>451,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Nero lucido / <b>Glossy black</b> / Schwarz glänzend	8013210228388	1LXT2 008 63 ERO	3 Weeks	<b>451,00</b>
Argento / <b>Silver</b> / Silber	Bianco lucido / <b>Glossy white</b> / Weiß glänzend	8013210136195	1LXT2 001 43 ERO	3 Weeks	<b>451,00</b>
Argento / <b>Silver</b> / Silber	Bianco acidato / <b>Etched white</b> / Weiß matt	8013210136461	1LXT2 002 43 ERO	3 Weeks	<b>451,00</b>
Argento / <b>Silver</b> / Silber	Rosso lucido / <b>Glossy red</b> / Rot glänzend	8013210137673	1LXT2 004 43 ERO	3 Weeks	<b>451,00</b>
Argento / <b>Silver</b> / Silber	Giallo lucido / <b>Glossy yellow</b> / Gelb glänzend	8013210141564	1LXT2 005 43 ERO	3 Weeks	<b>451,00</b>
Argento / <b>Silver</b> / Silber	Nero lucido / <b>Glossy black</b> / Schwarz glänzend	8013210164044	1LXT2 008 43 ERO	3 Weeks	<b>451,00</b>

## LUXY F1

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC
	Floor Standing On-Off IP20 Indoor use Box measurements cm: L 35 x D 25 x H 151 Gross weight: KG.9,90	1x E14 LED not included	220-240 V 50 Hz Class 2 Europe plug	Lighting type: Direct Light distribution: Symmetric  Discover Luxy


STRUCTURE	DIFFUSER	EAN	CODE	DELIVERY	EURO
Nero opaco / <b>Matt black</b> / Schwarz matt	Bianco lucido / <b>Glossy white</b> / Weiß glänzend	8013210135396	1LXF1 001 01 ERO	3 Weeks	451,00
Nero opaco / <b>Matt black</b> / Schwarz matt	Bianco acidato / <b>Etched white</b> / Weiß matt	8013210135419	1LXF1 002 01 ERO	3 Weeks	451,00
Nero opaco / <b>Matt black</b> / Schwarz matt	Rosso lucido / <b>Glossy red</b> / Rot glänzend	8013210145272	1LXF1 004 01 ERO	3 Weeks	451,00
Nero opaco / <b>Matt black</b> / Schwarz matt	Giallo lucido / <b>Glossy yellow</b> / Gelb glänzend	8013210141427	1LXF1 005 01 ERO	3 Weeks	451,00
Nero opaco / <b>Matt black</b> / Schwarz matt	Nero lucido / <b>Glossy black</b> / Schwarz glänzend	8013210162187	1LXF1 008 01 ERO	3 Weeks	451,00
Bianco opaco / <b>Matt white</b> / Weiß matt	Bianco lucido / <b>Glossy white</b> / Weiß glänzend	8013210228395	1LXF1 001 63 ERO	3 Weeks	451,00
Bianco opaco / <b>Matt white</b> / Weiß matt	Bianco acidato / <b>Etched white</b> / Weiß matt	8013210228401	1LXF1 002 63 ERO	3 Weeks	451,00
Bianco opaco / <b>Matt white</b> / Weiß matt	Rosso lucido / <b>Glossy red</b> / Rot glänzend	8013210228418	1LXF1 004 63 ERO	3 Weeks	451,00
Bianco opaco / <b>Matt white</b> / Weiß matt	Giallo lucido / <b>Glossy yellow</b> / Gelb glänzend	8013210228425	1LXF1 005 63 ERO	3 Weeks	451,00
Bianco opaco / <b>Matt white</b> / Weiß matt	Nero lucido / <b>Glossy black</b> / Schwarz glänzend	8013210228432	1LXF1 008 63 ERO	3 Weeks	451,00
Argento / <b>Silver</b> / Silber	Bianco lucido / <b>Glossy white</b> / Weiß glänzend	8013210135402	1LXF1 001 43 ERO	3 Weeks	451,00
Argento / <b>Silver</b> / Silber	Bianco acidato / <b>Etched white</b> / Weiß matt	8013210136508	1LXF1 002 43 ERO	3 Weeks	451,00
Argento / <b>Silver</b> / Silber	Rosso lucido / <b>Glossy red</b> / Rot glänzend	8013210138946	1LXF1 004 43 ERO	3 Weeks	451,00
Argento / <b>Silver</b> / Silber	Giallo lucido / <b>Glossy yellow</b> / Gelb glänzend	8013210136843	1LXF1 005 43 ERO	3 Weeks	451,00
Argento / <b>Silver</b> / Silber	Nero lucido / <b>Glossy black</b> / Schwarz glänzend	8013210163870	1LXF1 008 43 ERO	3 Weeks	451,00

## LUXY H0

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC
	Ceiling, Wall Surface On-Off IP20 Indoor use Box measurements cm: L 26 x D 25 x H 24 Gross weight: KG.1,00	1x E14 LED not included	220-240 V 50 Hz Class 2	Lighting type: Direct Light distribution: Symmetric  Discover Luxy


STRUCTURE	DIFFUSER	EAN	CODE	DELIVERY	EURO
Nero opaco / <b>Matt black</b> / Schwarz matt	Bianco lucido / <b>Glossy white</b> / Weiß glänzend	8013210135464	1LXH0 001 01 ZR0	3 Weeks	222,00
Nero opaco / <b>Matt black</b> / Schwarz matt	Bianco acidato / <b>Etched white</b> / Weiß matt	8013210135471	1LXH0 002 01 ZR0	3 Weeks	222,00
Nero opaco / <b>Matt black</b> / Schwarz matt	Rosso lucido / <b>Glossy red</b> / Rot glänzend	8013210142554	1LXH0 004 01 ZR0	3 Weeks	222,00
Nero opaco / <b>Matt black</b> / Schwarz matt	Giallo lucido / <b>Glossy yellow</b> / Gelb glänzend	8013210142660	1LXH0 005 01 ZR0	3 Weeks	222,00
Nero opaco / <b>Matt black</b> / Schwarz matt	Nero lucido / <b>Glossy black</b> / Schwarz glänzend	8013210162491	1LXH0 008 01 ZR0	3 Weeks	222,00
Bianco opaco / <b>Matt white</b> / Weiß matt	Bianco lucido / <b>Glossy white</b> / Weiß glänzend	8013210228449	1LXH0 001 63 ZR0	3 Weeks	222,00
Bianco opaco / <b>Matt white</b> / Weiß matt	Bianco acidato / <b>Etched white</b> / Weiß matt	8013210228456	1LXH0 002 63 ZR0	3 Weeks	222,00
Bianco opaco / <b>Matt white</b> / Weiß matt	Rosso lucido / <b>Glossy red</b> / Rot glänzend	8013210229002	1LXH0 004 63 ZR0	3 Weeks	222,00
Bianco opaco / <b>Matt white</b> / Weiß matt	Giallo lucido / <b>Glossy yellow</b> / Gelb glänzend	8013210229019	1LXH0 005 63 ZR0	3 Weeks	222,00
Bianco opaco / <b>Matt white</b> / Weiß matt	Nero lucido / <b>Glossy black</b> / Schwarz glänzend	8013210229026	1LXH0 008 63 ZR0	3 Weeks	222,00
Argento / <b>Silver</b> / Silber	Bianco lucido / <b>Glossy white</b> / Weiß glänzend	8013210138762	1LXH0 001 43 ZR0	3 Weeks	222,00
Argento / <b>Silver</b> / Silber	Bianco acidato / <b>Etched white</b> / Weiß matt	8013210136706	1LXH0 002 43 ZR0	3 Weeks	222,00
Argento / <b>Silver</b> / Silber	Rosso lucido / <b>Glossy red</b> / Rot glänzend	8013210135495	1LXH0 004 43 ZR0	3 Weeks	222,00
Argento / <b>Silver</b> / Silber	Giallo lucido / <b>Glossy yellow</b> / Gelb glänzend	8013210136836	1LXH0 005 43 ZR0	3 Weeks	222,00
Argento / <b>Silver</b> / Silber	Nero lucido / <b>Glossy black</b> / Schwarz glänzend	8013210160213	1LXH0 008 43 ZR0	3 Weeks	222,00

## LUXY H1

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC
	Ceiling, Wall Surface On-Off IP20 Indoor use Box measurements cm: L 83 x D 20 x H 20 Gross weight: KG.1,70	1x E14 LED not included	220-240 V 50 Hz Class 2	Lighting type: Direct Light distribution: Symmetric  Discover Luxy


STRUCTURE	DIFFUSER	EAN	CODE	DELIVERY	EURO
Nero opaco / <b>Matt black</b> / Schwarz matt	Bianco lucido / <b>Glossy white</b> / Weiß glänzend	8013210135501	1LXH1 001 01 ZR0	3 Weeks	242,00
Nero opaco / <b>Matt black</b> / Schwarz matt	Bianco acidato / <b>Etched white</b> / Weiß matt	8013210135525	1LXH1 002 01 ZR0	3 Weeks	242,00
Nero opaco / <b>Matt black</b> / Schwarz matt	Rosso lucido / <b>Glossy red</b> / Rot glänzend	8013210154168	1LXH1 004 01 ZR0	3 Weeks	242,00
Nero opaco / <b>Matt black</b> / Schwarz matt	Giallo lucido / <b>Glossy yellow</b> / Gelb glänzend	8013210169438	1LXH1 005 01 ZR0	3 Weeks	242,00
Nero opaco / <b>Matt black</b> / Schwarz matt	Nero lucido / <b>Glossy black</b> / Schwarz glänzend	8013210165973	1LXH1 008 01 ZR0	3 Weeks	242,00
Bianco opaco / <b>Matt white</b> / Weiß matt	Bianco lucido / <b>Glossy white</b> / Weiß glänzend	8013210229408	1LXH1 001 63 ZR0	3 Weeks	242,00
Bianco opaco / <b>Matt white</b> / Weiß matt	Bianco acidato / <b>Etched white</b> / Weiß matt	8013210229415	1LXH1 002 63 ZR0	3 Weeks	242,00
Bianco opaco / <b>Matt white</b> / Weiß matt	Rosso lucido / <b>Glossy red</b> / Rot glänzend	8013210229422	1LXH1 004 63 ZR0	3 Weeks	242,00
Bianco opaco / <b>Matt white</b> / Weiß matt	Giallo lucido / <b>Glossy yellow</b> / Gelb glänzend	8013210229439	1LXH1 005 63 ZR0	3 Weeks	242,00
Bianco opaco / <b>Matt white</b> / Weiß matt	Nero lucido / <b>Glossy black</b> / Schwarz glänzend	8013210229446	1LXH1 008 63 ZR0	3 Weeks	242,00
Argento / <b>Silver</b> / Silber	Bianco lucido / <b>Glossy white</b> / Weiß glänzend	8013210141410	1LXH1 001 43 ZR0	3 Weeks	242,00
Argento / <b>Silver</b> / Silber	Bianco acidato / <b>Etched white</b> / Weiß matt	8013210136744	1LXH1 002 43 ZR0	3 Weeks	242,00
Argento / <b>Silver</b> / Silber	Rosso lucido / <b>Glossy red</b> / Rot glänzend	8013210141373	1LXH1 004 43 ZR0	3 Weeks	242,00
Argento / <b>Silver</b> / Silber	Giallo lucido / <b>Glossy yellow</b> / Gelb glänzend	8013210141403	1LXH1 005 43 ZR0	3 Weeks	242,00
Argento / <b>Silver</b> / Silber	Nero lucido / <b>Glossy black</b> / Schwarz glänzend	8013210167694	1LXH1 008 43 ZR0	3 Weeks	242,00

## LUXY H5

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC
	Ceiling Suspended On-Off IP20 Indoor use Box measurements cm: L 26 x D 25 x H 24 Gross weight: KG.1,90	1x E14 LED not included	220-240 V 50 Hz Class 1	Lighting type: Direct Light distribution: Symmetric  Discover Luxy

TEXTILE COLOURED CABLE	DIFFUSER	EAN	CODE	DELIVERY	EURO
Bianco / <b>White</b> / Weiß	Bianco lucido / <b>Glossy white</b> / Weiß glänzend	8013210171141	1LXH5 B01 30 ZR0	3 Weeks	229,00
Bianco / <b>White</b> / Weiß	Bianco acidato / <b>Etched white</b> / Weiß matt	8013210171158	1LXH5 B02 30 ZR0	3 Weeks	229,00
Bianco / <b>White</b> / Weiß	Rosso lucido / <b>Glossy red</b> / Rot glänzend	8013210171172	1LXH5 B04 30 ZR0	3 Weeks	229,00
Bianco / <b>White</b> / Weiß	Giallo lucido / <b>Glossy yellow</b> / Gelb glänzend	8013210171189	1LXH5 B05 30 ZR0	3 Weeks	229,00
Bianco / <b>White</b> / Weiß	Nero lucido / <b>Glossy black</b> / Schwarz glänzend	8013210171219	1LXH5 B08 30 ZR0	3 Weeks	229,00
Nero / <b>Black</b> / Schwarz	Bianco lucido / <b>Glossy white</b> / Weiß glänzend	8013210171318	1LXH5 N01 30 ZR0	3 Weeks	229,00
Nero / <b>Black</b> / Schwarz	Bianco acidato / <b>Etched white</b> / Weiß matt	8013210171325	1LXH5 N02 30 ZR0	3 Weeks	229,00
Nero / <b>Black</b> / Schwarz	Rosso lucido / <b>Glossy red</b> / Rot glänzend	8013210171349	1LXH5 N04 30 ZR0	3 Weeks	229,00
Nero / <b>Black</b> / Schwarz	Giallo lucido / <b>Glossy yellow</b> / Gelb glänzend	8013210171356	1LXH5 N05 30 ZR0	3 Weeks	229,00
Nero / <b>Black</b> / Schwarz	Nero lucido / <b>Glossy black</b> / Schwarz glänzend	8013210171370	1LXH5 N08 30 ZR0	3 Weeks	229,00
Rosso / <b>Red</b> / Rot	Bianco lucido / <b>Glossy white</b> / Weiß glänzend	8013210171233	1LXH5 R01 30 ZR0	3 Weeks	229,00
Rosso / <b>Red</b> / Rot	Bianco acidato / <b>Etched white</b> / Weiß matt	8013210171240	1LXH5 R02 30 ZR0	3 Weeks	229,00
Rosso / <b>Red</b> / Rot	Rosso lucido / <b>Glossy red</b> / Rot glänzend	8013210171264	1LXH5 R04 30 ZR0	3 Weeks	229,00
Rosso / <b>Red</b> / Rot	Giallo lucido / <b>Glossy yellow</b> / Gelb glänzend	8013210171271	1LXH5 R05 30 ZR0	3 Weeks	229,00
Rosso / <b>Red</b> / Rot	Nero lucido / <b>Glossy black</b> / Schwarz glänzend	8013210171295	1LXH5 R08 30 ZR0	3 Weeks	229,00

## LUXY W0

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC	
	Wall Surface On-Off IP20 Indoor use Box measurements cm: L 26 x D 25 x H 24 Gross weight: KG.1,10	1x E14 LED not included	220-240 V 50 Hz Class 2	Lighting type: Direct Light distribution: Symmetric  Discover Luxy	
STRUCTURE	DIFFUSER	EAN	CODE	DELIVERY	EURO
Nero opaco / <b>Matt black</b> / Schwarz matt	Bianco lucido / <b>Glossy white</b> / Weiß glänzend	8013210134863	1LXW0 001 01 ZRO	3 Weeks	<b>222,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Bianco acidato / <b>Etched white</b> / Weiß matt	8013210134931	1LXW0 002 01 ZRO	3 Weeks	<b>222,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Rosso lucido / <b>Glossy red</b> / Rot glänzend	8013210135075	1LXW0 004 01 ZRO	3 Weeks	<b>222,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Giallo lucido / <b>Glossy yellow</b> / Gelb glänzend	8013210135143	1LXW0 005 01 ZRO	3 Weeks	<b>222,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Nero lucido / <b>Glossy black</b> / Schwarz glänzend	8013210162842	1LXW0 008 01 ZRO	3 Weeks	<b>222,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Bianco lucido / <b>Glossy white</b> / Weiß glänzend	8013210229453	1LXW0 001 63 ZRO	3 Weeks	<b>222,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Bianco acidato / <b>Etched white</b> / Weiß matt	8013210229460	1LXW0 002 63 ZRO	3 Weeks	<b>222,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Rosso lucido / <b>Glossy red</b> / Rot glänzend	8013210229477	1LXW0 004 63 ZRO	3 Weeks	<b>222,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Giallo lucido / <b>Glossy yellow</b> / Gelb glänzend	8013210229484	1LXW0 005 63 ZRO	3 Weeks	<b>222,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Nero lucido / <b>Glossy black</b> / Schwarz glänzend	8013210229491	1LXW0 008 63 ZRO	3 Weeks	<b>222,00</b>
Argento / <b>Silver</b> / Silber	Bianco lucido / <b>Glossy white</b> / Weiß glänzend	8013210134894	1LXW0 001 43 ZRO	3 Weeks	<b>222,00</b>
Argento / <b>Silver</b> / Silber	Bianco acidato / <b>Etched white</b> / Weiß matt	8013210134962	1LXW0 002 43 ZRO	3 Weeks	<b>222,00</b>
Argento / <b>Silver</b> / Silber	Rosso lucido / <b>Glossy red</b> / Rot glänzend	8013210135105	1LXW0 004 43 ZRO	3 Weeks	<b>222,00</b>
Argento / <b>Silver</b> / Silber	Giallo lucido / <b>Glossy yellow</b> / Gelb glänzend	8013210135174	1LXW0 005 43 ZRO	3 Weeks	<b>222,00</b>
Argento / <b>Silver</b> / Silber	Nero lucido / <b>Glossy black</b> / Schwarz glänzend	8013210163801	1LXW0 008 43 ZRO	3 Weeks	<b>222,00</b>


## LUXY W1

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC	
	Wall Surface On-Off IP20 Indoor use Box measurements cm: L 83 x D 20 x H 20 Gross weight: KG.1,70	1x E14 LED not included	220-240 V 50 Hz Class 2	Lighting type: Direct Light distribution: Symmetric  Discover Luxy	
STRUCTURE	DIFFUSER	EAN	CODE	DELIVERY	EURO
Nero opaco / <b>Matt black</b> / Schwarz matt	Bianco lucido / <b>Glossy white</b> / Weiß glänzend	8013210135358	1LXW1 001 01 ZRO	3 Weeks	<b>303,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Bianco acidato / <b>Etched white</b> / Weiß matt	8013210149607	1LXW1 002 01 ZRO	3 Weeks	<b>303,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Rosso lucido / <b>Glossy red</b> / Rot glänzend	8013210152867	1LXW1 004 01 ZRO	3 Weeks	<b>303,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Giallo lucido / <b>Glossy yellow</b> / Gelb glänzend	8013210137970	1LXW1 005 01 ZRO	3 Weeks	<b>303,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Nero lucido / <b>Glossy black</b> / Schwarz glänzend	8013210160244	1LXW1 008 01 ZRO	3 Weeks	<b>303,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Bianco lucido / <b>Glossy white</b> / Weiß glänzend	8013210229507	1LXW1 001 63 ZRO	3 Weeks	<b>303,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Bianco acidato / <b>Etched white</b> / Weiß matt	8013210229514	1LXW1 002 63 ZRO	3 Weeks	<b>303,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Rosso lucido / <b>Glossy red</b> / Rot glänzend	8013210229521	1LXW1 004 63 ZRO	3 Weeks	<b>303,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Giallo lucido / <b>Glossy yellow</b> / Gelb glänzend	8013210229538	1LXW1 005 63 ZRO	3 Weeks	<b>303,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Nero lucido / <b>Glossy black</b> / Schwarz glänzend	8013210229545	1LXW1 008 63 ZRO	3 Weeks	<b>303,00</b>
Argento / <b>Silver</b> / Silber	Bianco lucido / <b>Glossy white</b> / Weiß glänzend	8013210135365	1LXW1 001 43 ZRO	3 Weeks	<b>303,00</b>
Argento / <b>Silver</b> / Silber	Bianco acidato / <b>Etched white</b> / Weiß matt	8013210136553	1LXW1 002 43 ZRO	3 Weeks	<b>303,00</b>
Argento / <b>Silver</b> / Silber	Rosso lucido / <b>Glossy red</b> / Rot glänzend	8013210139844	1LXW1 004 43 ZRO	3 Weeks	<b>303,00</b>
Argento / <b>Silver</b> / Silber	Giallo lucido / <b>Glossy yellow</b> / Gelb glänzend	8013210139769	1LXW1 005 43 ZRO	3 Weeks	<b>303,00</b>
Argento / <b>Silver</b> / Silber	Nero lucido / <b>Glossy black</b> / Schwarz glänzend	8013210164709	1LXW1 008 43 ZRO	3 Weeks	<b>303,00</b>


## LUXY W2

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC	
	Wall Surface On-Off IP20 Indoor use Box measurements cm: L 83 x D 20 x H 20 Gross weight: KG.2,30	1x E14 LED not included	220-240 V 50 Hz Class 2	Lighting type: Direct Light distribution: Symmetric  Discover Luxy	
STRUCTURE	DIFFUSER	EAN	CODE	DELIVERY	EURO
Nero opaco / <b>Matt black</b> / Schwarz matt	Bianco lucido / <b>Glossy white</b> / Weiß glänzend	8013210135389	1LXW2 001 01 ZRO	3 Weeks	<b>389,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Bianco acidato / <b>Etched white</b> / Weiß matt	8013210142530	1LXW2 002 01 ZRO	3 Weeks	<b>389,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Rosso lucido / <b>Glossy red</b> / Rot glänzend	8013210162651	1LXW2 004 01 ZRO	3 Weeks	<b>389,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Giallo lucido / <b>Glossy yellow</b> / Gelb glänzend	8013210159262	1LXW2 005 01 ZRO	3 Weeks	<b>389,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Nero lucido / <b>Glossy black</b> / Schwarz glänzend	8013210160411	1LXW2 008 01 ZRO	3 Weeks	<b>389,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Bianco lucido / <b>Glossy white</b> / Weiß glänzend	8013210229552	1LXW2 001 63 ZRO	3 Weeks	<b>389,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Bianco acidato / <b>Etched white</b> / Weiß matt	8013210229569	1LXW2 002 63 ZRO	3 Weeks	<b>389,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Rosso lucido / <b>Glossy red</b> / Rot glänzend	8013210229576	1LXW2 004 63 ZRO	3 Weeks	<b>389,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Giallo lucido / <b>Glossy yellow</b> / Gelb glänzend	8013210229583	1LXW2 005 63 ZRO	3 Weeks	<b>389,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Nero lucido / <b>Glossy black</b> / Schwarz glänzend	8013210229590	1LXW2 008 63 ZRO	3 Weeks	<b>389,00</b>
Argento / <b>Silver</b> / Silber	Bianco lucido / <b>Glossy white</b> / Weiß glänzend	8013210136621	1LXW2 001 43 ZRO	3 Weeks	<b>389,00</b>
Argento / <b>Silver</b> / Silber	Bianco acidato / <b>Etched white</b> / Weiß matt	8013210136638	1LXW2 002 43 ZRO	3 Weeks	<b>389,00</b>
Argento / <b>Silver</b> / Silber	Rosso lucido / <b>Glossy red</b> / Rot glänzend	8013210139691	1LXW2 004 43 ZRO	3 Weeks	<b>389,00</b>
Argento / <b>Silver</b> / Silber	Giallo lucido / <b>Glossy yellow</b> / Gelb glänzend	8013210139066	1LXW2 005 43 ZRO	3 Weeks	<b>389,00</b>
Argento / <b>Silver</b> / Silber	Nero lucido / <b>Glossy black</b> / Schwarz glänzend	8013210164686	1LXW2 008 43 ZRO	3 Weeks	<b>389,00</b>


## LUXY F0 GLAM

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC	
	Floor Standing On-Off IP20 Indoor use Box measurements cm: L 16 x D 14 x H 14 Gross weight: KG.5,50	1x E14 LED not included	220-240 V 50 Hz Class 2 Europe plug	Lighting type: Direct Light distribution: Symmetric  Discover Luxy Glam	
STRUCTURE	DIFFUSER	EAN	CODE	DELIVERY	EURO
Nero metallizzato / <b>Metallic black</b> / Schwarz metallic	Bianco lucido / <b>Glossy white</b> / Weiß glänzend	8013210199015	1LXF0 001 31 ER0	3 Weeks	<b>300,00</b>
Nero metallizzato / <b>Metallic black</b> / Schwarz metallic	Oro lucido / <b>Glossy gold</b> / Gold glänzend	8013210199022	1LXF0 011 31 ER0	3 Weeks	<b>308,00</b>
Nero metallizzato / <b>Metallic black</b> / Schwarz metallic	Rame lucido / <b>Glossy copper</b> / Kupfer glänzend	8013210199039	1LXF0 012 31 ER0	3 Weeks	<b>308,00</b>
Nero metallizzato / <b>Metallic black</b> / Schwarz metallic	Fumè / <b>Smoky</b> / Rauch	8013210199046	1LXF0 013 31 ER0	3 Weeks	<b>308,00</b>


## LUXY H0 GLAM

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC	
	Ceiling, Wall Surface On-Off IP20 Indoor use Box measurements cm: L 26 x D 25 x H 24 Gross weight: KG.1,00	1x E14 LED not included	220-240 V 50 Hz Class 2	Lighting type: Direct Light distribution: Symmetric   Discover Luxy Glam	
STRUCTURE	DIFFUSER	EAN	CODE	DELIVERY	EURO
Nero metallizzato / <b>Metallic black</b> / Schwarz metallic	Bianco lucido / <b>Glossy white</b> / Weiß glänzend	8013210199091	1LXH0 001 31 ZR0	3 Weeks	<b>222,00</b>
Nero metallizzato / <b>Metallic black</b> / Schwarz metallic	Oro lucido / <b>Glossy gold</b> / Gold glänzend	8013210199107	1LXH0 011 31 ZR0	3 Weeks	<b>229,00</b>
Nero metallizzato / <b>Metallic black</b> / Schwarz metallic	Rame lucido / <b>Glossy copper</b> / Kupfer glänzend	8013210199114	1LXH0 012 31 ZR0	3 Weeks	<b>229,00</b>
Nero metallizzato / <b>Metallic black</b> / Schwarz metallic	Fumè / <b>Smoky</b> / Rauch	8013210199121	1LXH0 013 31 ZR0	3 Weeks	<b>229,00</b>

## LUXY T0 GLAM

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC	
	Table Standing On-Off IP20 Indoor use Box measurements cm: L 20 x D 22 x H 56 Gross weight: KG.3,20	1x E14 LED not included	220-240 V 50 Hz Class 2 Europe plug	Lighting type: Direct Light distribution: Symmetric   Discover Luxy Glam	
STRUCTURE	DIFFUSER	EAN	CODE	DELIVERY	EURO
Nero metallizzato / <b>Metallic black</b> / Schwarz metallic	Bianco lucido / <b>Glossy white</b> / Weiß glänzend	8013210199060	1LXT0 001 31 ERO	3 Weeks	<b>279,00</b>
Nero metallizzato / <b>Metallic black</b> / Schwarz metallic	Oro lucido / <b>Glossy gold</b> / Gold glänzend	8013210199053	1LXT0 011 31 ERO	3 Weeks	<b>286,00</b>
Nero metallizzato / <b>Metallic black</b> / Schwarz metallic	Rame lucido / <b>Glossy copper</b> / Kupfer glänzend	8013210199077	1LXT0 012 31 ERO	3 Weeks	<b>286,00</b>
Nero metallizzato / <b>Metallic black</b> / Schwarz metallic	Fumè / <b>Smoky</b> / Rauch	8013210199084	1LXT0 013 31 ERO	3 Weeks	<b>286,00</b>


## LUXY H5 GLAM

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC	
	Ceiling Suspended On-Off IP20 Indoor use Box measurements cm: L 22 x D 22 x H 34 Gross weight: KG.1,90	1x E14 LED not included	220-240 V 50 Hz Class 1	Lighting type: Direct Light distribution: Symmetric   Discover Luxy Glam	
CABLE	DIFFUSER	EAN	CODE	DELIVERY	EURO
Nero / <b>Black</b> / Schwarz	Bianco lucido / <b>Glossy white</b> / Weiß glänzend	8013210199725	1LXH5 001 31 ZR0	3 Weeks	<b>229,00</b>
Nero / <b>Black</b> / Schwarz	Oro lucido / <b>Glossy gold</b> / Gold glänzend	8013210199732	1LXH5 011 31 ZR0	3 Weeks	<b>242,00</b>
Nero / <b>Black</b> / Schwarz	Rame lucido / <b>Glossy copper</b> / Kupfer glänzend	8013210199749	1LXH5 012 31 ZR0	3 Weeks	<b>242,00</b>
Nero / <b>Black</b> / Schwarz	Fumè / <b>Smoky</b> / Rauch	8013210199756	1LXH5 013 31 ZR0	3 Weeks	<b>242,00</b>

## LUXY - ACCESSORIES

DIFFUSER	CODE	DELIVERY	EURO
Bianco lucido / <b>Glossy white</b> / Weiß glänzend	KPA05001	3 Weeks	<b>93,00</b>
Bianco acidato / <b>Etched white</b> / Weiß matt	KPA05002	3 Weeks	<b>93,00</b>
Rosso lucido / <b>Glossy red</b> / Red Gelb glänzend	KPA05004	3 Weeks	<b>93,00</b>
Giallo lucido / <b>Glossy yellow</b> / Gelb glänzend	KPA05005	3 Weeks	<b>93,00</b>
Nero lucido / <b>Glossy black</b> / Schwarz glänzend	KPA05008	3 Weeks	<b>93,00</b>
Oro lucido / <b>Glossy gold</b> / Gold glänzend	KPA05011	3 Weeks	<b>118,00</b>
Rame lucido / <b>Glossy copper</b> / Kupfer glänzend	KPA05012	3 Weeks	<b>118,00</b>
Fumè / <b>Smoky</b> / Rauch	KPA05013	3 Weeks	<b>118,00</b>

## MULTIPOT+

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC
	Table Standing Touch IP20 280 lumen - luminaire flux Indoor use Box measurements cm: L 26 x D 26 x H 26 Gross weight: KG.2,70	MID POWER LED RGB CRI 90 5V Mono Bin LED Life L70 B50 > 36.000 h Energy Class: G	220-240 V 50 Hz 3,6W Class 1 Driver included Schuko plug 4 USB port 3 europlugs	Lighting type: Diffused Light distribution: Symmetric   Discover Multipot+
STRUCTURE	EAN	CODE	DELIVERY	EURO
Bianco lucido / <b>Glossy white</b> / Weiß glänzend	8013210183816	1MPP0 000 02 DLO	<b>7 Days</b>	<b>333,00</b>

**POMI H1**

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC	
	Ceiling Suspended On-Off IP20 Indoor use Box measurements cm: L 60 x D 60 x H 60 Gross weight: KG.7,40	1x E27 LED not included	220-240 V 50 Hz Class 1	Lighting type: Direct Light distribution: Symmetric  Discover Pomi	
STRUCTURE	CABLE	EAN	CODE	DELIVERY	EURO
Bianco opaco / <b>Matt white</b> / Weiß matt	Trasparente / <b>Transparent</b> / Transparent	8013210204153	1POH1 000 <b>63</b> ZB0	3 Weeks	<b>642,00</b>

**ROTALIANA COLORS COLLECTION**

Canopy: same colour as diffuser / Cable: transparent or black

<p><b>Satin Collection</b> 4 weeks   € 706,00</p> <ul style="list-style-type: none"> <li>20 Grafite Graphite</li> <li>33 Oro regale Royal gold Luxus-Gold</li> <li>43 Argento Silver Silber</li> <li>48 Bronzo scuro Dark bronze Bronze Dunkel</li> <li>62 Nero opaco Matt black Schwarz matt</li> <li>64 Bronzo Bronze</li> <li>65 Champagne Champagner</li> </ul>	<p><b>Ethic Collection</b> 4 weeks   € 706,00</p> <ul style="list-style-type: none"> <li>26 Bronzo opaco Matt bronze Bronze matt</li> <li>27 Rame opaco Matt Copper Kupfer matt</li> <li>32 Corna di fucile Powder gun matt Matter Roguss</li> <li>34 Oro opaco Matt gold Gold matt</li> <li>35 Nichel opaco Nickel matt Nickel matt</li> <li>W2 Sabbia Sand Sand</li> <li>W4 Corda Rope color Schnur-Beige</li> <li>W6 Torbra Dovegray Taubengrau</li> <li>W8 Caffè Coffee Kaffee-Braun</li> </ul>	<p><b>Metallic Collection</b> 7 weeks   € 986,00</p> <ul style="list-style-type: none"> <li>14 Ottone anti. Antique brass Messing antik</li> <li>19 Pietra del. Peltor del. Zinn del.</li> <li>22 Rame del. Copper del. Kupfer del.</li> <li>23 Oro della Gold della Gold della</li> </ul>
---	---	--

**POMI H3**

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC	
	Ceiling Suspended On-Off IP20 Indoor use Box measurements cm: L 41 x D 33 x H 33 Gross weight: KG.2,20	1x E27 LED not included	220-240 V 50 Hz Class 1	Lighting type: Direct Light distribution: Symmetric  Discover Pomi	
STRUCTURE	CABLE	EAN	CODE	DELIVERY	EURO
Bianco opaco / <b>Matt white</b> / Weiß matt	Trasparente / <b>Transparent</b> / Transparent	8013210204177	1POH3 000 <b>63</b> ZB0	3 Weeks	<b>341,00</b>

**ROTALIANA COLORS COLLECTION**

Canopy: same colour as diffuser / Cable: transparent or black

<p><b>Satin Collection</b> 4 weeks   € 375,00</p> <ul style="list-style-type: none"> <li>20 Grafite Graphite</li> <li>33 Oro regale Royal gold Luxus-Gold</li> <li>43 Argento Silver Silber</li> <li>48 Bronzo scuro Dark bronze Bronze Dunkel</li> <li>62 Nero opaco Matt black Schwarz matt</li> <li>64 Bronzo Bronze</li> <li>65 Champagne Champagner</li> </ul>	<p><b>Ethic Collection</b> 4 weeks   € 375,00</p> <ul style="list-style-type: none"> <li>26 Bronzo opaco Matt bronze Bronze matt</li> <li>27 Rame opaco Matt Copper Kupfer matt</li> <li>32 Corna di fucile Powder gun matt Matter Roguss</li> <li>34 Oro opaco Matt gold Gold matt</li> <li>35 Nichel opaco Nickel matt Nickel matt</li> <li>W2 Sabbia Sand Sand</li> <li>W4 Corda Rope color Schnur-Beige</li> <li>W6 Torbra Dovegray Taubengrau</li> <li>W8 Caffè Coffee Kaffee-Braun</li> </ul>	<p><b>Metallic Collection</b> 7 weeks   € 536,00</p> <ul style="list-style-type: none"> <li>14 Ottone anti. Antique brass Messing antik</li> <li>19 Pietra del. Peltor del. Zinn del.</li> <li>22 Rame del. Copper del. Kupfer del.</li> <li>23 Oro della Gold della Gold della</li> </ul>
---	---	--

**POMI H2**

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC	
	Ceiling Suspended On-Off IP20 Indoor use Box measurements cm: L 53 x D 53 x H 48 Gross weight: KG.5,00	1x E27 LED not included	220-240 V 50 Hz Class 1	Lighting type: Direct Light distribution: Symmetric  Discover Pomi	
STRUCTURE	CABLE	EAN	CODE	DELIVERY	EURO
Bianco opaco / <b>Matt white</b> / Weiß matt	Trasparente / <b>Transparent</b> / Transparent	8013210204160	1POH2 000 <b>63</b> ZB0	3 Weeks	<b>511,00</b>

**ROTALIANA COLORS COLLECTION**

Canopy: same colour as diffuser / Cable: transparent or black

<p><b>Satin Collection</b> 4 weeks   € 562,00</p> <ul style="list-style-type: none"> <li>20 Grafite Graphite</li> <li>33 Oro regale Royal gold Luxus-Gold</li> <li>43 Argento Silver Silber</li> <li>48 Bronzo scuro Dark bronze Bronze Dunkel</li> <li>62 Nero opaco Matt black Schwarz matt</li> <li>64 Bronzo Bronze</li> <li>65 Champagne Champagner</li> </ul>	<p><b>Ethic Collection</b> 4 weeks   € 562,00</p> <ul style="list-style-type: none"> <li>26 Bronzo opaco Matt bronze Bronze matt</li> <li>27 Rame opaco Matt Copper Kupfer matt</li> <li>32 Corna di fucile Powder gun matt Matter Roguss</li> <li>34 Oro opaco Matt gold Gold matt</li> <li>35 Nichel opaco Nickel matt Nickel matt</li> <li>W2 Sabbia Sand Sand</li> <li>W4 Corda Rope color Schnur-Beige</li> <li>W6 Torbra Dovegray Taubengrau</li> <li>W8 Caffè Coffee Kaffee-Braun</li> </ul>	<p><b>Metallic Collection</b> 7 weeks   € 846,00</p> <ul style="list-style-type: none"> <li>14 Ottone anti. Antique brass Messing antik</li> <li>19 Pietra del. Peltor del. Zinn del.</li> <li>22 Rame del. Copper del. Kupfer del.</li> <li>23 Oro della Gold della Gold della</li> </ul>
---	---	--

PRINCE F1

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC
	Floor Standing Push button dimmer IP20 5.900 lumen - luminaire flux Indoor use Box measurements cm: L 31 x D 31 x H 191 Gross weight: KG.9,10	MID POWER LED 2.700K, 3.000K CRI 90 2.400mA Macadam step 3 LED Life L70 B50 > 54.000 h Energy Class: E	220-240 V 50 Hz 55W Class 2 Driver included Europe plug	Lighting type: Indirect Light distribution: Symmetric 

STRUCTURE	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>				
Bianco opaco / <b>Matt white</b> / Weiß matt	8013210185506	1PRF1 000 63 EL1	3 Weeks	<b>813,00</b>
<b>3.000 Kelvin</b>				
Bianco opaco / <b>Matt white</b> / Weiß matt	8013210230763	1PRF1 000 63 EL0	3 Weeks	<b>813,00</b>

ROTALIANA COLORS COLLECTION

**Satin Collection**  
5 weeks | € 894,00

**Ethic Collection**  
5 weeks | € 894,00

QB W0

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC
	Wall Surface On-Off, Phase IP20 2.300 lumen - luminaire flux Indoor use Box measurements cm: L 71 x D 64 x H 20 Gross weight: KG.1,50	MID POWER LED 2.700K CRI 90 700mA Mono Bin LED Life L70 B50 > 60.000 h Energy Class: F	220-240 V 50 Hz 25W Class 1 Driver included	Lighting type: Indirect Light distribution: Symmetric 

STRUCTURE	DIMMING	EAN	CODE	DELIVERY	EURO
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>On/off</b>	8013210179772	1QBW0 000 63 ZL0	3 Weeks	<b>346,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Phase</b>	8013210180785	1QBW0 000 63 FLO	3 Weeks	<b>380,00</b>

ROTALIANA COLORS COLLECTION

**Satin Collection**  
4 weeks | + 10% extra

**Ethic Collection**  
4 weeks | + 10% extra

SOL F1

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC
	Floor Standing 2 push button dimmers IP20 6.820 lumen up + 1.980 lumen down - uminaire flux Indoor use Box measurements cm: L 37 x D 34 x H 202 Gross weight: KG.11,40	MID POWER LED 2.700K, 3.000K CRI 90 380mA & 1200mA Macadam step 3 LED Life L70 B50 > 54.000 h Energy Class: E	220-240 V 50 Hz 62W Class 2 Driver included Europe plug	Lighting type: Indirect up + Direct down Light distribution: Symmetric UGR < 16 

STRUCTURE	GRID	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>					
Grafite / <b>Graphite</b> / Graphit	Nero opaco / <b>Matt black</b> / Schwarz matt	8013210219034	1SOF1 001 20 EL1	3 Weeks	<b>1.338,00</b>
Grafite / <b>Graphite</b> / Graphit	Bianco opaco / <b>Matt white</b> / Weiß mat	8013210219072	1SOF1 002 20 EL1	3 Weeks	<b>1.338,00</b>
Grafite / <b>Graphite</b> / Graphit	Cromo opaco / <b>Matt chrome</b> / Chrom matt	8013210219089	1SOF1 003 20 EL1	3 Weeks	<b>1.338,00</b>
Grafite / <b>Graphite</b> / Graphit	Oro opaco / <b>Matt gold</b> / Gold matt	8013210219096	1SOF1 004 20 EL1	3 Weeks	<b>1.338,00</b>
Bronzo scuro / <b>Dark bronze</b> / Bronze Dunkel	Nero opaco / <b>Matt black</b> / Schwarz matt	8013210219041	1SOF1 001 48 EL1	3 Weeks	<b>1.338,00</b>
Bronzo scuro / <b>Dark bronze</b> / Bronze Dunkel	Bianco opaco / <b>Matt white</b> / Weiß mat	8013210219102	1SOF1 002 48 EL1	3 Weeks	<b>1.338,00</b>
Bronzo scuro / <b>Dark bronze</b> / Bronze Dunkel	Cromo opaco / <b>Matt chrome</b> / Chrom matt	8013210219119	1SOF1 003 48 EL1	3 Weeks	<b>1.338,00</b>
Bronzo scuro / <b>Dark bronze</b> / Bronze Dunkel	Oro opaco / <b>Matt gold</b> / Gold matt	8013210219126	1SOF1 004 48 EL1	3 Weeks	<b>1.338,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Nero opaco / <b>Matt black</b> / Schwarz matt	8013210219058	1SOF1 001 62 EL1	2 Weeks	<b>1.338,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Bianco opaco / <b>Matt white</b> / Weiß mat	8013210219133	1SOF1 002 62 EL1	3 Weeks	<b>1.338,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Cromo opaco / <b>Matt chrome</b> / Chrom matt	8013210219157	1SOF1 003 62 EL1	3 Weeks	<b>1.338,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Oro opaco / <b>Matt gold</b> / Gold matt	8013210219164	1SOF1 004 62 EL1	3 Weeks	<b>1.338,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Nero opaco / <b>Matt black</b> / Schwarz matt	8013210219065	1SOF1 001 63 EL1	3 Weeks	<b>1.338,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Bianco opaco / <b>Matt white</b> / Weiß mat	8013210219171	1SOF1 002 63 EL1	2 Weeks	<b>1.338,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Cromo opaco / <b>Matt chrome</b> / Chrom matt	8013210219188	1SOF1 003 63 EL1	3 Weeks	<b>1.338,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Oro opaco / <b>Matt gold</b> / Gold matt	8013210219195	1SOF1 004 63 EL1	3 Weeks	<b>1.338,00</b>
Bronzo satinato / <b>Satin bronze</b> / Bronze matt	Nero opaco / <b>Matt black</b> / Schwarz matt	8013210219027	1SOF1 001 64 EL1	3 Weeks	<b>1.338,00</b>
Bronzo satinato / <b>Satin bronze</b> / Bronze matt	Bianco opaco / <b>Matt white</b> / Weiß mat	8013210219201	1SOF1 002 64 EL1	3 Weeks	<b>1.338,00</b>
Bronzo satinato / <b>Satin bronze</b> / Bronze matt	Cromo opaco / <b>Matt chrome</b> / Chrom matt	8013210219218	1SOF1 003 64 EL1	3 Weeks	<b>1.338,00</b>
Bronzo satinato / <b>Satin bronze</b> / Bronze matt	Oro opaco / <b>Matt gold</b> / Gold matt	8013210219225	1SOF1 004 64 EL1	2 Weeks	<b>1.338,00</b>
<b>Rossumosto LIMITED EDITION</b>	Rossumosto	8013210235935	1SOF1 005 72 EL1	3 Weeks	<b>1.545,00</b>
<b>3.000 Kelvin</b>					
Grafite / <b>Graphite</b> / Graphit	Nero opaco / <b>Matt black</b> / Schwarz matt	8013210219232	1SOF1 001 20 EL0	3 Weeks	<b>1.338,00</b>
Grafite / <b>Graphite</b> / Graphit	Bianco opaco / <b>Matt white</b> / Weiß mat	8013210219256	1SOF1 002 20 EL0	3 Weeks	<b>1.338,00</b>
Grafite / <b>Graphite</b> / Graphit	Cromo opaco / <b>Matt chrome</b> / Chrom matt	8013210219270	1SOF1 003 20 EL0	3 Weeks	<b>1.338,00</b>
Grafite / <b>Graphite</b> / Graphit	Oro opaco / <b>Matt gold</b> / Gold matt	8013210219287	1SOF1 004 20 EL0	3 Weeks	<b>1.338,00</b>
Bronzo scuro / <b>Dark bronze</b> / Bronze Dunkel	Nero opaco / <b>Matt black</b> / Schwarz matt	8013210219300	1SOF1 001 48 EL0	3 Weeks	<b>1.338,00</b>
Bronzo scuro / <b>Dark bronze</b> / Bronze Dunkel	Bianco opaco / <b>Matt white</b> / Weiß mat	8013210219324	1SOF1 002 48 EL0	3 Weeks	<b>1.338,00</b>
Bronzo scuro / <b>Dark bronze</b> / Bronze Dunkel	Cromo opaco / <b>Matt chrome</b> / Chrom matt	8013210219331	1SOF1 003 48 EL0	3 Weeks	<b>1.338,00</b>
Bronzo scuro / <b>Dark bronze</b> / Bronze Dunkel	Oro opaco / <b>Matt gold</b> / Gold matt	8013210219348	1SOF1 004 48 EL0	3 Weeks	<b>1.338,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Nero opaco / <b>Matt black</b> / Schwarz matt	8013210219355	1SOF1 001 62 EL0	2 Weeks	<b>1.338,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Bianco opaco / <b>Matt white</b> / Weiß mat	8013210219362	1SOF1 002 62 EL0	3 Weeks	<b>1.338,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Cromo opaco / <b>Matt chrome</b> / Chrom matt	8013210219379	1SOF1 003 62 EL0	3 Weeks	<b>1.338,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Oro opaco / <b>Matt gold</b> / Gold matt	8013210219386	1SOF1 004 62 EL0	3 Weeks	<b>1.338,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Nero opaco / <b>Matt black</b> / Schwarz matt	8013210219393	1SOF1 001 63 EL0	3 Weeks	<b>1.338,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Bianco opaco / <b>Matt white</b> / Weiß mat	8013210219416	1SOF1 002 63 EL0	2 Weeks	<b>1.338,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Cromo opaco / <b>Matt chrome</b> / Chrom matt	8013210219423	1SOF1 003 63 EL0	3 Weeks	<b>1.338,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Oro opaco / <b>Matt gold</b> / Gold matt	8013210219430	1SOF1 004 63 EL0	3 Weeks	<b>1.338,00</b>
Bronzo satinato / <b>Satin bronze</b> / Bronze matt	Nero opaco / <b>Matt black</b> / Schwarz matt	8013210219447	1SOF1 001 64 EL0	3 Weeks	<b>1.338,00</b>
Bronzo satinato / <b>Satin bronze</b> / Bronze matt	Bianco opaco / <b>Matt white</b> / Weiß mat	8013210219454	1SOF1 002 64 EL0	3 Weeks	<b>1.338,00</b>
Bronzo satinato / <b>Satin bronze</b> / Bronze matt	Cromo opaco / <b>Matt chrome</b> / Chrom matt	8013210219485	1SOF1 003 64 EL0	3 Weeks	<b>1.338,00</b>
Bronzo satinato / <b>Satin bronze</b> / Bronze matt	Oro opaco / <b>Matt gold</b> / Gold matt	8013210219492	1SOF1 004 64 EL0	2 Weeks	<b>1.338,00</b>
<b>Rossumosto LIMITED EDITION</b>	Rossumosto	8013210235850	1SOF1 005 72 EL0	3 Weeks	<b>1.545,00</b>

GRID

001  
Nero opaco  
Matt black  
Schwarz matt

002  
Bianco opaco  
Matt white  
Weiß matt

003  
Cromo opaco  
Matt chrome  
Chrom matt

004  
Oro opaco  
Matt gold  
Gold matt

SOL T1

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC
	<p>Table Standing 2 potentiometers IP20 6.820 lumen up + 1.980 lumen down luminaire flux Indoor use Box measurements cm: L 34 x D 34 x H 140 Gross weight: KG.8,50</p>	<p>MID POWER LED 2.700K, 3.000K CRI 90 380mA &amp; 1.200mA Macadam step 3 LED Life L70 B50 &gt; 54.000 h Energy Class: E</p>	<p>220-240 V 50 Hz 62W Class 2 Driver included Europe plug</p>	<p>Lighting type: Indirect up + Direct down Light distribution: Symmetric UGR &lt; 16</p>

STRUCTURE	GRID	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>					
Grafite / <b>Graphite</b> / Graphit	Nero opaco / <b>Matt black</b> / Schwarz matt		1SOT1 001 20 GL1	5 Weeks	<b>1.473,00</b>
Grafite / <b>Graphite</b> / Graphit	Bianco opaco / <b>Matt white</b> / Weiß mat		1SOT1 002 20 GL1	5 Weeks	<b>1.473,00</b>
Grafite / <b>Graphite</b> / Graphit	Cromo opaco / <b>Matt chrome</b> / Chrom matt		1SOT1 003 20 GL1	5 Weeks	<b>1.473,00</b>
Grafite / <b>Graphite</b> / Graphit	Oro opaco / <b>Matt gold</b> / Gold matt		1SOT1 004 20 GL1	5 Weeks	<b>1.473,00</b>
Bronzo scuro / <b>Dark bronze</b> / Bronze Dunkel	Nero opaco / <b>Matt black</b> / Schwarz matt		1SOT1 001 48 GL1	5 Weeks	<b>1.473,00</b>
Bronzo scuro / <b>Dark bronze</b> / Bronze Dunkel	Bianco opaco / <b>Matt white</b> / Weiß mat		1SOT1 002 48 GL1	5 Weeks	<b>1.473,00</b>
Bronzo scuro / <b>Dark bronze</b> / Bronze Dunkel	Cromo opaco / <b>Matt chrome</b> / Chrom matt		1SOT1 003 48 GL1	5 Weeks	<b>1.473,00</b>
Bronzo scuro / <b>Dark bronze</b> / Bronze Dunkel	Oro opaco / <b>Matt gold</b> / Gold matt		1SOT1 004 48 GL1	5 Weeks	<b>1.473,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Nero opaco / <b>Matt black</b> / Schwarz matt		1SOT1 001 62 GL1	5 Weeks	<b>1.473,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Bianco opaco / <b>Matt white</b> / Weiß mat		1SOT1 002 62 GL1	5 Weeks	<b>1.473,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Cromo opaco / <b>Matt chrome</b> / Chrom matt		1SOT1 003 62 GL1	5 Weeks	<b>1.473,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Oro opaco / <b>Matt gold</b> / Gold matt		1SOT1 004 62 GL1	5 Weeks	<b>1.473,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Nero opaco / <b>Matt black</b> / Schwarz matt		1SOT1 001 63 GL1	5 Weeks	<b>1.473,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Bianco opaco / <b>Matt white</b> / Weiß mat		1SOT1 002 63 GL1	5 Weeks	<b>1.473,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Cromo opaco / <b>Matt chrome</b> / Chrom matt		1SOT1 003 63 GL1	5 Weeks	<b>1.473,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Oro opaco / <b>Matt gold</b> / Gold matt		1SOT1 004 63 GL1	5 Weeks	<b>1.473,00</b>
Bronzo satinato / <b>Satin bronze</b> / Bronze matt	Nero opaco / <b>Matt black</b> / Schwarz matt		1SOT1 001 64 GL1	5 Weeks	<b>1.473,00</b>
Bronzo satinato / <b>Satin bronze</b> / Bronze matt	Bianco opaco / <b>Matt white</b> / Weiß mat		1SOT1 002 64 GL1	5 Weeks	<b>1.473,00</b>
Bronzo satinato / <b>Satin bronze</b> / Bronze matt	Cromo opaco / <b>Matt chrome</b> / Chrom matt		1SOT1 003 64 GL1	5 Weeks	<b>1.473,00</b>
Bronzo satinato / <b>Satin bronze</b> / Bronze matt	Oro opaco / <b>Matt gold</b> / Gold matt		1SOT1 004 64 GL1	5 Weeks	<b>1.473,00</b>
<b>3.000 Kelvin</b>					
Grafite / <b>Graphite</b> / Graphit	Nero opaco / <b>Matt black</b> / Schwarz matt		1SOT1 001 20 GL0	5 Weeks	<b>1.473,00</b>
Grafite / <b>Graphite</b> / Graphit	Bianco opaco / <b>Matt white</b> / Weiß mat		1SOT1 002 20 GL0	5 Weeks	<b>1.473,00</b>
Grafite / <b>Graphite</b> / Graphit	Cromo opaco / <b>Matt chrome</b> / Chrom matt		1SOT1 003 20 GL0	5 Weeks	<b>1.473,00</b>
Grafite / <b>Graphite</b> / Graphit	Oro opaco / <b>Matt gold</b> / Gold matt		1SOT1 004 20 GL0	5 Weeks	<b>1.473,00</b>
Bronzo scuro / <b>Dark bronze</b> / Bronze Dunkel	Nero opaco / <b>Matt black</b> / Schwarz matt		1SOT1 001 48 GL0	5 Weeks	<b>1.473,00</b>
Bronzo scuro / <b>Dark bronze</b> / Bronze Dunkel	Bianco opaco / <b>Matt white</b> / Weiß mat		1SOT1 002 48 GL0	5 Weeks	<b>1.473,00</b>
Bronzo scuro / <b>Dark bronze</b> / Bronze Dunkel	Cromo opaco / <b>Matt chrome</b> / Chrom matt		1SOT1 003 48 GL0	5 Weeks	<b>1.473,00</b>
Bronzo scuro / <b>Dark bronze</b> / Bronze Dunkel	Oro opaco / <b>Matt gold</b> / Gold matt		1SOT1 004 48 GL0	5 Weeks	<b>1.473,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Nero opaco / <b>Matt black</b> / Schwarz matt		1SOT1 001 62 GL0	5 Weeks	<b>1.473,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Bianco opaco / <b>Matt white</b> / Weiß mat		1SOT1 002 62 GL0	5 Weeks	<b>1.473,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Cromo opaco / <b>Matt chrome</b> / Chrom matt		1SOT1 003 62 GL0	5 Weeks	<b>1.473,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Oro opaco / <b>Matt gold</b> / Gold matt		1SOT1 004 62 GL0	5 Weeks	<b>1.473,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Nero opaco / <b>Matt black</b> / Schwarz matt		1SOT1 001 63 GL0	5 Weeks	<b>1.473,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Bianco opaco / <b>Matt white</b> / Weiß mat		1SOT1 002 63 GL0	5 Weeks	<b>1.473,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Cromo opaco / <b>Matt chrome</b> / Chrom matt		1SOT1 003 63 GL0	5 Weeks	<b>1.473,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Oro opaco / <b>Matt gold</b> / Gold matt		1SOT1 004 63 GL0	5 Weeks	<b>1.473,00</b>
Bronzo satinato / <b>Satin bronze</b> / Bronze matt	Nero opaco / <b>Matt black</b> / Schwarz matt		1SOT1 001 64 GL0	5 Weeks	<b>1.473,00</b>
Bronzo satinato / <b>Satin bronze</b> / Bronze matt	Bianco opaco / <b>Matt white</b> / Weiß mat		1SOT1 002 64 GL0	5 Weeks	<b>1.473,00</b>
Bronzo satinato / <b>Satin bronze</b> / Bronze matt	Cromo opaco / <b>Matt chrome</b> / Chrom matt		1SOT1 003 64 GL0	5 Weeks	<b>1.473,00</b>
Bronzo satinato / <b>Satin bronze</b> / Bronze matt	Oro opaco / <b>Matt gold</b> / Gold matt		1SOT1 004 64 GL0	5 Weeks	<b>1.473,00</b>

**GRID**

Nero opaco Matt black Schwarz matt	Bianco opaco Matt white Weiß matt	Cromo opaco Matt chrome Chrom matt	Oro opaco Matt gold Gold matt

SOL H1

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC
	<p>Ceiling Suspended Push, Casambi IP20 5.900 lumen up + 1.980 lumen down luminaire flux Indoor use Box measurements cm: L 36 x D 34 x H 21 Gross weight: KG.4,20</p>	<p>MID POWER LED 2.700K, 3.000K CRI 90 400mA &amp; 1050mA Macadam step 3 LED Life L70 B50 &gt; 54.000 h Energy Class: E</p>	<p>220-240 V 50 Hz 57W Class 1 Driver included</p>	<p>Lighting type: Indirect up + Direct down Light distribution: Symmetric UGR &lt; 16</p>

STRUCTURE	DIMMING	GRID	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>						
<input type="checkbox"/> Bianco opaco / <b>Matt white</b> / Weiß matt	<b>On/off</b>	001 / 002 / 003 / 004		1SOH1 ..* <b>63</b> ZL1	4 Weeks	<b>711,00</b>
<input type="checkbox"/> Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Push + Casambi</b>	001 / 002 / 003 / 004		1SOH1 ..* <b>63</b> CL1	4 Weeks	<b>979,00</b>
<b>3.000 Kelvin</b>						
<input type="checkbox"/> Bianco opaco / <b>Matt white</b> / Weiß matt	<b>On/off</b>	001 / 002 / 003 / 004		1SOH1 ..* <b>63</b> ZL0	4 Weeks	<b>711,00</b>
<input type="checkbox"/> Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Push + Casambi</b>	001 / 002 / 003 / 004		1SOH1 ..* <b>63</b> CL0	4 Weeks	<b>979,00</b>

**GRID**

Nero opaco Matt black Schwarz matt	Bianco opaco Matt white Weiß matt	Cromo opaco Matt chrome Chrom matt	Oro opaco Matt gold Gold matt

**ROTALIANA COLORS COLLECTION** Canopy: same colour as diffuser

<b>Satin Collection</b> 4 weeks   + 10% extra										<b>Ethic Collection</b> 4 weeks   + 10% extra							
Grafite Graphite Graphit	Oro regale Royal gold Luxus Gold	Argento Silver Silber	Bronzo scuro Dark bronze Bronze Dunkel	Nero opaco Matt black Schwarz matt	Bronzo Bronze Bronze	Champagne Champagne Champagner	Bronzo opaco Matt bronze Bronze matt	Rame opaco Matt Copper Kupfer matt	Carne di uccello Power gum matt Mauve Rouge	Oro opaco Matt gold Gold matt	Nichel opaco Nickel matt Nickel matt	Sabbia Sand Sand	Corrida Rope color Schmutz Beige	Torona Dovegray Taubengrau	Caffè Coffee Kaffee Braun		

SOL H2

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC
	Ceiling Suspended Push, Casambi IP20 5.900 lumen up + 1.980 lumen down luminaire flux Indoor use Box measurements cm: L 125 x D 125 x H 11 Gross weight: KG.11,00	MID POWER LED 2.700K, 3.000K CRI 90 400mA & 1050mA Macadam step 3 LED Life L70 B50 > 54.000 h Energy Class: E	220-240 V 50 Hz 57W Class 1 Driver included	Lighting type: Indirect up + Direct down Light distribution: Symmetric UGR < 16 Discover Sol

STRUCTURE	DIMMING	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>				
<input type="checkbox"/> Bianco opaco / <b>Matt white</b> / Weiß matt	<b>On/off</b>	1SOH2 * 0 * <b>63</b> ZL1	on demand	<b>1.597,00</b>
<input type="checkbox"/> Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Push + Casambi</b>	1SOH2 * 0 * <b>63</b> CL1	on demand	<b>1.864,00</b>
<b>3.000 Kelvin</b>				
<input type="checkbox"/> Bianco opaco / <b>Matt white</b> / Weiß matt	<b>On/off</b>	1SOH2 * 0 * <b>63</b> ZL0	on demand	<b>1.597,00</b>
<input type="checkbox"/> Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Push + Casambi</b>	1SOH2 * 0 * <b>63</b> CL0	on demand	<b>1.864,00</b>

\* GRID



ROITALIANA COLORS COLLECTION

Canopy: same colour as diffuser

<p><b>Satin Collection</b> 4 weeks   + 10% extra</p> <ul style="list-style-type: none"> <li style="margin-right: 10px;">20 Grafite Graphite</li> <li style="margin-right: 10px;">33 Oro regale Royal gold Luxus Gold</li> <li style="margin-right: 10px;">43 Argento Silver</li> <li style="margin-right: 10px;">48 Bronzo scuro Dark bronze</li> <li style="margin-right: 10px;">62 Nero opaco Matt black Schwarz matt</li> <li style="margin-right: 10px;">64 Bronzo Bronze</li> <li style="margin-right: 10px;">65 Champagne Champagne</li> </ul>	<p><b>Ethic Collection</b> 4 weeks   + 10% extra</p> <ul style="list-style-type: none"> <li style="margin-right: 10px;">26 Bronzo opaco Matt bronze</li> <li style="margin-right: 10px;">27 Rame opaco Matt Copper</li> <li style="margin-right: 10px;">32 Carne di fucile Powder gun matt</li> <li style="margin-right: 10px;">34 Oro opaco Matt gold Gold matt</li> <li style="margin-right: 10px;">35 Nichel opaco Nickel matt</li> <li style="margin-right: 10px;">W2 Sabbia Sand</li> <li style="margin-right: 10px;">W4 Corda Rope color</li> <li style="margin-right: 10px;">W6 Tortora Dovegray</li> <li style="margin-right: 10px;">W8 Caffè Coffee</li> </ul>	<p><b>* SOUND ABSORBING PANEL</b></p> <ul style="list-style-type: none"> <li style="margin-right: 10px;">1 Verde muschio Moss green Moosgrün</li> <li style="margin-right: 10px;">2 Cilegia Cherry</li> <li style="margin-right: 10px;">3 Sabbia Sand</li> <li style="margin-right: 10px;">4 Tortora Dovegray</li> </ul>
--	---	--

**SOUVLAKI H1**

Faretto a plafone con diffusore in vetro / Ceiling mounted spotlight with glass diffuser / Aufbastrahler mit Glasdiffusor

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC
	Ceiling Surface On-Off IP20 min 842 max 886 lumen luminaire flux Indoor use Box measurements cm: L 20 x D 20 x H 34 Gross weight: KG.1,00	MID POWER LED 2.700K, 3000K CRI 90 300mA Macadam step 2 LED Life L80 B50 > 55.400 h Energy Class: F	300mA SELV60 10,8W Class 3 Driver not included: (use 300 mA - 15 Watt)	Lighting type: Indirect Light distribution: Symmetric 

STRUCTURE	GLASS	LUMEN	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>						
Bianco / <b>White</b> / Weiß	Semispherical	842	8013210239575	1SVH1 001 <b>63</b> OL0	3 Weeks	<b>319,00</b>
Bianco / <b>White</b> / Weiß	Conical	858	8013210239599	1SVH1 002 <b>63</b> OL0	3 Weeks	<b>319,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Semispherical	842	8013210224540	1SVH1 001 <b>62</b> OL0	3 Weeks	<b>319,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Conical	858	8013210224557	1SVH1 002 <b>62</b> OL0	3 Weeks	<b>319,00</b>
<b>3.000 Kelvin</b>						
Bianco / <b>White</b> / Weiß	Semispherical	871	8013210239605	1SVH1 001 <b>63</b> OL1	3 Weeks	<b>319,00</b>
Bianco / <b>White</b> / Weiß	Conical	886	8013210239582	1SVH1 002 <b>63</b> OL1	3 Weeks	<b>319,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Semispherical	871	8013210224564	1SVH1 001 <b>62</b> OL1	3 Weeks	<b>319,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Conical	886	8013210224588	1SVH1 002 <b>62</b> OL1	3 Weeks	<b>319,00</b>

**ROTALIANA COLORS COLLECTION**

**Ethic Collection**

5 weeks | € 351,00



**SOUVLAKI H2**

Faretto a plafone con diffusore in vetro e driver integrato / Ceiling mounted spotlight with glass diffuser with integrated driver / Aufbastrahler mit Glasdiffusor und eingebauten Driver

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC
	Ceiling Surface On-Off IP20 min 702 max 739 lumen luminaire flux Indoor use Box measurements cm: L 20 x D 20 x H 35 Gross weight: KG.1,10	MID POWER LED 2.700K, 3000K CRI 90 250mA Macadam step 2 LED Life L80 B50 > 55.400 h Energy Class: F	220 - 240 V 9,5W Class 1 Driver included (250A)	Lighting type: Indirect Light distribution: Symmetric 

STRUCTURE	GLASS	DIMMING	LUMEN	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>							
Bianco / <b>White</b> / Weiß	Semispherical	<b>On/off</b>	702	8013210230053	1SVH2 001 <b>63</b> ZL0	3 Weeks	<b>355,00</b>
Bianco / <b>White</b> / Weiß	Conical	<b>On/off</b>	715	8013210230077	1SVH2 002 <b>63</b> ZL0	3 Weeks	<b>355,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Semispherical	<b>On/off</b>	702	8013210223536	1SVH2 001 <b>62</b> ZL0	3 Weeks	<b>355,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Conical	<b>On/off</b>	715	8013210224595	1SVH2 002 <b>62</b> ZL0	3 Weeks	<b>355,00</b>
<b>3.000 Kelvin</b>							
Bianco / <b>White</b> / Weiß	Semispherical	<b>On/off</b>	726	8013210230060	1SVH2 001 <b>63</b> ZL1	3 Weeks	<b>355,00</b>
Bianco / <b>White</b> / Weiß	Conical	<b>On/off</b>	739	8013210230084	1SVH2 002 <b>63</b> ZL1	3 Weeks	<b>355,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Semispherical	<b>On/off</b>	726	8013210224601	1SVH2 001 <b>62</b> ZL1	3 Weeks	<b>355,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Conical	<b>On/off</b>	739	8013210224618	1SVH2 002 <b>62</b> ZL1	3 Weeks	<b>355,00</b>

**ROTALIANA COLORS COLLECTION**

**Ethic Collection**

5 weeks | € 391,00



**SOUVLAKI H3**

Faretto sospeso con diffusore in vetro / Pendant spotlight with glass diffuser / Pendelstrahler mit Glasdiffusor

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC
	Ceiling Suspension On-Off IP20 min 702 max 739 lumen luminaire flux Indoor use Box measurements cm: L 20 x D 20 x H 34 Gross weight: KG.1,00	MID POWER LED 2.700K, 3000K CRI 90 250mA Macadam step 4 LED Life L80 B50 > 55.400 h Energy Class: F	220 - 240 V 9,5W Class 1 Driver included (250A)	Lighting type: Indirect Light distribution: Symmetric 

STRUCTURE	GLASS	DIMMING	LUMEN	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>							
Bianco / <b>White</b> / Weiß	Semispherical	<b>On/off</b>	702	8013210239612	1SVH3 001 <b>63</b> ZL0	3 Weeks	<b>464,00</b>
Bianco / <b>White</b> / Weiß	Conical	<b>On/off</b>	715	8013210239629	1SVH3 002 <b>63</b> ZL0	3 Weeks	<b>464,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Semispherical	<b>On/off</b>	702	8013210224625	1SVH3 001 <b>62</b> ZL0	3 Weeks	<b>464,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Conical	<b>On/off</b>	715	8013210224632	1SVH3 002 <b>62</b> ZL0	3 Weeks	<b>464,00</b>
<b>3.000 Kelvin</b>							
Bianco / <b>White</b> / Weiß	Semispherical	<b>On/off</b>	702	8013210239636	1SVH3 001 <b>63</b> ZL1	3 Weeks	<b>464,00</b>
Bianco / <b>White</b> / Weiß	Conical	<b>On/off</b>	715	8013210239643	1SVH3 002 <b>63</b> ZL1	3 Weeks	<b>464,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Semispherical	<b>On/off</b>	726	8013210224649	1SVH3 001 <b>62</b> ZL1	3 Weeks	<b>464,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Conical	<b>On/off</b>	739	8013210224656	1SVH3 002 <b>62</b> ZL1	3 Weeks	<b>464,00</b>

**ROTALIANA COLORS COLLECTION**

**Ethic Collection**

6 weeks | € 510,00



**SOUVLAKI H4**

Faretto a plafone orientabile Ø 50mm con driver integrato / Ceiling mounted spotlight Ø 50mm with integrated driver / Aufbaustrahler orientierbar Ø 50mm mit eingebauten Driver

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC
	Ceiling Surface On-Off IP20 min 662 max 828 lumen luminaire flux Indoor use Box measurements cm: L 20 x D 20 x H 35 Gross weight: KG.0,40	MID POWER LED 2.700K, 3.000K CRI 90 250mA Macadam step 5 LED Life L80 B50 > 55.400 h Energy Class: F	220 - 240 V 9,5W Class 1 Driver included (250A)	Lighting type: Direct Light distribution: Symmetric 

STRUCTURE	LENS BEAM	DIMMING	LUMEN	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>							
Bianco / <b>White</b> / Weiß	18°	<b>On/off</b>	760	8013210227725	1SVH4 001 <b>63</b> ZL0	3 Weeks	<b>304,00</b>
Bianco / <b>White</b> / Weiß	24°	<b>On/off</b>	800	8013210227749	1SVH4 002 <b>63</b> ZL0	3 Weeks	<b>304,00</b>
Bianco / <b>White</b> / Weiß	36°	<b>On/off</b>	662	8013210227701	1SVH4 003 <b>63</b> ZL0	3 Weeks	<b>304,00</b>
Bianco / <b>White</b> / Weiß	60°	<b>On/off</b>	694	8013210227787	1SVH4 004 <b>63</b> ZL0	3 Weeks	<b>304,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	18°	<b>On/off</b>	760	8013210227671	1SVH4 001 <b>62</b> ZL0	3 Weeks	<b>304,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	24°	<b>On/off</b>	800	8013210224670	1SVH4 002 <b>62</b> ZL0	3 Weeks	<b>304,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	36°	<b>On/off</b>	662	8013210224687	1SVH4 003 <b>62</b> ZL0	3 Weeks	<b>304,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	60°	<b>On/off</b>	694	8013210224694	1SVH4 004 <b>62</b> ZL0	3 Weeks	<b>304,00</b>
<b>3.000 Kelvin</b>							
Bianco / <b>White</b> / Weiß	18°	<b>On/off</b>	784	8013210227732	1SVH4 001 <b>63</b> ZL1	3 Weeks	<b>304,00</b>
Bianco / <b>White</b> / Weiß	24°	<b>On/off</b>	828	8013210227756	1SVH4 002 <b>63</b> ZL1	3 Weeks	<b>304,00</b>
Bianco / <b>White</b> / Weiß	36°	<b>On/off</b>	684	8013210227763	1SVH4 003 <b>63</b> ZL1	3 Weeks	<b>304,00</b>
Bianco / <b>White</b> / Weiß	60°	<b>On/off</b>	717	8013210234594	1SVH4 004 <b>63</b> ZL1	3 Weeks	<b>304,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	18°	<b>On/off</b>	784	8013210224700	1SVH4 001 <b>62</b> ZL1	3 Weeks	<b>304,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	24°	<b>On/off</b>	828	8013210223079	1SVH4 002 <b>62</b> ZL1	3 Weeks	<b>304,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	36°	<b>On/off</b>	684	8013210224717	1SVH4 003 <b>62</b> ZL1	3 Weeks	<b>304,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	60°	<b>On/off</b>	717	8013210224724	1SVH4 004 <b>62</b> ZL1	3 Weeks	<b>304,00</b>

**ROTALIANA COLORS COLLECTION**

**Ethic Collection**

6 weeks | € 334,00



**SOUVLAKI H5**

Faretto da incasso orientabile Ø 50mm con trim / Ceiling mounted semi-recessed spotlight Ø 50mm with trim / Einbaustrahler orientierbar Ø 50mm mit trimmer

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC
	Ceiling Recessed IP20 min 795 max 962 lumen luminaire flux Indoor use Box measurements cm: L 20 x D 20 x H 35 Gross weight: KG.0,40	MID POWER LED 2.700K, 3.000K CRI 90 300mA Macadam step 2 LED Life L80 B50 > 55.400 h Energy Class: F	300mA SELV60 10,8W Class 3 Driver not included: (use 300 mA - 15 Watt)	Lighting type: Direct Light distribution: Symmetric 

STRUCTURE	LENS BEAM	LUMEN	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>						
Bianco / <b>White</b> / Weiß	18°	913	8013210239667	1SVH5 001 <b>63</b> 0L0	3 Weeks	<b>294,00</b>
Bianco / <b>White</b> / Weiß	24°	962	8013210239674	1SVH5 002 <b>63</b> 0L0	3 Weeks	<b>294,00</b>
Bianco / <b>White</b> / Weiß	36°	795	8013210239681	1SVH5 003 <b>63</b> 0L0	3 Weeks	<b>294,00</b>
Bianco / <b>White</b> / Weiß	60°	834	8013210239698	1SVH5 004 <b>63</b> 0L0	3 Weeks	<b>294,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	18°	913	8013210224748	1SVH5 001 <b>62</b> 0L0	3 Weeks	<b>294,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	24°	962	8013210224731	1SVH5 002 <b>62</b> 0L0	3 Weeks	<b>294,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	36°	795	8013210224755	1SVH5 003 <b>62</b> 0L0	3 Weeks	<b>294,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	60°	834	8013210224762	1SVH5 004 <b>62</b> 0L0	3 Weeks	<b>294,00</b>
<b>3.000 Kelvin</b>						
Bianco / <b>White</b> / Weiß	18°	942	8013210239704	1SVH5 001 <b>63</b> 0L1	3 Weeks	<b>294,00</b>
Bianco / <b>White</b> / Weiß	24°	935	8013210239711	1SVH5 002 <b>63</b> 0L1	3 Weeks	<b>294,00</b>
Bianco / <b>White</b> / Weiß	36°	822	8013210239728	1SVH5 003 <b>63</b> 0L1	3 Weeks	<b>294,00</b>
Bianco / <b>White</b> / Weiß	60°	862	8013210239735	1SVH5 004 <b>63</b> 0L1	3 Weeks	<b>294,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	18°	942	8013210224779	1SVH5 001 <b>62</b> 0L1	3 Weeks	<b>294,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	24°	935	8013210224786	1SVH5 002 <b>62</b> 0L1	3 Weeks	<b>294,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	36°	822	8013210224809	1SVH5 003 <b>62</b> 0L1	3 Weeks	<b>294,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	60°	862	8013210224816	1SVH5 004 <b>62</b> 0L1	3 Weeks	<b>294,00</b>

**ROTALIANA COLORS COLLECTION**

**Ethic Collection**  
5 weeks | € 323,00

**SOUVLAKI H6**

Faretto da incasso orientabile Ø 50mm trimless / Ceiling mounted semi-recessed spotlight Ø 50mm trimless / Einbaustrahler orientierbar Ø 50mm ohne trimmlös

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC
	Ceiling Recessed IP20 min 795 max 962 lumen luminaire flux Indoor use Box measurements cm: L 20 x D 20 x H 35 Gross weight: KG.0,40	MID POWER LED 2.700K, 3.000K CRI 90 300mA Macadam step 2 LED Life L80 B50 > 55.400 h Energy Class: F	300mA SELV60 10,8W Class 3 Driver not included: (use 300 mA - 15 Watt)	Lighting type: Direct Light distribution: Symmetric 

STRUCTURE	LENS BEAM	LUMEN	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>						
Bianco / <b>White</b> / Weiß	18°	913	8013210239742	1SVH6 001 <b>63</b> 0L0	3 Weeks	<b>335,00</b>
Bianco / <b>White</b> / Weiß	24°	962	8013210239759	1SVH6 002 <b>63</b> 0L0	3 Weeks	<b>335,00</b>
Bianco / <b>White</b> / Weiß	36°	795	8013210239766	1SVH6 003 <b>63</b> 0L0	3 Weeks	<b>335,00</b>
Bianco / <b>White</b> / Weiß	60°	834	8013210239773	1SVH6 004 <b>63</b> 0L0	3 Weeks	<b>335,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	18°	913	8013210229163	1SVH6 001 <b>62</b> 0L0	3 Weeks	<b>335,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	24°	962	8013210229170	1SVH6 002 <b>62</b> 0L0	3 Weeks	<b>335,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	36°	795	8013210229187	1SVH6 003 <b>62</b> 0L0	3 Weeks	<b>335,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	60°	834	8013210229194	1SVH6 004 <b>62</b> 0L0	3 Weeks	<b>335,00</b>
<b>3.000 Kelvin</b>						
Bianco / <b>White</b> / Weiß	18°	913	8013210239780	1SVH6 001 <b>63</b> 0L1	3 Weeks	<b>335,00</b>
Bianco / <b>White</b> / Weiß	24°	962	8013210239797	1SVH6 002 <b>63</b> 0L1	3 Weeks	<b>335,00</b>
Bianco / <b>White</b> / Weiß	36°	795	8013210239803	1SVH6 003 <b>63</b> 0L1	3 Weeks	<b>335,00</b>
Bianco / <b>White</b> / Weiß	60°	834	8013210239810	1SVH6 004 <b>63</b> 0L1	3 Weeks	<b>335,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	18°	942	8013210229200	1SVH6 001 <b>62</b> 0L1	3 Weeks	<b>335,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	24°	935	8013210229217	1SVH6 002 <b>62</b> 0L1	3 Weeks	<b>335,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	36°	822	8013210229224	1SVH6 003 <b>62</b> 0L1	3 Weeks	<b>335,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	60°	862	8013210229231	1SVH6 004 <b>62</b> 0L1	3 Weeks	<b>335,00</b>

**ROTALIANA COLORS COLLECTION**

**Ethic Collection**  
5 weeks | € 369,00

# SOUVLAKI

## SYSTEM



CONFIGURATOR

Binario Ø 25mm a 48V con conduttori di alimentazione e di segnale (DALI/CASAMBI) / Track Ø 25mm 48V with power and signal (DALI/CASAMBI) conductors / Stromschiene 48V Ø 25mm mit Stromversorgung und Signalleitungen (DALI/CASAMBI)



Ø 2,5

L 89/119/149

Dimensions cm and Weight  
L 89 x D 2,5 x H 2,5 - KG.0,90  
L 119 x D 2,5 x H 2,5 - KG.1,20  
L 149 x D 2,5 x H 2,5 - KG.1,51

STRUCTURE	LENGHT cm	EAN	CODE	DELIVERY	EURO
Bianco / <b>White</b> / Weiß *	89	8013210239032	ASVBI 001 <b>63</b> Z00	4 Weeks	<b>170,00</b>
Bianco / <b>White</b> / Weiß *	119	8013210239049	ASVBI 002 <b>63</b> Z00	4 Weeks	<b>207,00</b>
Bianco / <b>White</b> / Weiß *	149	8013210239056	ASVBI 003 <b>63</b> Z00	4 Weeks	<b>273,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	89	8013210223598	ASVBI 001 <b>62</b> Z00	4 Weeks	<b>170,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	119	8013210223611	ASVBI 002 <b>62</b> Z00	4 Weeks	<b>207,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	149	8013210223628	ASVBI 003 <b>62</b> Z00	4 Weeks	<b>273,00</b>

Binario Ø 25mm a 48V con conduttori di alimentazione e di segnale (DALI/CASAMBI) e sorgente a luce indiretta / Track Ø 25mm 48V with power and signal (DALI/CASAMBI) conductors with indirect light source / Stromschiene 48V Ø 25mm mit Stromversorgungs- und Signalleitungen (DALI/CASAMBI) und indirekter Lichtquelle

TECHNICAL DRAWINGS GENERAL LED ELECTRICAL OPTICAL | PHOTOMETRIC



Ø 2,5

L 89/119/149

System  
Track  
Dali, Casambi  
IP20  
min 1.613  
max 2.877  
lumen luminaire flux  
Indoor use  
Dimensions cm and Weight  
L 89 x D 3 x H 3 - KG.0,90  
L 119 x D 3 x H 3 - KG.1,20  
L 149 x D 3 x H 3 - KG.1,50

MID POWER LED  
2.700K, 3000K  
CRI 90  
Macadam step 2  
LED Life L70 B50 > 54.000 h  
Energy Class: F

48 V  
min 15,1W - max 26,5W  
Class 3  
Driver included

Lighting type: Indirect  
Light distribution: Symmetric



Discover Souvlaky

STRUCTURE POWER (W) DRIVER LENGHT cm LUMEN EAN CODE DELIVERY EURO

STRUCTURE	POWER (W)	DRIVER	LENGHT cm	LUMEN	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>								
Bianco / <b>White</b> / Weiß *	15,1	Dali / Casambi	89	1.613	8013210239063	ASVBL 001 <b>63</b> PL0	4 Weeks	<b>314,00</b>
Bianco / <b>White</b> / Weiß *	20,8	Dali / Casambi	119	2.217	8013210239131	ASVBL 002 <b>63</b> PL0	4 Weeks	<b>381,00</b>
Bianco / <b>White</b> / Weiß *	26,5	Dali / Casambi	149	2.819	8013210239148	ASVBL 003 <b>63</b> PL0	4 Weeks	<b>494,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	15,1	Dali / Casambi	89	1.613	8013210238592	ASVBL 001 <b>62</b> PL0	4 Weeks	<b>314,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	20,8	Dali / Casambi	119	2.217	8013210239148	ASVBL 002 <b>62</b> PL0	4 Weeks	<b>381,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	26,5	Dali / Casambi	149	2.819	8013210223642	ASVBL 003 <b>62</b> PL0	4 Weeks	<b>494,00</b>
<b>3.000 Kelvin</b>								
Bianco / <b>White</b> / Weiß *	15,1	Dali / Casambi	89	1.646	8013210239070	ASVBL 001 <b>63</b> PL1	4 Weeks	<b>314,00</b>
Bianco / <b>White</b> / Weiß *	20,8	Dali / Casambi	119	2.262	8013210238592	ASVBL 002 <b>63</b> PL1	4 Weeks	<b>381,00</b>
Bianco / <b>White</b> / Weiß *	26,5	Dali / Casambi	149	2.877	8013210239155	ASVBL 003 <b>63</b> PL1	4 Weeks	<b>494,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	15,1	Dali / Casambi	89	1.646	8013210223659	ASVBL 001 <b>62</b> PL1	4 Weeks	<b>314,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	20,8	Dali / Casambi	119	2.262	8013210223666	ASVBL 002 <b>62</b> PL1	4 Weeks	<b>381,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	26,5	Dali / Casambi	149	2.877	8013210223673	ASVBL 003 <b>62</b> PL1	4 Weeks	<b>494,00</b>

Tube luminoso a luce diffusa / Diffuse tubular light module / Lichtrohr diffuses Licht

TECHNICAL DRAWINGS GENERAL LED ELECTRICAL OPTICAL | PHOTOMETRIC



Ø 2,5

L 89/119/149

System  
Track  
Dali, Casambi  
IP20  
min 1.440  
max 2.570 lumen  
luminaire flux  
Indoor use  
Dimensions cm and Weight  
Ø 3,5x93 - KG.0,90

MID POWER LED  
2.700K, 3000K  
CRI 90  
Macadam step 2  
LED Life L70 B50 > 54.000 h  
Energy Class: F

48 V  
min 14,4W - max 25,5W  
Class 3  
Driver included

Lighting type: Direct  
Light distribution: Diffused




Discover Souvlaky

STRUCTURE POWER (W) DRIVER LENGHT cm LUMEN EAN CODE DELIVERY EURO

STRUCTURE	POWER (W)	DRIVER	LENGHT cm	LUMEN	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>								
Bianco / <b>White</b> / Weiß *	14,4	Dali / Casambi	89	1.440	8013210239162	ASVTL 001 <b>63</b> PLO	4 Weeks	<b>361,00</b>
Bianco / <b>White</b> / Weiß *	19,8	Dali / Casambi	119	1.979	8013210239186	ASVTL 002 <b>63</b> PLO	4 Weeks	<b>474,00</b>
Bianco / <b>White</b> / Weiß *	25,5	Dali / Casambi	149	2.518	8013210239209	ASVTL 003 <b>63</b> PLO	4 Weeks	<b>597,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	14,4	Dali / Casambi	89	1.440	8013210223680	ASVTL 001 <b>62</b> PLO	4 Weeks	<b>361,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	19,8	Dali / Casambi	119	1.979	8013210223697	ASVTL 002 <b>62</b> PLO	4 Weeks	<b>474,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	25,5	Dali / Casambi	149	2.518	8013210223703	ASVTL 003 <b>62</b> PLO	4 Weeks	<b>597,00</b>
<b>3.000 Kelvin</b>								
Bianco / <b>White</b> / Weiß *	14,4	Dali / Casambi	89	1.470	8013210225271	ASVTL 001 <b>63</b> PL1	4 Weeks	<b>361,00</b>
Bianco / <b>White</b> / Weiß *	19,8	Dali / Casambi	119	2.020	8013210239193	ASVTL 002 <b>63</b> PL1	4 Weeks	<b>474,00</b>
Bianco / <b>White</b> / Weiß *	25,5	Dali / Casambi	149	2.570	8013210239216	ASVTL 003 <b>63</b> PL1	4 Weeks	<b>597,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	14,4	Dali / Casambi	89	1.470	8013210223734	ASVTL 001 <b>62</b> PL1	4 Weeks	<b>361,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	19,8	Dali / Casambi	119	2.020	8013210223727	ASVTL 002 <b>62</b> PL1	4 Weeks	<b>474,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	25,5	Dali / Casambi	149	2.570	8013210223741	ASVTL 003 <b>62</b> PL1	4 Weeks	<b>597,00</b>

Iva esclusa-Vat excluded-Ohne MWSt


**Connettore terminale per sospensione con asta rigida compatibile con binari e tubo luminoso / Terminal connector for suspension with rigid rod compatible with tracks and light tubular module / Endverbinder für Aufhängung mit Stange, kompatibel mit Schienen und Lichtrohr**



Dimensions cm and Weight  
L 12 x D 10 x H 6 - KG.0,10

STRUCTURE	DESCRIPTION	EAN	CODE	DELIVERY	EURO
<b>White *</b>	Alimentato / Powered / Betrieben	8013210225257	ASVGT 000 <b>63</b> 001	4 Weeks	<b>149,00</b>
<b>White *</b>	Non alimentato / Not powered / Nicht betrieben	8013210225264	ASVGT 000 <b>63</b> 002	4 Weeks	<b>113,00</b>
<b>White *</b>	Alimentato+forchetta / Powered+fork / Betrieben+Maul-Verbinder	8013210226636	ASVGT 000 <b>63</b> 003	4 Weeks	<b>165,00</b>
<b>Black</b>	Alimentato / Powered / Betrieben	8013210223758	ASVGT 000 <b>62</b> 001	4 Weeks	<b>149,00</b>
<b>Black</b>	Non alimentato / Not powered / Nicht betrieben	8013210223772	ASVGT 000 <b>62</b> 002	4 Weeks	<b>113,00</b>
<b>Black</b>	Alimentato+forchetta / Powered+fork / Betrieben+Maul-Verbinder	8013210223789	ASVGT 000 <b>62</b> 003	4 Weeks	<b>165,00</b>

**Connettore angolare per sospensione con asta rigida compatibile con binari e tubo luminoso / Angular connector for suspension with rigid rod compatible with tracks and light tubular module / Eckverbinder für Aufhängung mit Stange kompatibel mit Schienen und Lichtrohr**



Dimensions cm and Weight  
L 12 x D 10 x H 6 - KG.0,20


STRUCTURE	DESCRIPTION	EAN	CODE	EURO
<b>White *</b>	Alimentato DX - interrotto / Powered righ - interrupted / Rechts betrieben unterbrochen	8013210225189	ASVGL 000 <b>63</b> 001	<b>221,00</b>
<b>White *</b>	Alimentatto SX - interrotto / Powered left - interrupted / Links betrieben unterbrochen	8013210226612	ASVGL 000 <b>63</b> 002	<b>242,00</b>
<b>White *</b>	Non alimentato passante DX / Not powered passerby right / Nicht betrieben. Durchangstrom rechts	8013210225172	ASVGL 000 <b>63</b> 003	<b>221,00</b>
<b>White *</b>	Alimentato a DX + forchetta a DX - interrotto / Powered right + right fork - interrupted / Rechts betrieben-Maulverdinder rechts - unterbrochen	8013210239087	ASVGL 000 <b>63</b> 004	<b>288,00</b>
<b>White *</b>	Non alimentato passante + forchetta a DX / Not powered passerby + right fork / nicht gespeist durchgang +Maulverdinder rechts	8013210239094	ASVGL 000 <b>63</b> 005	<b>258,00</b>
<b>White *</b>	Alimentato a SX + forchetta a SX - interrotto / Powered left + left fork - interrupted / Links gespeist+ Maulverbinder links -unterbrochen	8013210239100	ASVGL 000 <b>63</b> 006	<b>288,00</b>
<b>White *</b>	Non alimentato passante + forchetta a SX / Not powered passerby + left fork / Nicht betriben durchgang + Maulverbinder links	8013210239117	ASVGL 000 <b>63</b> 007	<b>258,00</b>
<b>White *</b>	Non alimentato passante SX / Not powered passerby left / Nicht betrieben. Durchangstrom links	8013210239124	ASVGL 000 <b>63</b> 008	<b>221,00</b>
<b>Black</b>	Alimentato DX - interrotto / Powered righ - interrupted / Rechts betrieben unterbrochen	8013210223796	ASVGL 000 <b>62</b> 001	<b>221,00</b>
<b>Black</b>	Alimentatto SX - interrotto / Powered left - interrupted / Links betrieben unterbrochen	8013210223819	ASVGL 000 <b>62</b> 002	<b>242,00</b>
<b>Black</b>	Non alimentato passante DX / Not powered passerby right / Nicht betrieben. Durchangstrom rechts	8013210223826	ASVGL 000 <b>62</b> 003	<b>221,00</b>
<b>Black</b>	Alimentato a DX + forchetta a DX - interrotto / Powered right + right fork - interrupted / Rechts betrieben-Maulverdinder rechts - unterbrochen	8013210225868	ASVGL 000 <b>62</b> 004	<b>288,00</b>
<b>Black</b>	Non alimentato passante + forchetta a DX / Not powered passerby + right fork / nicht gespeist durchgang +Maulverdinder rechts	8013210223833	ASVGL 000 <b>62</b> 005	<b>258,00</b>
<b>Black</b>	Alimentato a SX + forchetta a SX - interrotto / Powered left + left fork - interrupted / Links gespeist+ Maulverbinder links -unterbrochen	8013210223840	ASVGL 000 <b>62</b> 006	<b>288,00</b>
<b>Black</b>	Non alimentato passante + forchetta a SX / Not powered passerby + left fork / Nicht betriben durchgang + Maulverbinder links	8013210223857	ASVGL 000 <b>62</b> 007	<b>258,00</b>
<b>Black</b>	Non alimentato passante SX / Not powered passerby left / Nicht betrieben. Durchangstrom links	8013210226490	ASVGL 000 <b>62</b> 008	<b>221,00</b>

Delivery: 4 Weeks

\* Disponibile da maggio / Available from May / Ab Mai erhältlich

Iva esclusa-Vat excluded-Ohne MWSt


**Connettore passante per sospensione con asta rigida compatibile con binari e tubo luminoso / Passerby connector for suspension with rigid rod compatible with tracks and light tubular module / Durchstekverbider für Aufhängung mit Stange kompatibel mit Schienen und Lichtrohr**



Dimensions cm and Weight  
L 12 x D 10 x H 6 - KG.0,10

STRUCTURE	DESCRIPTION	EAN	CODE	DELIVERY	EURO
<b>White *</b>	Non alimentato passante / Not powered passerby / Nicht betrieben durchgangstrom	8013210225196	ASVGP 000 <b>63</b> 001	4 Weeks	<b>180,00</b>
<b>White *</b>	Alimentato interrotto / Powered interrupted / Betrieben unterbrochen	8013210225301	ASVGP 000 <b>63</b> 002	4 Weeks	<b>196,00</b>
<b>White *</b>	Non alimentato passante + forchetta / Not powered passerby + fork / Nicht betrieben durchgang + Maulverbinder	8013210226643	ASVGP 000 <b>63</b> 003	4 Weeks	<b>211,00</b>
<b>White *</b>	Alimentato interrotto + forchetta / Powered interrupted + fork / Betrieben unterbrochen + Maulverbinder	8013210239223	ASVGP 000 <b>63</b> 004	4 Weeks	<b>242,00</b>
<b>Black</b>	Non alimentato passante / Not powered passerby / Nicht betrieben durchgangstrom	8013210223864	ASVGP 000 <b>62</b> 001	4 Weeks	<b>180,00</b>
<b>Black</b>	Alimentato interrotto / Powered interrupted / Betrieben unterbrochen	8013210223871	ASVGP 000 <b>62</b> 002	4 Weeks	<b>196,00</b>
<b>Black</b>	Non alimentato passante + forchetta / Not powered passerby + fork / Nicht betrieben durchgang + Maulverbinder	8013210223888	ASVGP 000 <b>62</b> 003	4 Weeks	<b>211,00</b>
<b>Black</b>	Alimentato interrotto + forchetta / Powered interrupted + fork / Betrieben unterbrochen + Maulverbinder	8013210223895	ASVGP 000 <b>62</b> 004	4 Weeks	<b>242,00</b>

**Rosone a plafone con alimentatore 48V / Ceiling rose with power supply 48V / Deckenrosette inkl. Driver 48V**



STRUCTURE	POWER	EAN	CODE	DELIVERY	EURO
Bianco / <b>White</b> / Weiß *	150W	8013210239285	ASVRP A00 <b>63</b> ZLO	4 Weeks	<b>268,00</b>
Bianco / <b>White</b> / Weiß *	150W + Push button device	8013210239292	ASVRP A00 <b>63</b> HLO	4 Weeks	<b>397,00</b>
Bianco / <b>White</b> / Weiß *	200W	8013210239308	ASVRP B00 <b>63</b> ZLO	4 Weeks	<b>283,00</b>
Bianco / <b>White</b> / Weiß *	200W + Push button device	8013210239315	ASVRP B00 <b>63</b> HLO	4 Weeks	<b>412,00</b>
Bianco / <b>White</b> / Weiß *	250W	8013210239322	ASVRP 000 <b>63</b> ZLO	4 Weeks	<b>299,00</b>
Bianco / <b>White</b> / Weiß *	250W + Push button device	8013210239339	ASVRP 000 <b>63</b> HLO	4 Weeks	<b>427,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	150W	8013210224045	ASVRP A00 <b>62</b> ZLO	4 Weeks	<b>268,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	150W + Push button device	8013210231425	ASVRP A00 <b>62</b> HLO	4 Weeks	<b>397,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	200W	8013210234938	ASVRP B00 <b>62</b> ZLO	4 Weeks	<b>283,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	200W + Push button device	8013210239827	ASVRP B00 <b>62</b> HLO	4 Weeks	<b>412,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	250W	8013210231449	ASVRP 000 <b>62</b> ZLO	4 Weeks	<b>299,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	250W + Push button device	8013210232088	ASVRP 000 <b>62</b> HLO	4 Weeks	<b>427,00</b>

\* Disponibile da maggio / Available from May / Ab Mai erhältlich

Iva esclusa-Vat excluded-Ohne MWSt

## Asta rigida di sospensione Ø 2,5 cm / Rigid suspension rod Ø 2,5 cm / Stange für Aufhängung Ø 2,5 cm



Dimensions cm and Weight  
 L 20 x D 3 x H 3 - KG.0,10  
 L 40 x D 3 x H 3 - KG.0,10  
 L 60 x D 3 x H 3 - KG.0,20  
 L 80 x D 3 x H 3 - KG.0,30  
 L 100 x D 3 x H 3 - KG.0,40  
 L 120 x D 3 x H 3 - KG.0,40

STRUCTURE	LENGHT cm	EAN	CODE	DELIVERY	EURO
Bianco / <b>White</b> / Weiß *	20	8013210239230	KSVTS 000 63 001	4 Weeks	<b>31,00</b>
Bianco / <b>White</b> / Weiß *	40	8013210239247	KSVTS 000 63 002	4 Weeks	<b>41,00</b>
Bianco / <b>White</b> / Weiß *	60	8013210225240	KSVTS 000 63 003	4 Weeks	<b>52,00</b>
Bianco / <b>White</b> / Weiß *	80	8013210225233	KSVTS 000 63 004	4 Weeks	<b>62,00</b>
Bianco / <b>White</b> / Weiß *	100	8013210239254	KSVTS 000 63 005	4 Weeks	<b>72,00</b>
Bianco / <b>White</b> / Weiß *	120	8013210239261	KSVTS 000 63 006	4 Weeks	<b>82,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	20	8013210223901	KSVTS 000 62 001	4 Weeks	<b>31,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	40	8013210223918	KSVTS 000 62 002	4 Weeks	<b>41,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	60	8013210223925	KSVTS 000 62 003	4 Weeks	<b>52,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	80	8013210223932	KSVTS 000 62 004	4 Weeks	<b>62,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	100	8013210223956	KSVTS 000 62 005	4 Weeks	<b>72,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	120	8013210223963	KSVTS 000 62 006	4 Weeks	<b>82,00</b>

## Asta rigida di sospensione Ø 2,2 cm con foro per alimentazione esterna / Rigid suspension rod Ø 2,2 cm with slot for external supply / Stange für Aufhängung Ø 2,2 cm mit Loch für externe Stromversorgung



Dimensions and Weight  
 L 20 x D 3 x H 3 - KG.0,10  
 L 40 x D 3 x H 3 - KG.0,10  
 L 60 x D 3 x H 3 - KG.0,20  
 L 80 x D 3 x H 3 - KG.0,30  
 L 100 x D 3 x H 3 - KG.0,40  
 L 120 x D 3 x H 3 - KG.0,40

STRUCTURE	LENGHT cm	EAN	CODE	DELIVERY	EURO
Bianco / <b>White</b> / Weiß *	20	8013210239513	KSVTA 000 63 001	4 Weeks	<b>36,00</b>
Bianco / <b>White</b> / Weiß *	40	8013210239520	KSVTA 000 63 002	4 Weeks	<b>46,00</b>
Bianco / <b>White</b> / Weiß *	60	8013210239537	KSVTA 000 63 003	4 Weeks	<b>57,00</b>
Bianco / <b>White</b> / Weiß *	80	8013210239544	KSVTA 000 63 004	4 Weeks	<b>67,00</b>
Bianco / <b>White</b> / Weiß *	100	8013210239551	KSVTA 000 63 005	4 Weeks	<b>77,00</b>
Bianco / <b>White</b> / Weiß *	120	8013210239568	KSVTA 000 63 006	4 Weeks	<b>88,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	20	8013210223970	KSVTA 000 62 001	4 Weeks	<b>36,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	40	8013210223987	KSVTA 000 62 002	4 Weeks	<b>46,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	60	8013210223994	KSVTA 000 62 003	4 Weeks	<b>57,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	80	8013210225875	KSVTA 000 62 004	4 Weeks	<b>67,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	100	8013210224007	KSVTA 000 62 005	4 Weeks	<b>77,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	120	8013210224014	KSVTA 000 62 006	4 Weeks	<b>88,00</b>

\* Disponibile da maggio / Available from May / Ab Mai erhältlich

Iva esclusa-Vat excluded-Ohne MWSt


## Elemento fissaggio a soffitto Ø 5 cm / Ceiling anchor element Ø 5 cm / Bestandteil für Montage an die Decke Ø 5 cm



Dimensions cm and Weight  
 L 12 x D 10 x H 6 - KG.0,20

STRUCTURE	EAN	CODE	DELIVERY	EURO
Bianco / <b>White</b> / Weiß *	8013210225226	KSVRS 001 63 000	4 Weeks	<b>46,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	8013210224021	KSVRS 001 62 000	4 Weeks	<b>46,00</b>

## Elemento fissaggio a soffitto Ø 15 cm / Ceiling anchor element Ø 15 cm / Bestandteil für Montage an die Decke Ø 15 cm



Dimensions cm and Weight  
 L 17 x D 17 x H 4 - KG.0,70

STRUCTURE	EAN	CODE	DELIVERY	EURO
Bianco / <b>White</b> / Weiß *	8013210239353	KSVRS 002 63 000	4 Weeks	<b>98,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	8013210224038	KSVRS 002 62 000	4 Weeks	<b>98,00</b>

\* Disponibile da maggio / Available from May / Ab Mai erhältlich

Faretto orientabile da binario Ø 50 mm / Track adjustable spotlight Ø 50 mm / Verstellbarer Strahler für Schiene Ø 50 mm

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC
	System Track On-Off, Dali IP20 min 849 max 1.062 lumen luminaire flux Indoor use Box measurements cm: L 17 x D 10 x H 9 Gross weight: KG.0,40	MID POWER LED 2.700K, 3000K CRI 90 320mA Macadam step 2 LED Life L80 B50 > 55.400 h Energy Class: F	48 V 11,6W Class 3 Driver included	Lighting type: Direct Light distribution: Symmetric 

STRUCTURE	LENS BEAM	DIMMING	LUMEN	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>							
Bianco / <b>White</b> / Weiß *	18°	<b>On/off</b>	974	8013210232286	ASVS1 001 <b>63</b> ZL0	4 Weeks	<b>335,00</b>
Bianco / <b>White</b> / Weiß *	24°	<b>On/off</b>	1.027	8013210239834	ASVS1 002 <b>63</b> ZL0	4 Weeks	<b>335,00</b>
Bianco / <b>White</b> / Weiß *	36°	<b>On/off</b>	849	8013210238349	ASVS1 003 <b>63</b> ZL0	4 Weeks	<b>335,00</b>
Bianco / <b>White</b> / Weiß *	60°	<b>On/off</b>	890	8013210239841	ASVS1 004 <b>63</b> ZL0	4 Weeks	<b>335,00</b>
Bianco / <b>White</b> / Weiß *	18°	<b>Dali</b>	974	8013210230398	ASVS1 001 <b>63</b> PL0	4 Weeks	<b>361,00</b>
Bianco / <b>White</b> / Weiß *	24°	<b>Dali</b>	1.027	8013210230404	ASVS1 002 <b>63</b> PL0	4 Weeks	<b>361,00</b>
Bianco / <b>White</b> / Weiß *	36°	<b>Dali</b>	849	8013210239858	ASVS1 003 <b>63</b> PL0	4 Weeks	<b>361,00</b>
Bianco / <b>White</b> / Weiß *	60°	<b>Dali</b>	890	8013210230428	ASVS1 004 <b>63</b> PL0	4 Weeks	<b>361,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	18°	<b>On/off</b>	974	8013210224069	ASVS1 001 <b>62</b> ZL0	4 Weeks	<b>335,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	24°	<b>On/off</b>	1.027	8013210224076	ASVS1 002 <b>62</b> ZL0	4 Weeks	<b>335,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	36°	<b>On/off</b>	849	8013210224083	ASVS1 003 <b>62</b> ZL0	4 Weeks	<b>335,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	60°	<b>On/off</b>	890	8013210224090	ASVS1 004 <b>62</b> ZL0	4 Weeks	<b>335,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	18°	<b>Dali</b>	974	8013210224106	ASVS1 001 <b>62</b> PL0	4 Weeks	<b>361,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	24°	<b>Dali</b>	1.027	8013210224113	ASVS1 002 <b>62</b> PL0	4 Weeks	<b>361,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	36°	<b>Dali</b>	849	8013210224120	ASVS1 003 <b>62</b> PL0	4 Weeks	<b>361,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	60°	<b>Dali</b>	890	8013210224137	ASVS1 004 <b>62</b> PL0	4 Weeks	<b>361,00</b>
<b>3.000 Kelvin</b>							
Bianco / <b>White</b> / Weiß *	18°	<b>On/off</b>	1.006	8013210239865	ASVS1 001 <b>63</b> ZL1	4 Weeks	<b>335,00</b>
Bianco / <b>White</b> / Weiß *	24°	<b>On/off</b>	1.062	8013210238332	ASVS1 002 <b>63</b> ZL1	4 Weeks	<b>335,00</b>
Bianco / <b>White</b> / Weiß *	36°	<b>On/off</b>	877	8013210238325	ASVS1 003 <b>63</b> ZL1	4 Weeks	<b>335,00</b>
Bianco / <b>White</b> / Weiß *	60°	<b>On/off</b>	920	8013210239872	ASVS1 004 <b>63</b> ZL1	4 Weeks	<b>335,00</b>
Bianco / <b>White</b> / Weiß *	18°	<b>Dali</b>	1.006	8013210239889	ASVS1 001 <b>63</b> PL1	4 Weeks	<b>361,00</b>
Bianco / <b>White</b> / Weiß *	24°	<b>Dali</b>	1.062	8013210238875	ASVS1 002 <b>63</b> PL1	4 Weeks	<b>361,00</b>
Bianco / <b>White</b> / Weiß *	36°	<b>Dali</b>	877	8013210230411	ASVS1 003 <b>63</b> PL1	4 Weeks	<b>361,00</b>
Bianco / <b>White</b> / Weiß *	60°	<b>Dali</b>	920	8013210239896	ASVS1 004 <b>63</b> PL1	4 Weeks	<b>361,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	18°	<b>On/off</b>	1.006	8013210224144	ASVS1 001 <b>62</b> ZL1	4 Weeks	<b>335,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	24°	<b>On/off</b>	1.062	8013210224151	ASVS1 002 <b>62</b> ZL1	4 Weeks	<b>335,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	36°	<b>On/off</b>	877	8013210224168	ASVS1 003 <b>62</b> ZL1	4 Weeks	<b>335,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	60°	<b>On/off</b>	920	8013210224175	ASVS1 004 <b>62</b> ZL1	4 Weeks	<b>335,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	18°	<b>Dali</b>	1.006	8013210224182	ASVS1 001 <b>62</b> PL1	4 Weeks	<b>361,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	24°	<b>Dali</b>	1.062	8013210224199	ASVS1 002 <b>62</b> PL1	4 Weeks	<b>361,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	36°	<b>Dali</b>	877	8013210224205	ASVS1 003 <b>62</b> PL1	4 Weeks	<b>361,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	60°	<b>Dali</b>	920	8013210224212	ASVS1 004 <b>62</b> PL1	4 Weeks	<b>361,00</b>

ROTALIANA COLORS COLLECTION

**Ethic Collection**  
5 weeks | + 10% extra

\* Disponibile da maggio / Available from May / Ab Mai erhältlich

Faretto a binario con diffusore in vetro / Track spotlight with glass diffuser / Schienenstrahler mit Glasdiffusor

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC
	System Track On-Off, Dali IP20 min 898 max 950 lumen luminaire flux Indoor use Box measurements cm: L 20 x D 20 x H 35 Gross weight: KG.1,10	MID POWER LED 2.700K, 3000K CRI 90 320mA Macadam step 2 LED Life L80 B50 > 55.400 h Energy Class: F	48 V 11,6W Class 3 Driver included	Lighting type: Direct Light distribution: Symmetric 

STRUCTURE	GLASS	DIMMING	LUMEN	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>							
Bianco / <b>White</b> / Weiß *	Semispherical	<b>On/off</b>	898	8013210239902	ASVSV 001 <b>63</b> ZL0	4 Weeks	<b>484,00</b>
Bianco / <b>White</b> / Weiß *	Conical	<b>On/off</b>	915	8013210239919	ASVSV 002 <b>63</b> ZL0	4 Weeks	<b>484,00</b>
Bianco / <b>White</b> / Weiß *	Semispherical	<b>Dali</b>	898	8013210239926	ASVSV 001 <b>63</b> PL0	4 Weeks	<b>510,00</b>
Bianco / <b>White</b> / Weiß *	Conical	<b>Dali</b>	915	8013210239933	ASVSV 002 <b>63</b> PL0	4 Weeks	<b>510,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Semispherical	<b>On/off</b>	898	8013210224229	ASVSV 001 <b>62</b> ZL0	4 Weeks	<b>484,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Conical	<b>On/off</b>	915	8013210224236	ASVSV 002 <b>62</b> ZL0	4 Weeks	<b>484,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Semispherical	<b>Dali</b>	898	8013210224243	ASVSV 001 <b>62</b> PL0	4 Weeks	<b>510,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Conical	<b>Dali</b>	915	8013210224250	ASVSV 002 <b>62</b> PL0	4 Weeks	<b>510,00</b>
<b>3.000 Kelvin</b>							
Bianco / <b>White</b> / Weiß *	Semispherical	<b>On/off</b>	929	8013210239940	ASVSV 001 <b>63</b> ZL1	4 Weeks	<b>484,00</b>
Bianco / <b>White</b> / Weiß *	Conical	<b>On/off</b>	950	8013210239957	ASVSV 002 <b>63</b> ZL1	4 Weeks	<b>484,00</b>
Bianco / <b>White</b> / Weiß *	Semispherical	<b>Dali</b>	929	8013210239964	ASVSV 001 <b>63</b> PL1	4 Weeks	<b>510,00</b>
Bianco / <b>White</b> / Weiß *	Conical	<b>Dali</b>	950	8013210239971	ASVSV 002 <b>63</b> PL1	4 Weeks	<b>510,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Semispherical	<b>On/off</b>	929	8013210224267	ASVSV 001 <b>62</b> ZL1	4 Weeks	<b>484,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Conical	<b>On/off</b>	950	8013210224274	ASVSV 002 <b>62</b> ZL1	4 Weeks	<b>484,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Semispherical	<b>Dali</b>	929	8013210224281	ASVSV 001 <b>62</b> PL1	4 Weeks	<b>510,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Conical	<b>Dali</b>	950	8013210224298	ASVSV 002 <b>62</b> PL1	4 Weeks	<b>510,00</b>

ROTALIANA COLORS COLLECTION

**Ethic Collection**  
5 weeks | + 10% extra

\* Disponibile da maggio / Available from May / Ab Mai erhältlich

Faretto sospeso a binario con diffusore in vetro / Suspended trak spotlight with glass diffuser / Pendelstrahler mit Glasdiffusor für Schiene

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC
	System Track On-Off, Dali IP20 min 898 max 950 lumen luminaire flux Indoor use Box measurements cm: L 20 x D 20 x H 35 Gross weight: KG.1,00	MID POWER LED 2.700K, 3000K CRI 90 320mA Macadam step 2 LED Life L80 B50 > 55.400 h Energy Class: F	48 V 11,6W Class 3 Driver included	Lighting type: Indirect Light distribution: Symmetric Discover Souvlaky

STRUCTURE	GLASS	DIMMING	LUMEN	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>							
Bianco / <b>White</b> / Weiß *	Semispherical	<b>On/off</b>	898	8013210239988	ASVSH ...* 01 <b>63</b> ZL0	4 Weeks	<b>551,00</b>
Bianco / <b>White</b> / Weiß *	Conical	<b>On/off</b>	915	8013210239995	ASVSH ...* 02 <b>63</b> ZL0	4 Weeks	<b>551,00</b>
Bianco / <b>White</b> / Weiß *	Semispherical	<b>Dali</b>	898	8013210240007	ASVSH ...* 01 <b>63</b> PL0	4 Weeks	<b>577,00</b>
Bianco / <b>White</b> / Weiß *	Conical	<b>Dali</b>	915	8013210240021	ASVSH ...* 02 <b>63</b> PL0	4 Weeks	<b>577,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Semispherical	<b>On/off</b>	898	8013210228524	ASVSH ...* 01 <b>62</b> ZL0	4 Weeks	<b>551,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Conical	<b>On/off</b>	915	8013210228548	ASVSH ...* 02 <b>62</b> ZL0	4 Weeks	<b>551,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Semispherical	<b>Dali</b>	898	8013210228555	ASVSH ...* 01 <b>62</b> PL0	4 Weeks	<b>577,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Conical	<b>Dali</b>	915	8013210224922	ASVSH ...* 02 <b>62</b> PL0	4 Weeks	<b>577,00</b>
<b>3.000 Kelvin</b>							
Bianco / <b>White</b> / Weiß *	Semispherical	<b>On/off</b>	929	8013210240038	ASVSH ...* 01 <b>63</b> ZL1	4 Weeks	<b>551,00</b>
Bianco / <b>White</b> / Weiß *	Conical	<b>On/off</b>	950	8013210240045	ASVSH ...* 02 <b>63</b> ZL1	4 Weeks	<b>551,00</b>
Bianco / <b>White</b> / Weiß *	Semispherical	<b>Dali</b>	929	8013210240069	ASVSH ...* 01 <b>63</b> PL1	4 Weeks	<b>577,00</b>
Bianco / <b>White</b> / Weiß *	Conical	<b>Dali</b>	950	8013210240052	ASVSH ...* 02 <b>63</b> PL1	4 Weeks	<b>577,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Semispherical	<b>On/off</b>	929	8013210224472	ASVSH ...* 01 <b>62</b> ZL1	4 Weeks	<b>551,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Conical	<b>On/off</b>	950	8013210224489	ASVSH ...* 02 <b>62</b> ZL1	4 Weeks	<b>551,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Semispherical	<b>Dali</b>	929	8013210224496	ASVSH ...* 01 <b>62</b> PL1	4 Weeks	<b>577,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Conical	<b>Dali</b>	950	8013210224502	ASVSH ...* 02 <b>62</b> PL1	4 Weeks	<b>577,00</b>

ROTALIANA COLORS COLLECTION

**Ethic Collection**  
5 weeks | + 10% extra

\* Lunghezza cavo / **Cable length** / Kabellänge  
 0 = 20 cm  
 1 = 40 cm  
 2 = 60 cm  
 3 = 80 cm  
 4 = 100 cm  
 5 = 120 cm

Altoparlante a binario / Track loudspeaker / Stromschiene Lautsprecher

STRUCTURE	EAN	CODE	DELIVERY	EURO
Bianco / <b>White</b> / Weiß *	8013210232095	ASVSK 000 <b>63</b> Z00	4 Weeks	<b>330,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	8013210224526	ASVSK 000 <b>62</b> Z00	4 Weeks	<b>330,00</b>

Dimensions cm and Weight  
L 20 x D 20 x H 35 - KG.4,50

ROTALIANA COLORS COLLECTION

**Ethic Collection**  
6 weeks | € 363,00

Dispositivo/Gateway per il controllo fino a 64 lampade con protocollo CASAMBI / Gateway device for the controlling up to 64 lamps with CASAMBI protocol / Gateway zur Steuerung bis max. 64 Leuchten durch Casambi

STRUCTURE	EAN	CODE	DELIVERY	EURO
Bianco / <b>White</b> / Weiß *	8013210231791	ASVSG 000 <b>63</b> C00	4 Weeks	<b>330,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	8013210224519	ASVSG 000 <b>62</b> C00	4 Weeks	<b>330,00</b>

Dimensions cm and Weight  
L 12 x D 10 x H 6 - KG.2,20


ROTALIANA COLORS COLLECTION

**Ethic Collection**  
6 weeks | € 363,00


Alimentatori e Driver / Power supplies and Drivers / Speiser und Driver

STRUCTURE	EAN	CODE	DELIVERY	EURO
Alimentatore 150W 48V DC	8013210240212	20120703I	4 Weeks	<b>92,00</b>
Alimentatore 200W 48V DC	8013210240229	20120724I	4 Weeks	<b>129,00</b>
Alimentatore 250W 48V DC	8013210240236	20120683I	4 Weeks	<b>139,00</b>
Driver On/Off 300 mA - 15 Watt	8013210240243	20120680I	4 Weeks	<b>60,00</b>
Driver Dali 300 mA - 15 Watt	8013210240250	20120681I	4 Weeks	<b>171,00</b>


## SQUIGGLE H1

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC	
	Ceiling Suspended On-Off, Push, Dali, 0/1-10V IP20 2.800 lumen - luminaire flux Indoor use Box measurements cm: L 75 x D 75 x H 9 Gross weight: KG.3,70	MID POWER LED 2.700K, 3.000K CRI 90 24V Mono Bin LED Life L70 B50 > 36.000 h Energy Class: E	220-240 V 50 Hz 40W Class 2 Driver included	Lighting type: Diffused Light distribution: Symmetric  Discover Squiggle	
STRUCTURE	DIMMING	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>					
Oro / <b>Gold</b> / Gold	<b>On/off</b>	8013210193389	1SQH1 000 04 ZL0	4 Weeks	<b>1.460,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	<b>On/off</b>	8013210193402	1SQH1 000 62 ZL0	4 Weeks	<b>1.460,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>On/off</b>	8013210193396	1SQH1 000 63 ZL0	4 Weeks	<b>1.460,00</b>
<b>3.000 Kelvin</b>					
Oro / <b>Gold</b> / Gold	<b>On/off</b>	8013210205389	1SQH1 000 04 ZL1	4 Weeks	<b>1.460,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	<b>On/off</b>	8013210205433	1SQH1 000 62 ZL1	4 Weeks	<b>1.460,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>On/off</b>	8013210205471	1SQH1 000 63 ZL1	4 Weeks	<b>1.460,00</b>
	<b>Push</b>		1SQH1 000 ..... HL ...	4 Weeks	<b>1.573,00</b>
	<b>Dali</b>		1SQH1 000 ..... PL ...	4 Weeks	<b>1.573,00</b>
	<b>0/1 - 10 V</b>		1SQH1 000 ..... DL ...	4 Weeks	<b>1.573,00</b>
	<b>Casambi</b>		1SQH1 000 ..... CL ...	4 Weeks	<b>1.693,00</b>


## SQUIGGLE H2

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC	
	Ceiling Suspended On-Off, Push, Dali, 0/1-10V IP20 3.900 lumen - luminaire flux Indoor use Box measurements cm: L 108 x D 108 x H 9 Gross weight: KG.7,30	MID POWER LED 2.700K, 3.000K CRI 90 24V Mono Bin LED Life L70 B50 > 36.000 h Energy Class: E	220-240 V 50 Hz 56W Class 2 Driver included	Lighting type: Diffused Light distribution: Symmetric  Discover Squiggle	
STRUCTURE	DIMMING	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>					
Oro / <b>Gold</b> / Gold	<b>On/off</b>	8013210193426	1SQH2 000 04 ZL0	4 Weeks	<b>1.956,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	<b>On/off</b>	8013210193457	1SQH2 000 62 ZL0	4 Weeks	<b>1.956,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>On/off</b>	8013210193433	1SQH2 000 63 ZL0	4 Weeks	<b>1.956,00</b>
<b>3.000 Kelvin</b>					
Oro / <b>Gold</b> / Gold	<b>On/off</b>	8013210205518	1SQH2 000 04 ZL1	4 Weeks	<b>1.956,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	<b>On/off</b>	8013210205556	1SQH2 000 62 ZL1	4 Weeks	<b>1.956,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>On/off</b>	8013210205594	1SQH2 000 63 ZL1	4 Weeks	<b>1.956,00</b>
	<b>Push</b>		1SQH2 000 ..... HL ...	4 Weeks	<b>2.068,00</b>
	<b>Dali</b>		1SQH2 000 ..... PL ...	4 Weeks	<b>2.068,00</b>
	<b>0/1 - 10 V</b>		1SQH2 000 ..... DL ...	4 Weeks	<b>2.068,00</b>
	<b>Casambi</b>		1SQH2 000 ..... CL ...	4 Weeks	<b>2.190,00</b>


## SQUIGGLE H3

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC	
	Ceiling Suspended On-Off, Push, Dali, 0/1-10V IP20 4.600 lumen - luminaire flux Indoor use Box measurements cm: L 143 x D 143 x H 9 Gross weight: KG.11,00	MID POWER LED 2.700K, 3.000K CRI 90 24V Mono Bin LED Life L70 B50 > 36.000 h Energy Class: E	220-240 V 50 Hz 67W Class 2 Driver included	Lighting type: Diffused Light distribution: Symmetric  Discover Squiggle	
STRUCTURE	DIMMING	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>					
Oro / <b>Gold</b> / Gold	<b>On/off</b>	8013210193464	1SQH3 000 04 ZL0	4 Weeks	<b>2.699,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	<b>On/off</b>	8013210193488	1SQH3 000 62 ZL0	4 Weeks	<b>2.699,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>On/off</b>	8013210193471	1SQH3 000 63 ZL0	4 Weeks	<b>2.699,00</b>
<b>3.000 Kelvin</b>					
Oro / <b>Gold</b> / Gold	<b>On/off</b>	8013210205624	1SQH3 000 04 ZL1	4 Weeks	<b>2.699,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	<b>On/off</b>	8013210205693	1SQH3 000 62 ZL1	4 Weeks	<b>2.699,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>On/off</b>	8013210205778	1SQH3 000 63 ZL1	4 Weeks	<b>2.699,00</b>
	<b>Push</b>		1SQH3 000 ..... HL ...	4 Weeks	<b>2.812,00</b>
	<b>Dali</b>		1SQH3 000 ..... PL ...	4 Weeks	<b>2.812,00</b>
	<b>0/1 - 10 V</b>		1SQH3 000 ..... DL ...	4 Weeks	<b>2.812,00</b>
	<b>Casambi</b>		1SQH3 000 ..... CL ...	4 Weeks	<b>2.932,00</b>


## SQUIGGLE H4

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC	
	Ceiling Suspended On-Off, Push, Dali, 0/1-10V IP20 4.600 lumen - luminaire flux Indoor use Box measurements cm: L 159 x D 72 x H 33 Gross weight: KG.9,40	MID POWER LED 2.700K, 3.000K CRI 90 24V Mono Bin LED Life L70 B50 > 36.000 h Energy Class: E	220-240 V 50 Hz 67W Class 2 Driver included	Lighting type: Diffused Light distribution: Symmetric  Discover Squiggle	
STRUCTURE	DIMMING	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>					
Oro / <b>Gold</b> / Gold	<b>On/off</b>	8013210193501	1SQH4 000 04 ZL0	4 Weeks	<b>3.317,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	<b>On/off</b>	8013210193549	1SQH4 000 62 ZL0	4 Weeks	<b>3.317,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>On/off</b>	8013210193532	1SQH4 000 63 ZL0	4 Weeks	<b>3.317,00</b>
<b>3.000 Kelvin</b>					
Oro / <b>Gold</b> / Gold	<b>On/off</b>	8013210205792	1SQH4 000 04 ZL1	4 Weeks	<b>3.317,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	<b>On/off</b>	8013210205808	1SQH4 000 62 ZL1	4 Weeks	<b>3.317,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>On/off</b>	8013210205822	1SQH4 000 63 ZL1	4 Weeks	<b>3.317,00</b>
	<b>Push</b>		1SQH4 000 ..... HL ...	4 Weeks	<b>3.430,00</b>
	<b>Dali</b>		1SQH4 000 ..... PL ...	4 Weeks	<b>3.430,00</b>
	<b>0/1 - 10 V</b>		1SQH4 000 ..... DL ...	4 Weeks	<b>3.430,00</b>
	<b>Casambi</b>		1SQH4 000 ..... CL ...	4 Weeks	<b>3.550,00</b>


## SQUIGGLE H5

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC	
	Ceiling Suspended On-Off, Push, Dali, 0/1-10V IP20 6.500 lumen - luminaire flux Indoor use Box measurements cm: L 185 x D 135 x H 12 Gross weight: KG.12,00	MID POWER LED 2.700K, 3.000K CRI 90 24V Mono Bin LED Life L70 B50 > 36.000 h Energy Class: E	220-240 V 50 Hz 95W Class 1 Driver included	Lighting type: Diffused Light distribution: Symmetric  Discover Squiggle	
STRUCTURE	DIMMING	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>					
Oro / <b>Gold</b> / Gold	<b>On/off</b>	8013210193556	1SQH5 000 04 ZL0	4 Weeks	<b>5.174,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	<b>On/off</b>	8013210193587	1SQH5 000 62 ZL0	4 Weeks	<b>5.174,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>On/off</b>	8013210193570	1SQH5 000 63 ZL0	4 Weeks	<b>5.174,00</b>
<b>3.000 Kelvin</b>					
Oro / <b>Gold</b> / Gold	<b>On/off</b>	8013210205839	1SQH5 000 04 ZL1	4 Weeks	<b>5.174,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	<b>On/off</b>	8013210205846	1SQH5 000 62 ZL1	4 Weeks	<b>5.174,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>On/off</b>	8013210205853	1SQH5 000 63 ZL1	4 Weeks	<b>5.174,00</b>
	<b>Push</b>		1SQH5 000 ..... HL ...	4 Weeks	<b>5.286,00</b>
	<b>Dali</b>		1SQH5 000 ..... PL ...	4 Weeks	<b>5.286,00</b>
	<b>0/1 - 10 V</b>		1SQH5 000 ..... DL ...	4 Weeks	<b>5.286,00</b>
	<b>Casambi</b>		1SQH5 000 ..... CL ...	4 Weeks	<b>5.408,00</b>


## SQUIGGLE H6

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC	
	Ceiling Suspended On-Off IP20 480 lumen - luminaire flux Indoor use Box measurements cm: L 67 x D 16 x H 10 Gross weight: KG.0,80	MID POWER LED + G4 36° LED 2.700K CRI 90 12V Mono Bin LED Life L70 B50 > 36.000 h Energy Class: E	220-240 V 50 Hz 7,5W Class 1 Driver included	Lighting type: Diffused Light distribution: Symmetric  Discover Squiggle	
STRUCTURE	DIMMING	EAN	CODE	DELIVERY	EURO
Oro / <b>Gold</b> / Gold	<b>On/off</b>	8013210193624	1SQH6 000 04 ZL0	4 Weeks	<b>355,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	<b>On/off</b>	8013210193600	1SQH6 000 62 ZL0	4 Weeks	<b>355,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>On/off</b>	8013210193594	1SQH6 000 63 ZL0	4 Weeks	<b>355,00</b>


## SQUIGGLE H8

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC	
	Ceiling Suspended On-Off, Push, Dali, 0/1-10V IP20 2.500 lumen - luminaire flux Indoor use Box measurements cm: L 152 x D 24 x H 14 Gross weight: KG.5,40	MID POWER LED 2.700K, 3.000K CRI 90 24V Mono Bin LED Life L70 B50 > 36.000 h Energy Class: E	220-240 V 50 Hz 36W Class 2 Driver included	Lighting type: Diffused Light distribution: Symmetric  Discover Squiggle	
STRUCTURE	DIMMING	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>					
Oro / <b>Gold</b> / Gold	<b>On/off</b>	8013210200308	1SQH0 080 04 ZL0	4 Weeks	<b>977,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	<b>On/off</b>	8013210200001	1SQH0 080 62 ZL0	4 Weeks	<b>977,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>On/off</b>	8013210200018	1SQH0 080 63 ZL0	4 Weeks	<b>977,00</b>
<b>3.000 Kelvin</b>					
Oro / <b>Gold</b> / Gold	<b>On/off</b>	8013210205914	1SQH0 080 04 ZL1	4 Weeks	<b>977,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	<b>On/off</b>	8013210205921	1SQH0 080 62 ZL1	4 Weeks	<b>977,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>On/off</b>	8013210202586	1SQH0 080 63 ZL1	4 Weeks	<b>977,00</b>
	<b>Push</b>		1SQH0 080 ..... HL ...	4 Weeks	<b>1.090,00</b>
	<b>Dali</b>		1SQH0 080 ..... PL ...	4 Weeks	<b>1.090,00</b>
	<b>0/1 - 10 V</b>		1SQH0 080 ..... DL ...	4 Weeks	<b>1.090,00</b>
	<b>Casambi</b>		1SQH0 080 ..... CL ...	4 Weeks	<b>1.211,00</b>

## SQUIGGLE H9


TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC	
	Ceiling Suspended On-Off, Push, Dali, 0/1-10V IP20 2.700 lumen - luminaire flux Indoor use Box measurements cm: L 187 x D 24 x H 14 Gross weight: KG.6,10	MID POWER LED 2.700K, 3.000K CRI 90 24V Mono Bin LED Life L70 B50 > 36.000 h Energy Class: E	220-240 V 50 Hz 39W Class 2 Driver included	Lighting type: Diffused Light distribution: Symmetric  Discover Squiggle	
STRUCTURE	DIMMING	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>					
Oro / <b>Gold</b> / Gold	<b>On/off</b>	8013210200315	1SQH0 090 04 ZL0	4 Weeks	<b>1.200,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	<b>On/off</b>	8013210200025	1SQH0 090 62 ZL0	4 Weeks	<b>1.200,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>On/off</b>	8013210200032	1SQH0 090 63 ZL0	4 Weeks	<b>1.200,00</b>
<b>3.000 Kelvin</b>					
Oro / <b>Gold</b> / Gold	<b>On/off</b>	8013210205938	1SQH0 090 04 ZL1	4 Weeks	<b>1.200,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	<b>On/off</b>	8013210205945	1SQH0 090 62 ZL1	4 Weeks	<b>1.200,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>On/off</b>	8013210203422	1SQH0 090 63 ZL1	4 Weeks	<b>1.200,00</b>
	<b>Push</b>		1SQH0 090 ..... HL ...	4 Weeks	<b>1.313,00</b>
	<b>Dali</b>		1SQH0 090 ..... PL ...	4 Weeks	<b>1.313,00</b>
	<b>0/1 - 10 V</b>		1SQH0 090 ..... DL ...	4 Weeks	<b>1.313,00</b>
	<b>Casambi</b>		1SQH0 090 ..... CL ...	4 Weeks	<b>1.434,00</b>

## SQUIGGLE H10

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC
	Ceiling Suspended On-Off, Push, Dali, 0/1-10V IP20 5.050 lumen - luminaire flux Indoor use Box measurements cm: L 152 x D 24 x H 14 Gross weight: KG.5,20	MID POWER LED 2.700K, 3.000K CRI 90 24V Mono Bin LED Life L70 B50 > 36.000 h Energy Class: E	220-240 V 50 Hz 72W Class 2 Driver included	Lighting type: Diffused Light distribution: Symmetric  Discover Squiggle


STRUCTURE	DIMMING	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>					
Oro / <b>Gold</b> / Gold	<b>On/off</b>	8013210200322	1SQH0 100 04 ZL0	4 Weeks	<b>1.460,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	<b>On/off</b>	8013210200049	1SQH0 100 62 ZL0	4 Weeks	<b>1.460,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>On/off</b>	8013210200056	1SQH0 100 63 ZL0	4 Weeks	<b>1.460,00</b>
<b>3.000 Kelvin</b>					
Oro / <b>Gold</b> / Gold	<b>On/off</b>	8013210205952	1SQH0 100 04 ZL1	4 Weeks	<b>1.460,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	<b>On/off</b>	8013210205969	1SQH0 100 62 ZL1	4 Weeks	<b>1.460,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>On/off</b>	8013210205976	1SQH0 100 63 ZL1	4 Weeks	<b>1.460,00</b>
	<b>Push</b>		1SQH0 100 ..... HL ...	4 Weeks	<b>1.573,00</b>
	<b>Dali</b>		1SQH0 100 ..... PL ...	4 Weeks	<b>1.573,00</b>
	<b>0/1 - 10 V</b>		1SQH0 100 ..... DL ...	4 Weeks	<b>1.573,00</b>
	<b>Casambi</b>		1SQH0 100 ..... CL ...	4 Weeks	<b>1.693,00</b>

## SQUIGGLE H11

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC
	Ceiling Suspended On-Off, Push, Dali, 0/1-10V IP20 5.500 lumen - luminaire flux Indoor use Box measurements cm: L 187 x D 24 x H 14 Gross weight: KG.6,30	MID POWER LED 2.700K, 3.000K CRI 90 24V Mono Bin LED Life L70 B50 > 36.000 h Energy Class: E	220-240 V 50 Hz 78W Class 2 Driver included	Lighting type: Diffused Light distribution: Symmetric  Discover Squiggle


STRUCTURE	DIMMING	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>					
Oro / <b>Gold</b> / Gold	<b>On/off</b>	8013210200339	1SQH0 110 04 ZL0	4 Weeks	<b>1.834,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	<b>On/off</b>	8013210200063	1SQH0 110 62 ZL0	4 Weeks	<b>1.834,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>On/off</b>	8013210200117	1SQH0 110 63 ZL0	4 Weeks	<b>1.834,00</b>
<b>3.000 Kelvin</b>					
Oro / <b>Gold</b> / Gold	<b>On/off</b>	8013210205983	1SQH0 110 04 ZL1	4 Weeks	<b>1.834,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	<b>On/off</b>	8013210205990	1SQH0 110 62 ZL1	4 Weeks	<b>1.834,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>On/off</b>	8013210206003	1SQH0 110 63 ZL1	4 Weeks	<b>1.834,00</b>
	<b>Push</b>		1SQH0 110 ..... HL ...	4 Weeks	<b>1.944,00</b>
	<b>Dali</b>		1SQH0 110 ..... PL ...	4 Weeks	<b>1.944,00</b>
	<b>0/1 - 10 V</b>		1SQH0 110 ..... DL ...	4 Weeks	<b>1.944,00</b>
	<b>Casambi</b>		1SQH0 110 ..... CL ...	4 Weeks	<b>2.068,00</b>

## SQUIGGLE H12

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC
	Ceiling Suspended Foot dimmer IP20 2.400 lumen - luminaire flux Indoor use Box measurements cm: L 202 x D 24 x H 14 Gross weight: KG.4,30	MID POWER LED 2.700K, 3.000K CRI 90 24V Mono Bin LED Life L70 B50 > 36.000 h Energy Class: E	220-240 V 50 Hz 34W Class 2 Driver included Europe plug	Lighting type: Diffused Light distribution: Symmetric  Discover Squiggle

STRUCTURE	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>				
Oro / <b>Gold</b> / Gold	8013210200353	1SQH0 120 04 EL0	3 Weeks	<b>977,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	8013210200100	1SQH0 120 62 EL0	3 Weeks	<b>977,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	8013210200155	1SQH0 120 63 EL0	3 Weeks	<b>977,00</b>
<b>3.000 Kelvin</b>				
Oro / <b>Gold</b> / Gold	8013210204788	1SQH0 120 04 EL1	3 Weeks	<b>977,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	8013210206010	1SQH0 120 62 EL1	3 Weeks	<b>977,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	8013210202579	1SQH0 120 63 EL1	3 Weeks	<b>977,00</b>

## SQUIGGLE F1

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC
	Floor Standing Foot dimmer IP20 3.000 lumen - luminaire flux Indoor use Box measurements cm: L 48 x D 16 x H 208 Gross weight: KG.5,10	MID POWER LED 2.700K, 3.000K CRI 90 24V Mono Bin LED Life L70 B50 > 36.000 h Energy Class: E	220-240 V 50 Hz 43W Class 2 Driver included Europe plug	Lighting type: Diffused Light distribution: Symmetric  Discover Squiggle

STRUCTURE	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>				
Oro / <b>Gold</b> / Gold	8013210200360	1SQF1 000 04 EL0	4 Weeks	<b>1.460,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	8013210200124	1SQF1 000 62 EL0	4 Weeks	<b>1.460,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	8013210200131	1SQF1 000 63 EL0	4 Weeks	<b>1.460,00</b>
<b>3.000 Kelvin</b>				
Oro / <b>Gold</b> / Gold	8013210206027	1SQF1 000 04 EL1	4 Weeks	<b>1.460,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	8013210202555	1SQF1 000 62 EL1	4 Weeks	<b>1.460,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	8013210202562	1SQF1 000 63 EL1	4 Weeks	<b>1.460,00</b>

**STRING T1**

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC
	Table Standing Push button dimmer IP20 700 lumen max luminaire flux Indoor use Box measurements cm: L 75 x D 25 x H 11 Gross weight: KG.6,40	MID POWER LED TW 2.200K - 4.000K DTW 2.500K - 4.000K CRI 90 24V Macadam step 3 LED Life L70 B50 > 60.000 h Energy Class: F	220-240 V 50 Hz 9W Class 2 Driver included Europe plug	Lighting type: Direct Light distribution: Symmetric 

STRUCTURE TW (TUNABLE WHITE)	STRING COLOUR	EAN	CODE	DELIVERY	EURO
Nero opaco / <b>Matt black</b> / Schwarz matt	Arancione / <b>Orange</b> / Orange	8013210228562	1SRT1 T01 <b>62</b> ELO	3 Weeks	<b>401,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Arancione / <b>Orange</b> / Orange	8013210228579	1SRT1 T01 <b>63</b> ELO	3 Weeks	<b>401,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Nero / <b>Black</b> / Schwarz	8013210228586	1SRT1 T02 <b>62</b> ELO	3 Weeks	<b>401,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Nero / <b>Black</b> / Schwarz	8013210228593	1SRT1 T02 <b>63</b> ELO	3 Weeks	<b>401,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Argento / <b>Silver</b> / Silber	8013210228609	1SRT1 T03 <b>62</b> ELO	3 Weeks	<b>401,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Argento / <b>Silver</b> / Silber	8013210228616	1SRT1 T03 <b>63</b> ELO	3 Weeks	<b>401,00</b>

STRUCTURE DTW (DIM TO WARM)	STRING COLOUR	EAN	CODE	DELIVERY	EURO
Nero opaco / <b>Matt black</b> / Schwarz matt	Arancione / <b>Orange</b> / Orange	8013210206041	1SRT1 W01 <b>62</b> ELO	3 Weeks	<b>401,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Arancione / <b>Orange</b> / Orange	8013210206072	1SRT1 W01 <b>63</b> ELO	3 Weeks	<b>401,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Nero / <b>Black</b> / Schwarz	8013210206034	1SRT1 W02 <b>62</b> ELO	3 Weeks	<b>401,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Nero / <b>Black</b> / Schwarz	8013210206058	1SRT1 W02 <b>63</b> ELO	3 Weeks	<b>401,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Argento / <b>Silver</b> / Silber	8013210193716	1SRT1 W03 <b>62</b> ELO	3 Weeks	<b>401,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Argento / <b>Silver</b> / Silber	8013210194157	1SRT1 W03 <b>63</b> ELO	3 Weeks	<b>401,00</b>

**ROTALIANA COLORS COLLECTION**

**Satin Collection**  
4 weeks | € 441,00

**Ethic Collection**  
4 weeks | € 441,00

**STRING T1 MINI**

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC
	Table Standing Push button dimmer IP20 700 lumen max luminaire flux Indoor use Box measurements cm: L 55 x D 26 x H 11 Gross weight: KG.4,20	MID POWER LED TW 2.200K - 4.000K DTW 2.500K - 4.000K CRI 90 24V Macadam step 3 LED Life L70 B50 > 60.000 h Energy Class: F	220-240 V 50 Hz 9W Class 2 Driver included Europe plug	Lighting type: Direct Light distribution: Symmetric 

STRUCTURE TW (TUNABLE WHITE)	STRING COLOUR	EAN	CODE	DELIVERY	EURO
Nero opaco / <b>Matt black</b> / Schwarz matt	Arancione / <b>Orange</b> / Orange	8013210228685	1SRT1 MT1 <b>62</b> ELO	3 Weeks	<b>373,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Arancione / <b>Orange</b> / Orange	8013210228692	1SRT1 MT1 <b>63</b> ELO	3 Weeks	<b>373,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Nero / <b>Black</b> / Schwarz	8013210228708	1SRT1 MT2 <b>62</b> ELO	3 Weeks	<b>373,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Nero / <b>Black</b> / Schwarz	8013210228715	1SRT1 MT2 <b>63</b> ELO	3 Weeks	<b>373,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Argento / <b>Silver</b> / Silber	8013210228722	1SRT1 MT3 <b>62</b> ELO	3 Weeks	<b>373,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Argento / <b>Silver</b> / Silber	8013210228739	1SRT1 MT3 <b>63</b> ELO	3 Weeks	<b>373,00</b>

STRUCTURE DTW (DIM TO WARM)	STRING COLOUR	EAN	CODE	DELIVERY	EURO
Nero opaco / <b>Matt black</b> / Schwarz matt	Arancione / <b>Orange</b> / Orange	8013210204573	1SRT1 MW1 <b>62</b> ELO	3 Weeks	<b>373,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Arancione / <b>Orange</b> / Orange	8013210204603	1SRT1 MW1 <b>63</b> ELO	3 Weeks	<b>373,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Nero / <b>Black</b> / Schwarz	8013210204566	1SRT1 MW2 <b>62</b> ELO	3 Weeks	<b>373,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Nero / <b>Black</b> / Schwarz	8013210204610	1SRT1 MW2 <b>63</b> ELO	3 Weeks	<b>373,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Argento / <b>Silver</b> / Silber	8013210204580	1SRT1 MW3 <b>62</b> ELO	3 Weeks	<b>373,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Argento / <b>Silver</b> / Silber	8013210204597	1SRT1 MW3 <b>63</b> ELO	3 Weeks	<b>373,00</b>

**ROTALIANA COLORS COLLECTION**

**Satin Collection**  
4 weeks | € 410,00

**Ethic Collection**  
4 weeks | € 410,00

**STRING F1**

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC
	Floor Standing Push button dimmer IP20 700 lumen max luminaire flux Indoor use Box measurements cm: L 104 x D 25 x H 11 Gross weight: KG.5,90	MID POWER LED TW 2.200K - 4.000K DTW 2.500K - 4.000K CRI 90 24V Macadam step 3 LED Life L70 B50 > 60.000 h Energy Class: F	220-240 V 50 Hz 9W Class 2 Driver included Europe plug	Lighting type: Direct Light distribution: Symmetric 

STRUCTURE TW (TUNABLE WHITE)	STRING COLOUR	EAN	CODE	DELIVERY	EURO
Nero opaco / <b>Matt black</b> / Schwarz matt	Arancione / <b>Orange</b> / Orange	8013210228623	1SRF1 T01 <b>62</b> ELO	3 Weeks	<b>424,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Arancione / <b>Orange</b> / Orange	8013210228630	1SRF1 T01 <b>63</b> ELO	3 Weeks	<b>424,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Nero / <b>Black</b> / Schwarz	8013210228647	1SRF1 T02 <b>62</b> ELO	3 Weeks	<b>424,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Nero / <b>Black</b> / Schwarz	8013210228654	1SRF1 T02 <b>63</b> ELO	3 Weeks	<b>424,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Argento / <b>Silver</b> / Silber	8013210228661	1SRF1 T03 <b>62</b> ELO	3 Weeks	<b>424,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Argento / <b>Silver</b> / Silber	8013210228678	1SRF1 T03 <b>63</b> ELO	3 Weeks	<b>424,00</b>

STRUCTURE DTW (DIM TO WARM)	STRING COLOUR	EAN	CODE	DELIVERY	EURO
Nero opaco / <b>Matt black</b> / Schwarz matt	Arancione / <b>Orange</b> / Orange	8013210206096	1SRF1 W01 <b>62</b> ELO	3 Weeks	<b>424,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Arancione / <b>Orange</b> / Orange	8013210206119	1SRF1 W01 <b>63</b> ELO	3 Weeks	<b>424,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Nero / <b>Black</b> / Schwarz	8013210206089	1SRF1 W02 <b>62</b> ELO	3 Weeks	<b>424,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Nero / <b>Black</b> / Schwarz	8013210206102	1SRF1 W02 <b>63</b> ELO	3 Weeks	<b>424,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Argento / <b>Silver</b> / Silber	8013210193747	1SRF1 W03 <b>62</b> ELO	3 Weeks	<b>424,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Argento / <b>Silver</b> / Silber	8013210193754	1SRF1 W03 <b>63</b> ELO	3 Weeks	<b>424,00</b>

**ROTALIANA COLORS COLLECTION**

**Satin Collection**  
4 weeks | € 466,00

**Ethic Collection**  
4 weeks | € 466,00

**STRING H0**

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC
	Ceiling/Wall Surface Push button dimmer IP20 700 lumen max luminaire flux Indoor use Box measurements cm: L 24 x D 16 x H 16 Gross weight: KG.0,80	MID POWER LED TW 2.200K - 4.000K DTW 2.500K - 4.000K CRI 90 24V Macadam step 3 LED Life L70 B50 > 60.000 h Energy Class: F	220-240 V 50 Hz 9W Class 1 Driver included	Lighting type: Direct Light distribution: Symmetric 

STRUCTURE TW (TUNABLE WHITE)	EAN	CODE	DELIVERY	EURO
Nero opaco / <b>Matt black</b> / Schwarz matt	8013210228746	1SRH0 T00 <b>62</b> ZLO	2 Weeks	<b>280,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	8013210228753	1SRH0 T00 <b>63</b> ZLO	2 Weeks	<b>280,00</b>

STRUCTURE DTW (DIM TO WARM)	EAN	CODE	DELIVERY	EURO
Nero opaco / <b>Matt black</b> / Schwarz matt	8013210193914	1SRH0 W00 <b>62</b> ZLO	2 Weeks	<b>280,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	8013210193921	1SRH0 W00 <b>63</b> ZLO	2 Weeks	<b>280,00</b>

**ROTALIANA COLORS COLLECTION**

**Satin Collection**  
3 weeks | € 308,00

**Ethic Collection**  
3 weeks | € 308,00

**STRING W0**

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC
	Wall Surface Push button dimmer IP20 700 lumen max luminaire flux Indoor use Box measurements cm: L 47 x D 16 x H 16 Gross weight: KG.0,90	MID POWER LED TW 2.200K - 4.000K DTW 2.500K - 4.000K CRI 90 24V Macadam step 3 LED Life L70 B50 > 60.000 h Energy Class: F	220-240 V 50 Hz 9W Class 1 Driver included	Lighting type: Direct Light distribution: Symmetric 

STRUCTURE TW (TUNABLE WHITE)	STRING COLOUR	EAN	CODE	DELIVERY	EURO
Nero opaco / <b>Matt black</b> / Schwarz matt	Arancione / <b>Orange</b> / Orange	8013210228760	1SRW0 T01 <b>62</b> ZL0	3 Weeks	<b>344,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Arancione / <b>Orange</b> / Orange	8013210228777	1SRW0 T01 <b>63</b> ZL0	3 Weeks	<b>344,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Nero / <b>Black</b> / Schwarz	8013210228784	1SRW0 T02 <b>62</b> ZL0	3 Weeks	<b>344,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Nero / <b>Black</b> / Schwarz	8013210228791	1SRW0 T02 <b>63</b> ZL0	3 Weeks	<b>344,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Argento / <b>Silver</b> / Silber	8013210228814	1SRW0 T03 <b>62</b> ZL0	3 Weeks	<b>344,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Argento / <b>Silver</b> / Silber	8013210228807	1SRW0 T03 <b>63</b> ZL0	3 Weeks	<b>344,00</b>

STRUCTURE DTW (DIM TO WARM)	STRING COLOUR	EAN	CODE	DELIVERY	EURO
Nero opaco / <b>Matt black</b> / Schwarz matt	Arancione / <b>Orange</b> / Orange	8013210197509	1SRW0 W01 <b>62</b> ZL0	3 Weeks	<b>344,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Arancione / <b>Orange</b> / Orange	8013210197516	1SRW0 W01 <b>63</b> ZL0	3 Weeks	<b>344,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Nero / <b>Black</b> / Schwarz	8013210197691	1SRW0 W02 <b>62</b> ZL0	3 Weeks	<b>344,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Nero / <b>Black</b> / Schwarz	8013210197523	1SRW0 W02 <b>63</b> ZL0	3 Weeks	<b>344,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Argento / <b>Silver</b> / Silber	8013210193853	1SRW0 W03 <b>62</b> ZL0	3 Weeks	<b>344,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Argento / <b>Silver</b> / Silber	8013210193860	1SRW0 W03 <b>63</b> ZL0	3 Weeks	<b>344,00</b>

**ROTALIANA COLORS COLLECTION**

**Satin Collection**  
4 weeks | € 378,00

**Ethic Collection**  
4 weeks | € 378,00

**STRING W1**

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC
	Wall Surface Push button dimmer IP20 700 lumen max luminaire flux Indoor use Box measurements cm: L 75 x D 25 x H 11 Gross weight: KG.1,80	MID POWER LED TW 2.200K - 4.000K DTW 2.500K - 4.000K CRI 90 24V Macadam step 3 LED Life L70 B50 > 60.000 h Energy Class: F	220-240 V 50 Hz 9W Class 2 Driver included Europe plug	Lighting type: Direct Light distribution: Symmetric 

STRUCTURE TW (TUNABLE WHITE)	STRING COLOUR	EAN	CODE	DELIVERY	EURO
Nero opaco / <b>Matt black</b> / Schwarz matt	Arancione / <b>Orange</b> / Orange	8013210228821	1SRW1 T01 <b>62</b> EL0	3 Weeks	<b>401,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Arancione / <b>Orange</b> / Orange	8013210228838	1SRW1 T01 <b>63</b> EL0	3 Weeks	<b>401,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Nero / <b>Black</b> / Schwarz	8013210228845	1SRW1 T02 <b>62</b> EL0	3 Weeks	<b>401,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Nero / <b>Black</b> / Schwarz	8013210228852	1SRW1 T02 <b>63</b> EL0	3 Weeks	<b>401,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Argento / <b>Silver</b> / Silber	8013210228869	1SRW1 T03 <b>62</b> EL0	3 Weeks	<b>401,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Argento / <b>Silver</b> / Silber	8013210228876	1SRW1 T03 <b>63</b> EL0	3 Weeks	<b>401,00</b>

STRUCTURE DTW (DIM TO WARM)	STRING COLOUR	EAN	CODE	DELIVERY	EURO
Nero opaco / <b>Matt black</b> / Schwarz matt	Arancione / <b>Orange</b> / Orange	8013210204696	1SRW1 W01 <b>62</b> EL0	3 Weeks	<b>401,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Arancione / <b>Orange</b> / Orange	8013210204614	1SRW1 W01 <b>63</b> EL0	3 Weeks	<b>401,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Nero / <b>Black</b> / Schwarz	8013210206126	1SRW1 W02 <b>62</b> EL0	3 Weeks	<b>401,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Nero / <b>Black</b> / Schwarz	8013210206133	1SRW1 W02 <b>63</b> EL0	3 Weeks	<b>401,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Argento / <b>Silver</b> / Silber	8013210193808	1SRW1 W03 <b>62</b> EL0	3 Weeks	<b>401,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Argento / <b>Silver</b> / Silber	8013210194294	1SRW1 W03 <b>63</b> EL0	3 Weeks	<b>401,00</b>

**ROTALIANA COLORS COLLECTION**

**Satin Collection**  
4 weeks | € 441,00

**Ethic Collection**  
4 weeks | € 441,00

**STRING W2**

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC
	Wall Surface Push button dimmer IP20 700 lumen max luminaire flux Indoor use Box measurements cm: L 75 x D 25 x H 11 Gross weight: KG.1,90	MID POWER LED TW 2.200K - 4.000K DTW 2.500K - 4.000K CRI 90 24V Macadam step 3 LED Life L70 B50 > 60.000 h Energy Class: F	220-240 V 50 Hz 9W Class 1 Driver included	Lighting type: Direct Light distribution: Symmetric 

STRUCTURE TW (TUNABLE WHITE)	STRING COLOUR	EAN	CODE	DELIVERY	EURO
Nero opaco / <b>Matt black</b> / Schwarz matt	Arancione / <b>Orange</b> / Orange	8013210228883	1SRW2 T01 <b>62</b> ZL0	3 Weeks	<b>401,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Arancione / <b>Orange</b> / Orange	8013210228890	1SRW2 T01 <b>63</b> ZL0	3 Weeks	<b>401,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Nero / <b>Black</b> / Schwarz	8013210228906	1SRW2 T02 <b>62</b> ZL0	3 Weeks	<b>401,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Nero / <b>Black</b> / Schwarz	8013210228913	1SRW2 T02 <b>63</b> ZL0	3 Weeks	<b>401,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Argento / <b>Silver</b> / Silber	8013210228920	1SRW2 T03 <b>62</b> ZL0	3 Weeks	<b>401,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Argento / <b>Silver</b> / Silber	8013210228937	1SRW2 T03 <b>63</b> ZL0	3 Weeks	<b>401,00</b>

STRUCTURE DTW (DIM TO WARM)	STRING COLOUR	EAN	CODE	DELIVERY	EURO
Nero opaco / <b>Matt black</b> / Schwarz matt	Arancione / <b>Orange</b> / Orange	8013210206225	1SRW2 W01 <b>62</b> ZL0	3 Weeks	<b>401,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Arancione / <b>Orange</b> / Orange	8013210206201	1SRW2 W01 <b>63</b> ZL0	3 Weeks	<b>401,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Nero / <b>Black</b> / Schwarz	8013210206218	1SRW2 W02 <b>62</b> ZL0	3 Weeks	<b>401,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Nero / <b>Black</b> / Schwarz	8013210206195	1SRW2 W02 <b>63</b> ZL0	3 Weeks	<b>401,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Argento / <b>Silver</b> / Silber	8013210206157	1SRW2 W03 <b>62</b> ZL0	3 Weeks	<b>401,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Argento / <b>Silver</b> / Silber	8013210206188	1SRW2 W03 <b>63</b> ZL0	3 Weeks	<b>401,00</b>

**ROTALIANA COLORS COLLECTION**

**Satin Collection**  
4 weeks | € 441,00

**Ethic Collection**  
4 weeks | € 441,00

**STRING W2 MINI**

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC
	Wall Surface Push button dimmer IP20 700 lumen max luminaire flux Indoor use Box measurements cm: L 55 x D 22 x H 20 Gross weight: KG.1,50	MID POWER LED TW 2.200K - 4.000K DTW 2.500K - 4.000K CRI 90 24V Macadam step 3 LED Life L70 B50 > 60.000 h Energy Class: F	220-240 V 50 Hz 9W Class 1 Driver included	Lighting type: Direct Light distribution: Symmetric 

STRUCTURE TW (TUNABLE WHITE)	STRING COLOUR	EAN	CODE	DELIVERY	EURO
Nero opaco / <b>Matt black</b> / Schwarz matt	Arancione / <b>Orange</b> / Orange	8013210228944	1SRW2 MT1 <b>62</b> ZL0	3 Weeks	<b>373,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Arancione / <b>Orange</b> / Orange	8013210228951	1SRW2 MT1 <b>63</b> ZL0	3 Weeks	<b>373,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Nero / <b>Black</b> / Schwarz	8013210228968	1SRW2 MT2 <b>62</b> ZL0	3 Weeks	<b>373,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Nero / <b>Black</b> / Schwarz	8013210228975	1SRW2 MT2 <b>63</b> ZL0	3 Weeks	<b>373,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Argento / <b>Silver</b> / Silber	8013210228982	1SRW2 MT3 <b>62</b> ZL0	3 Weeks	<b>373,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Argento / <b>Silver</b> / Silber	8013210228999	1SRW2 MT3 <b>63</b> ZL0	3 Weeks	<b>373,00</b>

STRUCTURE DTW (DIM TO WARM)	STRING COLOUR	EAN	CODE	DELIVERY	EURO
Nero opaco / <b>Matt black</b> / Schwarz matt	Arancione / <b>Orange</b> / Orange	8013210204672	1SRW2 MW1 <b>62</b> ZL0	3 Weeks	<b>373,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Arancione / <b>Orange</b> / Orange	8013210204641	1SRW2 MW1 <b>63</b> ZL0	3 Weeks	<b>373,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Nero / <b>Black</b> / Schwarz	8013210204665	1SRW2 MW2 <b>62</b> ZL0	3 Weeks	<b>373,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Nero / <b>Black</b> / Schwarz	8013210204634	1SRW2 MW2 <b>63</b> ZL0	3 Weeks	<b>373,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Argento / <b>Silver</b> / Silber	8013210204689	1SRW2 MW3 <b>62</b> ZL0	3 Weeks	<b>373,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Argento / <b>Silver</b> / Silber	8013210204658	1SRW2 MW3 <b>63</b> ZL0	3 Weeks	<b>373,00</b>

**ROTALIANA COLORS COLLECTION**

**Satin Collection**  
4 weeks | € 410,00

**Ethic Collection**  
4 weeks | € 410,00

**STRING XL**

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC
	Floor Standing Touch dimmer IP20 3.100 lumen luminaire flux Indoor use Box measurements cm: L 58 x D 58 x H 21 KG.23,00 Box measurements cm: L 39 x D 10 x H 21.8 Gross weight: KG.8,00	MID POWER LED 2.700K CRI 90 24V Mono Bin LED Life L70 B50 > 72.000 h Energy Class: E	220-240 V 50 Hz 48W Class 2 Driver included Europe plug	Lighting type: Direct Light distribution: Symmetric Discover String XL

STRUCTURE	CABLE	EAN	CODE	DELIVERY	EURO
Nero opaco / <b>Matt black</b> / Schwarz matt	Arancione / <b>Orange</b> / Orange	8013210184592	1SRXL 001 <b>62</b> ELO	4 Weeks	<b>1.829,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Arancione / <b>Orange</b> / Orange	8013210184585	1SRXL 001 <b>63</b> ELO	4 Weeks	<b>1.829,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Nero / <b>Black</b> / Schwarz	8013210184684	1SRXL 002 <b>62</b> ELO	4 Weeks	<b>1.829,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Nero / <b>Black</b> / Schwarz	8013210184691	1SRXL 002 <b>63</b> ELO	4 Weeks	<b>1.829,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Argento / <b>Silver</b> / Silber	8013210184714	1SRXL 003 <b>62</b> ELO	4 Weeks	<b>1.829,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Argento / <b>Silver</b> / Silber	8013210184707	1SRXL 003 <b>63</b> ELO	4 Weeks	<b>1.829,00</b>

**ROTALIANA COLORS COLLECTION**

Satin Collection	Ethic Collection
5 weeks   € 2.012,00	5 weeks   € 2.012,00

**SUNSET F1**

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC
	Floor Standing Foot dimmer IP20 3.000 lumen - luminaire flux Indoor use Box measurements cm: L 40 x D 40 x H 198 Gross weight: KG.9,80	ACRICHE HV LED 2.700K, 3.000K CRI 90 230V Macadam step 3 LED Life L70 B50 > 50.000 h Energy Class: F	220-240 V 50 Hz 32W Class 2 Driver included Europe plug	Lighting type: Indirect Light distribution: Asymmetric Discover Sunset

STRUCTURE	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b> Bianco opaco / <b>Matt white</b> / Weiß matt	8013210186442	1SNF1 000 <b>63</b> EL1	3 Weeks	<b>721,00</b>
<b>3.000 Kelvin</b> Bianco opaco / <b>Matt white</b> / Weiß matt	8013210185490	1SNF1 000 <b>63</b> ELO	3 Weeks	<b>721,00</b>

**ROTALIANA COLORS COLLECTION**

Satin Collection	Ethic Collection
4 weeks   € 793,00	4 weeks   € 793,00

**SUNSET W0**

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC
	Wall Surface Phase IP20 3.000 lumen - luminaire flux Indoor use Box measurements cm: L 45 x D 39 x H 17 Gross weight: KG.2,20	ACRICHE HV LED 2.700K, 3.000K CRI 90 230V Macadam step 3 LED Life L70 B50 > 50.000 h Energy Class: F	220-240 V 50 Hz 32W Class 1 Driver included	Lighting type: Indirect Light distribution: Asymmetric Discover Sunset

STRUCTURE	DIMMING	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b> Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Phase</b>	8013210186473	1SNW0 D00 <b>63</b> ZL1	2 Weeks	<b>329,00</b>
<b>3.000 Kelvin</b> Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Phase</b>	8013210186466	1SNW0 D00 <b>63</b> ZLO	2 Weeks	<b>329,00</b>

**ROTALIANA COLORS COLLECTION**

Satin Collection	Ethic Collection
3 weeks   € 362,00	3 weeks   € 362,00

**SUNSET W1**

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC
	Wall Surface Phase IP20 3.000 lumen - luminaire flux Indoor use Box measurements cm: L 40 x D 40 x H 198 Gross weight: KG.7,00	ACRICHE HV LED 2.700K, 3.000K CRI 90 230V Macadam step 3 LED Life L70 B50 > 50.000 h Energy Class: F	220-240 V 50 Hz 32W Class 2 Driver included Europe plug	Lighting type: Indirect Light distribution: Asymmetric 

STRUCTURE	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b> Bianco opaco / <b>Matt white</b> / Weiß matt	8013210186459	1SNW1 000 63 EL1	3 Weeks	<b>721,00</b>
<b>3.000 Kelvin</b> Bianco opaco / <b>Matt white</b> / Weiß matt	8013210185476	1SNW1 000 63 EL0	3 Weeks	<b>721,00</b>

**ROTALIANA COLORS COLLECTION**

**Satin Collection**  
4 weeks | € 793,00

**Ethic Collection**  
4 weeks | € 793,00

**TICK W0**

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC
	Wall Surface On/off IP20 1.200 lumen - luminaire flux Indoor use Box measurements cm: L 37 x D 21 x H 9 Gross weight: KG.0,70	MID POWER LED 2.700K CRI 90 350mA Mono Bin LED Life L70 B50 > 72.000 h Energy Class: F	220-240 V 50 Hz 14W Class 1 Driver included	Lighting type: Indirect Light distribution: Asymmetric 

STRUCTURE	DIMMING	EAN	CODE	DELIVERY	EURO
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>On/off</b>	8013210172766	1TKW0 000 63 ZL0	3 Weeks	<b>244,00</b>

**ROTALIANA COLORS COLLECTION**

**Satin Collection**  
4 weeks | € 268,00

**Ethic Collection**  
4 weeks | € 268,00

**TIDE W0**

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC
	Wall Surface Phase IP20 3.000 lumen - luminaire flux Indoor use Box measurements cm: L 34 x D 32 x H 13 Gross weight: KG.1,90	ACRICHE HV LED 2.700K, 3.000K CRI 90 230V Macadam step 3 LED Life L70 B50 > 50.000 h Energy Class: F	220-240 V 50 Hz 32W Class 1 Driver included	Lighting type: Indirect Light distribution: Asymmetric 

STRUCTURE	DIMMING	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b> Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Phase</b>	8013210201404	1TDW0 D00 63 ZL1	2 Weeks	<b>329,00</b>
<b>3.000 Kelvin</b> Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Phase</b>	8013210201398	1TDW0 D00 63 ZL0	2 Weeks	<b>329,00</b>

**ROTALIANA COLORS COLLECTION**

**Architectural Collection**  
3 weeks | No extra cost

**Satin Collection**  
3 weeks | € 362,00

**Ethic Collection**  
3 weeks | € 362,00

**TOBU F1**

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC
	Floor Standing Potentiometer IP20 7.100 lumen - luminaire flux Indoor use Box measurements cm: L 35 x D 22 x H 210 Gross weight: KG.16,50 Box measurements cm: L 40 x D 40 x H 10 Gross weight: KG.8,90	COB LED 2.700K, 3.000K CRI 90 950mA Macadam step 3 LED Life L80 B50 > 50.000 h Energy Class: E	220-240 V 50 Hz 76W Class 2 Driver included Europe plug	Lighting type: Indirect Light distribution: Symmetric Beam angle C0-180 24°/ 42°/ 56°/ 85° Beam angle C90-270 24°/ 42°/ 56°/ 85° 

LENS BEAM	STRUCTURE	DIMMING	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>						
	Bianco opaco / <b>Matt white</b> / Weiß matt	Potentiometer	8013210211557	1TBF1 S20 <b>63</b> EL1	3 Weeks	<b>1.803,00</b>
	Nero opaco / <b>Matt black</b> / Schwarz matt	Potentiometer	8013210211540	1TBF1 S20 <b>62</b> EL1	3 Weeks	<b>1.803,00</b>
	Bianco opaco / <b>Matt white</b> / Weiß matt	Potentiometer	8013210211526	1TBF1 M30 <b>63</b> EL1	3 Weeks	<b>1.803,00</b>
	Nero opaco / <b>Matt black</b> / Schwarz matt	Potentiometer	8013210211519	1TBF1 M30 <b>62</b> EL1	3 Weeks	<b>1.803,00</b>
	Bianco opaco / <b>Matt white</b> / Weiß matt	Potentiometer	8013210211588	1TBF1 W50 <b>63</b> EL1	3 Weeks	<b>1.803,00</b>
	Nero opaco / <b>Matt black</b> / Schwarz matt	Potentiometer	8013210211571	1TBF1 W50 <b>62</b> EL1	3 Weeks	<b>1.803,00</b>
	Bianco opaco / <b>Matt white</b> / Weiß matt	Potentiometer	8013210211496	1TBF1 E90 <b>63</b> EL1	3 Weeks	<b>1.803,00</b>
	Nero opaco / <b>Matt black</b> / Schwarz matt	Potentiometer	8013210211489	1TBF1 E90 <b>62</b> EL1	3 Weeks	<b>1.803,00</b>
<b>3.000 Kelvin</b>						
	Bianco opaco / <b>Matt white</b> / Weiß matt	Potentiometer	8013210209585	1TBF1 S20 <b>63</b> ELO	3 Weeks	<b>1.803,00</b>
	Nero opaco / <b>Matt black</b> / Schwarz matt	Potentiometer	8013210209592	1TBF1 S20 <b>62</b> ELO	3 Weeks	<b>1.803,00</b>
	Bianco opaco / <b>Matt white</b> / Weiß matt	Potentiometer	8013210209660	1TBF1 M30 <b>63</b> ELO	3 Weeks	<b>1.803,00</b>
	Nero opaco / <b>Matt black</b> / Schwarz matt	Potentiometer	8013210209691	1TBF1 M30 <b>62</b> ELO	3 Weeks	<b>1.803,00</b>
	Bianco opaco / <b>Matt white</b> / Weiß matt	Potentiometer	8013210209677	1TBF1 W50 <b>63</b> ELO	3 Weeks	<b>1.803,00</b>
	Nero opaco / <b>Matt black</b> / Schwarz matt	Potentiometer	8013210209714	1TBF1 W50 <b>62</b> ELO	3 Weeks	<b>1.803,00</b>
	Bianco opaco / <b>Matt white</b> / Weiß matt	Potentiometer	8013210209684	1TBF1 E90 <b>63</b> ELO	3 Weeks	<b>1.803,00</b>
	Nero opaco / <b>Matt black</b> / Schwarz matt	Potentiometer	8013210209721	1TBF1 E90 <b>62</b> ELO	3 Weeks	<b>1.803,00</b>

**ROTALIANA COLORS COLLECTION**

**Satin Collection**  
5 weeks | € 1.983,00

- 20 Grafite Graphite
- 33 Oro regale Royal gold Luxus Gold
- 43 Argento Silver Silber
- 48 Bronzo scuro Dark bronze Bronze Dunkel
- 64 Bronzo Bronze
- 65 Champagne Champagne

**Ethic Collection**  
5 weeks | € 1.983,00

- 26 Bronzo opaco Matt bronze Bronze matt
- 27 Rame opaco Matt Copper Kupfer matt
- 32 Carne di fucile Powder gun matt Matter Rogues
- 34 Oro opaco Matt gold Gold matt
- 35 Nichel opaco Nickel matt Nickel matt
- W2 Sabbia Sand Sand
- W4 Corda Rope color Schur Beige
- W6 Torora Dovegray Taubengrau
- W8 Caffè Coffee Coffee Braun

**TOBU W1**

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC
	Wall Surface Potentiometer IP20 7.100 lumen - luminaire flux Indoor use Box measurements cm: L 50 x D 33 x H 33 Gross weight: KG.4,40	COB LED 2.700K, 3.000K CRI 90 950mA Macadam step 3 LED Life L80 B50 > 50.000 h Energy Class: E	220-240 V 50 Hz 76W Class 1 Driver included	Lighting type: Indirect Light distribution: Symmetric Beam angle C0-180 24°/ 42°/ 56°/ 85° Beam angle C90-270 24°/ 42°/ 56°/ 85° 

LENS BEAM	STRUCTURE	DIMMING	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>						
	Bianco opaco / <b>Matt white</b> / Weiß matt	Potentiometer	8013210211687	1TBW1 S20 <b>63</b> DL1	3 Weeks	<b>1.355,00</b>
	Nero opaco / <b>Matt black</b> / Schwarz matt	Potentiometer	8013210211670	1TBW1 S20 <b>62</b> DL1	3 Weeks	<b>1.355,00</b>
	Bianco opaco / <b>Matt white</b> / Weiß matt	Potentiometer	8013210211656	1TBW1 M30 <b>63</b> DL1	3 Weeks	<b>1.355,00</b>
	Nero opaco / <b>Matt black</b> / Schwarz matt	Potentiometer	8013210211649	1TBW1 M30 <b>62</b> DL1	3 Weeks	<b>1.355,00</b>
	Bianco opaco / <b>Matt white</b> / Weiß matt	Potentiometer	8013210211717	1TBW1 W50 <b>63</b> DL1	3 Weeks	<b>1.355,00</b>
	Nero opaco / <b>Matt black</b> / Schwarz matt	Potentiometer	8013210211700	1TBW1 W50 <b>62</b> DL1	3 Weeks	<b>1.355,00</b>
	Bianco opaco / <b>Matt white</b> / Weiß matt	Potentiometer	8013210211618	1TBW1 E90 <b>63</b> DL1	3 Weeks	<b>1.355,00</b>
	Nero opaco / <b>Matt black</b> / Schwarz matt	Potentiometer	8013210211601	1TBW1 E90 <b>62</b> DL1	3 Weeks	<b>1.355,00</b>
<b>3.000 Kelvin</b>						
	Bianco opaco / <b>Matt white</b> / Weiß matt	Potentiometer	8013210209745	1TBW1 S20 <b>63</b> DL0	3 Weeks	<b>1.355,00</b>
	Nero opaco / <b>Matt black</b> / Schwarz matt	Potentiometer	8013210209738	1TBW1 S20 <b>62</b> DL0	3 Weeks	<b>1.355,00</b>
	Bianco opaco / <b>Matt white</b> / Weiß matt	Potentiometer	8013210209776	1TBW1 M30 <b>63</b> DL0	3 Weeks	<b>1.355,00</b>
	Nero opaco / <b>Matt black</b> / Schwarz matt	Potentiometer	8013210209769	1TBW1 M30 <b>62</b> DL0	3 Weeks	<b>1.355,00</b>
	Bianco opaco / <b>Matt white</b> / Weiß matt	Potentiometer	8013210209806	1TBW1 W50 <b>63</b> DL0	3 Weeks	<b>1.355,00</b>
	Nero opaco / <b>Matt black</b> / Schwarz matt	Potentiometer	8013210209790	1TBW1 W50 <b>62</b> DL0	3 Weeks	<b>1.355,00</b>
	Bianco opaco / <b>Matt white</b> / Weiß matt	Potentiometer	8013210209837	1TBW1 E90 <b>63</b> DL0	3 Weeks	<b>1.355,00</b>
	Nero opaco / <b>Matt black</b> / Schwarz matt	Potentiometer	8013210209820	1TBW1 E90 <b>62</b> DL0	3 Weeks	<b>1.355,00</b>

**TOBU - ACCESSORIES**

LENS BEAM	CODE	EURO
	20° Spot	20220001 <b>46,00</b>
	30° Medium	20220002 <b>46,00</b>
	50° Wide	20220003 <b>46,00</b>
	90° Extra	20220004 <b>46,00</b>

**ROTALIANA COLORS COLLECTION**

**Satin Collection**  
5 weeks | € 1.491,00

- 20 Grafite Graphite
- 33 Oro regale Royal gold Luxus Gold
- 43 Argento Silver Silber
- 48 Bronzo scuro Dark bronze Bronze Dunkel
- 64 Bronzo Bronze
- 65 Champagne Champagne

**Ethic Collection**  
5 weeks | € 1.491,00

- 26 Bronzo opaco Matt bronze Bronze matt
- 27 Rame opaco Matt Copper Kupfer matt
- 32 Carne di fucile Powder gun matt Matter Rogues
- 34 Oro opaco Matt gold Gold matt
- 35 Nichel opaco Nickel matt Nickel matt
- W2 Sabbia Sand Sand
- W4 Corda Rope color Schur Beige
- W6 Torora Dovegray Taubengrau
- W8 Caffè Coffee Coffee Braun

**TOTEM & TABÙ W1**

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC
	Wall Surface On-Off, Phase, Push, Dali IP20 2.600 lumen - luminaire flux Indoor use Box measurements cm: L 54 x D 30 x H 9 Gross weight: KG.3,40	MID POWER LED 2.700K, 3.000K CRI 90 700mA Macadam Step 3 LED Life L70 B50 > 56.000 h Energy Class: E	220-240 V 50 Hz 34W Class 1 Driver included	Lighting type: Indirect Light distribution: Symmetric 

STRUCTURE	DIMMING	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>					
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>On/off</b>	8013210216712	1TOW1 000 63 ZLO	3 Weeks	<b>433,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Phase</b>	8013210216736	1TOW1 000 63 FLO	3 Weeks	<b>464,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Push</b>	8013210216743	1TOW1 000 63 HLO	3 Weeks	<b>479,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Dali</b>	8013210216750	1TOW1 000 63 PLO	3 Weeks	<b>479,00</b>
<b>3.000 Kelvin</b>					
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>On/off</b>	8013210216781	1TOW1 000 63 ZL1	3 Weeks	<b>433,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Phase</b>	8013210216774	1TOW1 000 63 FL1	3 Weeks	<b>464,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Push</b>	8013210216798	1TOW1 000 63 HL1	3 Weeks	<b>479,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Dali</b>	8013210216767	1TOW1 000 63 PL1	3 Weeks	<b>479,00</b>

**ROTALIANA COLORS COLLECTION**

**Architectural Collection** 3 weeks | No extra cost

**Satin Collection** 4 weeks | + 10% extra

**Ethic Collection** 4 weeks | + 10% extra

- Architectural Collection:** V1 (Vernicabile, Pantabile, Nachlackierbar)
- Satin Collection:** 20 (Grafite Graphite), 33 (Oro regale Royal gold Luxa-Gold), 43 (Argento Silver), 48 (Bronzo scuro Dark bronze Bronze Dunkel), 64 (Bronzo Bronze), 65 (Champagne Champagne).
- Ethic Collection:** 26 (Bronzo opaco Matt bronze Bronze matt), 27 (Rame opaco Matt Copper Kupfer matt), 32 (Carina di Lule Powder gun matt Malter-Roguss), 34 (Oro opaco Matt gold Gold matt), 35 (Nichel opaco Nickel matt Nickel matt), W2 (Sabbia Sand Sand), W4 (Corda Rope color Schnur-Beige), W6 (Tonbra Dovegray Taubengrau), W8 (Caffè Coffee Kaffee-Braun).

**TOTEM & TABÙ W1**

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC
	Wall Surface On-Off, Phase, Push, Dali IP20 2.600 lumen - luminaire flux Indoor use Box measurements cm: L 50 x D 30 x H 9 Gross weight: KG.3,90	MID POWER LED 2.700K, 3.000K CRI 90 700mA Macadam Step 3 LED Life L70 B50 > 56.000 h Energy Class: E	220-240 V 50 Hz 34W Class 1 Driver included	Lighting type: Indirect Light distribution: Symmetric 

STRUCTURE	DIMMING	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>					
Specchio / <b>Mirror</b> / Spiegel	<b>On/off</b>	8013210216811	1TOW1 M01 63 ZLO	3 Weeks	<b>453,00</b>
Specchio / <b>Mirror</b> / Spiegel	<b>Phase</b>	8013210216859	1TOW1 M01 63 FLO	3 Weeks	<b>484,00</b>
Specchio / <b>Mirror</b> / Spiegel	<b>Push</b>	8013210216873	1TOW1 M01 63 HLO	3 Weeks	<b>500,00</b>
Specchio / <b>Mirror</b> / Spiegel	<b>Dali</b>	8013210216835	1TOW1 M01 63 PLO	3 Weeks	<b>500,00</b>
<b>3.000 Kelvin</b>					
Specchio / <b>Mirror</b> / Spiegel	<b>On/off</b>	8013210216828	1TOW1 M01 63 ZL1	3 Weeks	<b>453,00</b>
Specchio / <b>Mirror</b> / Spiegel	<b>Phase</b>	8013210216866	1TOW1 M01 63 FL1	3 Weeks	<b>484,00</b>
Specchio / <b>Mirror</b> / Spiegel	<b>Push</b>	8013210216880	1TOW1 M01 63 HL1	3 Weeks	<b>500,00</b>
Specchio / <b>Mirror</b> / Spiegel	<b>Dali</b>	8013210216842	1TOW1 M01 63 PL1	3 Weeks	<b>500,00</b>

**TOTEM & TABÙ W1**

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC
	Wall Surface On-Off, Phase, Push, Dali IP20 2.600 lumen - luminaire flux Indoor use Box measurements cm: L 54 x D 30 x H 9 Gross weight: KG.4,20	MID POWER LED 2.700K, 3.000K CRI 90 700mA Macadam Step 3 LED Life L70 B50 > 56.000 h Energy Class: E	220-240 V 50 Hz 34W Class 1 Driver included	Lighting type: Indirect Light distribution: Symmetric <p>gessetto cancellabile incluso / erasable chalk included / inklusive kreide (streichbar)</p>

STRUCTURE	DIMMING	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>					
Ardesia / <b>Slate</b> / Schiefer	<b>On/off</b>	8013210216897	1TOW1 L01 63 ZLO	3 Weeks	<b>476,00</b>
Ardesia / <b>Slate</b> / Schiefer	<b>Phase</b>	8013210216958	1TOW1 L01 63 FLO	3 Weeks	<b>507,00</b>
Ardesia / <b>Slate</b> / Schiefer	<b>Push</b>	8013210216910	1TOW1 L01 63 HLO	3 Weeks	<b>517,00</b>
Ardesia / <b>Slate</b> / Schiefer	<b>Dali</b>	8013210216934	1TOW1 L01 63 PLO	3 Weeks	<b>517,00</b>
<b>3.000 Kelvin</b>					
Ardesia / <b>Slate</b> / Schiefer	<b>On/off</b>	8013210216903	1TOW1 L01 63 ZL1	3 Weeks	<b>476,00</b>
Ardesia / <b>Slate</b> / Schiefer	<b>Phase</b>	8013210216965	1TOW1 L01 63 FL1	3 Weeks	<b>507,00</b>
Ardesia / <b>Slate</b> / Schiefer	<b>Push</b>	8013210216927	1TOW1 L01 63 HL1	3 Weeks	<b>517,00</b>
Ardesia / <b>Slate</b> / Schiefer	<b>Dali</b>	8013210216941	1TOW1 L01 63 PL1	3 Weeks	<b>517,00</b>

**TOTEM & TABÙ W1**

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC
	Wall Surface On-Off, Phase, Push, Dali IP20 2.600 lumen - luminaire flux Indoor use Box measurements cm: L 54 x D 30 x H 9 Gross weight: KG.3,40	MID POWER LED 2.700K, 3.000K CRI 90 700mA Macadam Step 3 LED Life L70 B50 > 56.000 h Energy Class: E	220-240 V 50 Hz 34W Class 1 Driver included	Lighting type: Indirect Light distribution: Symmetric 

STRUCTURE	DIMMING	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>					
Noce Canaletto / <b>Canaletto Walnut</b> / Canaletto Nußholz	<b>On/off</b>	8013210216972	1TOW1 N01 63 ZLO	3 Weeks	<b>639,00</b>
Rovere / <b>Oak</b> / Eiche	<b>On/off</b>	8013210217054	1TOW1 R01 63 ZLO	3 Weeks	<b>639,00</b>
Noce Canaletto / <b>Canaletto Walnut</b> / Canaletto Nußholz	<b>Phase</b>	8013210216996	1TOW1 N01 63 FLO	3 Weeks	<b>670,00</b>
Rovere / <b>Oak</b> / Eiche	<b>Phase</b>	8013210217078	1TOW1 R01 63 FLO	3 Weeks	<b>670,00</b>
Noce Canaletto / <b>Canaletto Walnut</b> / Canaletto Nußholz	<b>Push</b>	8013210217016	1TOW1 N01 63 HLO	3 Weeks	<b>685,00</b>
Rovere / <b>Oak</b> / Eiche	<b>Push</b>	8013210217092	1TOW1 R01 63 HLO	3 Weeks	<b>685,00</b>
Noce Canaletto / <b>Canaletto Walnut</b> / Canaletto Nußholz	<b>Dali</b>	8013210217030	1TOW1 N01 63 PLO	3 Weeks	<b>685,00</b>
Rovere / <b>Oak</b> / Eiche	<b>Dali</b>	8013210217115	1TOW1 R01 63 PLO	3 Weeks	<b>685,00</b>
<b>3.000 Kelvin</b>					
Noce Canaletto / <b>Canaletto Walnut</b> / Canaletto Nußholz	<b>On/off</b>	8013210216989	1TOW1 N01 63 ZL1	3 Weeks	<b>639,00</b>
Rovere / <b>Oak</b> / Eiche	<b>On/off</b>	8013210217061	1TOW1 R01 63 ZL1	3 Weeks	<b>639,00</b>
Noce Canaletto / <b>Canaletto Walnut</b> / Canaletto Nußholz	<b>Phase</b>	8013210217009	1TOW1 N01 63 FL1	3 Weeks	<b>670,00</b>
Rovere / <b>Oak</b> / Eiche	<b>Phase</b>	8013210217085	1TOW1 R01 63 FL1	3 Weeks	<b>670,00</b>
Noce Canaletto / <b>Canaletto Walnut</b> / Canaletto Nußholz	<b>Push</b>	8013210217023	1TOW1 N01 63 HL1	3 Weeks	<b>685,00</b>
Rovere / <b>Oak</b> / Eiche	<b>Push</b>	8013210217108	1TOW1 R01 63 HL1	3 Weeks	<b>685,00</b>
Noce Canaletto / <b>Canaletto Walnut</b> / Canaletto Nußholz	<b>Dali</b>	8013210217047	1TOW1 N01 63 PL1	3 Weeks	<b>685,00</b>
Rovere / <b>Oak</b> / Eiche	<b>Dali</b>	8013210217122	1TOW1 R01 63 PL1	3 Weeks	<b>685,00</b>

TOTEM & TABÙ ACCESSORIES

MASKS	EAN	CODE	DELIVERY	EURO
Bianco opaco / <b>Matt white</b> / Weiß matt	8013210217238	KTOW1 000 63 000	3 Weeks	103,00
Grafite / <b>Graphite</b> / Graphit	8013210217245	KTOW1 000 20 000	3 Weeks	113,00
Oro regale / <b>Royal gold</b> / Luxus-Gold	8013210217252	KTOW1 000 33 000	3 Weeks	113,00
Argento / <b>Silver</b> / Silber	8013210240137	KTOW1 000 43 000	3 Weeks	113,00
Bronzo scuro / <b>Dark bronze</b> / Bronze Dunkel	8013210217276	KTOW1 000 48 000	3 Weeks	113,00
Nero opaco / <b>Matt black</b> / Schwarz matt	8013210217283	KTOW1 000 62 000	3 Weeks	113,00
Bronzo / <b>Bronze</b> / Bronze	8013210217290	KTOW1 000 64 000	3 Weeks	113,00
Champagne / <b>Champagne</b> / Champagner	8013210240144	KTOW1 000 65 000	3 Weeks	113,00
<b>Satin Collection</b>				
Bronzo opaco / <b>Matt bronze</b> / Bronze matt	8013210240151	KTOW1 000 26 000	3 Weeks	113,00
Rame opaco / <b>Matt Copper</b> / Kupfer matt	8013210240168	KTOW1 000 27 000	3 Weeks	113,00
Canna di fucile / <b>Powder gun matt</b> / Matter Rotguss	8013210240175	KTOW1 000 32 000	3 Weeks	113,00
Oro opaco / <b>Matt gold</b> / Gold matt	8013210240182	KTOW1 000 34 000	3 Weeks	113,00
Nichel opaco / <b>Nickel matt</b> / Nickel matt	8013210240199	KTOW1 000 35 000	3 Weeks	113,00
Sabbia / <b>Sand</b> / Sand	8013210217313	KTOW1 000 W2 000	3 Weeks	113,00
Corda / <b>Rope color</b> / Schnur-Beige	8013210217337	KTOW1 000 W4 000	3 Weeks	113,00
Tortora / <b>Dove-gray</b> / Taubengrau	8013210217344	KTOW1 000 W6 000	3 Weeks	113,00
Caffè / <b>Coffee</b> / Kaffee-Braun	8013210218129	KTOW1 000 W8 000	3 Weeks	113,00
<b>Ethic Collection</b>				
Specchio / <b>Mirror</b> / Spiegel	8013210217399	KTOW1 M01 00 000	3 Weeks	134,00
Ardesia / <b>Slate</b> / Schiefer	8013210217405	KTOW1 L01 00 000	3 Weeks	155,00
Noce Canaletto / <b>Canaletto Walnut</b> / Canaletto Nußholz	8013210220689	KTOW1 N01 00 000	3 Weeks	309,00
Rovere / <b>Oak</b> / Eiche	8013210220696	KTOW1 R01 00 000	3 Weeks	309,00
Verniciabile / <b>Paintable</b> / Nachlackierbar	8013210240267	KTOW1 000 V1 000	4 Weeks	309,00

VENERE W1

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC	
	Ceiling/Wall Surface On-Off, Push, Dali IP20 2.000 lumen - luminaire flux Indoor use Box measurements cm: L 40 x D 32 x H 13 Gross weight: KG.2,20	MID POWER LED 2.700K, 3.000K CRI 90 550mA Mono Bin LED Life L70 B50 > 54.000 h Energy Class: F	220-240 V 50 Hz 26W Class 1 Driver included	Lighting type: Direct and diffused Light distribution: Symmetric 	
STRUCTURE	DIMMING	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>					
Bianco / <b>White</b> / Weiß	<b>On/off</b>	8013210228463	1VEW1 000 13 ZL0	2 Weeks	423,00
Bianco / <b>White</b> / Weiß	<b>Push</b>	8013210228470	1VEW1 000 13 HLO	3 Weeks	472,00
Bianco / <b>White</b> / Weiß	<b>Dali</b>	8013210228487	1VEW1 000 13 PLO	3 Weeks	472,00
<b>3.000 Kelvin</b>					
Bianco / <b>White</b> / Weiß	<b>On/off</b>	8013210228494	1VEW1 000 13 ZL1	2 Weeks	423,00
Bianco / <b>White</b> / Weiß	<b>Push</b>	8013210228500	1VEW1 000 13 HL1	3 Weeks	472,00
Bianco / <b>White</b> / Weiß	<b>Dali</b>	8013210228517	1VEW1 000 13 PL1	3 Weeks	472,00

ROTALIANA COLORS COLLECTION

**Satin Collection**

4 weeks | + 10% extra

**Ethic Collection**

4 weeks | + 10% extra

VENERE W2

TECHNICAL DRAWINGS	GENERAL	LED	ELECTRICAL	OPTICAL   PHOTOMETRIC	
	Ceiling/Wall Surface On-Off, Push, Dali IP20 2.900 lumen - luminaire flux Indoor use Box measurements cm: L 43 x D 41 x H 12 Gross weight: KG.3,50	MID POWER LED 2.700K, 3.000K CRI 90 650mA Mono Bin LED Life L70 B50 > 54.000 h Energy Class: F	220-240 V 50 Hz 41W Class 1 Driver included	Lighting type: Direct and diffused Light distribution: Symmetric 	
STRUCTURE	DIMMING	EAN	CODE	DELIVERY	EURO
<b>2.700 Kelvin</b>					
Bianco / <b>White</b> / Weiß	<b>On/off</b>	8013210228258	1VEW2 000 13 ZL0	2 Weeks	579,00
Bianco / <b>White</b> / Weiß	<b>Push</b>	8013210228265	1VEW2 000 13 HLO	3 Weeks	626,00
Bianco / <b>White</b> / Weiß	<b>Dali</b>	8013210228272	1VEW2 000 13 PLO	3 Weeks	626,00
<b>3.000 Kelvin</b>					
Bianco / <b>White</b> / Weiß	<b>On/off</b>	8013210228319	1VEW2 000 13 ZL1	2 Weeks	579,00
Bianco / <b>White</b> / Weiß	<b>Push</b>	8013210228326	1VEW2 000 13 HL1	3 Weeks	626,00
Bianco / <b>White</b> / Weiß	<b>Dali</b>	8013210228357	1VEW2 000 13 PL1	3 Weeks	626,00

ROTALIANA COLORS COLLECTION

**Satin Collection**


4 weeks | + 10% extra

**Ethic Collection**


4 weeks | + 10% extra

**ROSONE R1 - R2 - R3 / CANOPY R1 - R2 - R3 / BALDACHIN R1 - R2 - R3**


Ordina queste versioni per utilizzare il rosone con sospensioni non prodotte da Rotaliana / **To order for assembling with pendants not produced by Rotaliana /**  
 Diese Modelle sind zur Verwendung mit Pendeln, die nicht von Rotaliana hergestellt wurden



STRUCTURE	EAN	CODE	DELIVERY	EURO
<b>R1</b> max 6 luci Ø 50 per lampade a tensione di rete / <b>max 6 lights Ø 50 for mains voltage lamps</b> / Ø 50 max 6 Pendel in Hochvolt Bianco opaco / <b>Matt white</b> / Weiß matt	8013210197554	AROS1 000 63 Z00	3 Weeks	424,00
<b>R2</b> max 3 luci L 90 per lampade a tensione di rete / <b>max 3 lights L 90 for mains voltage lamps</b> / L 90 max 3 Pendel in Hochvolt Bianco opaco / <b>Matt white</b> / Weiß matt	8013210197561	AROS2 000 63 Z00	3 Weeks	546,00
<b>R3</b> max 6 luci L 140 per lampade a tensione di rete / <b>max 6 lights L 140 for mains voltage lamps</b> / L 140 max 6 Pendel in Hochvolt Bianco opaco / <b>Matt white</b> / Weiß matt	8013210197578	AROS3 000 63 Z00	3 Weeks	767,00



STRUCTURE	EAN	CODE	DELIVERY	EURO
<b>R1 ROSONE / CANOPY / BALDACHIN</b> Bianco opaco / <b>Matt white</b> / Weiß matt	8013210202623	AROS1 ROT 63 Z00	3 Weeks	358,00



STRUCTURE	EAN	CODE	DELIVERY	EURO
<b>R2 ROSONE / CANOPY / BALDACHIN</b> Bianco opaco / <b>Matt white</b> / Weiß matt	8013210202630	AROS2 ROT 63 Z00	3 Weeks	480,00

**ROTALIANA COLORS COLLECTION FOR CANOPY**

**Satin Collection**  
4 weeks | + 10% extra

- 20 Grafite Graphite
- 33 Oro regale Royal gold Luxus-Gold
- 43 Argento Silver Silber
- 48 Bronzo scuro Dark bronze Bronze Dunkel
- 62 Nero opaco Matt black Schwarz matt
- 64 Bronzo Bronze
- 65 Champagne Champagne Champagner


**Ethic Collection**  
4 weeks | + 10% extra

- 26 Bronzo opaco Matt bronze Bronze matt
- 27 Rame opaco Matt Copper Kupfer matt
- 32 Canna di fucile Powder gun matt Matter Rotgus
- 34 Oro opaco Matt gold Gold matt
- 35 Nichel opaco Nickel matt Nickel matt
- W2 Sabbia Sand Sand
- W4 Corda Rope color Schur Beige
- W6 Tortora Dovegray Taubengrau
- W8 Caffè Coffee Kaffee-Braun

ACCESSORI / **ACCESSORIES**



Discover  
Rosoni/Canopies



STRUCTURE	EAN	CODE	DELIVERY	EURO
<b>R3 ROSONE / CANOPY / BALDACHIN</b>				
Bianco opaco / <b>Matt white</b> / Weiß matt	8013210202647	AROS3 ROT 63 Z00	3 Weeks	<b>678,00</b>

**ROTALIANA COLORS COLLECTION FOR CANOPY**

**Satin Collection**  
4 weeks | + 10% extra

- 20 Grafite Graphite
- 33 Oro regale Royal gold Luxus-Gold
- 43 Argento Silver Silber
- 48 Bronzo scuro Dark bronze Bronze Dunkel
- 62 Nero opaco Matt black Schwarz matt
- 64 Bronzo Bronze
- 65 Champagne Champagne

**Ethic Collection**  
4 weeks | + 10% extra

- 26 Bronzo opaco Matt bronze Bronze matt
- 27 Rame opaco Matt Copper Kupfer matt
- 32 Crema di latte Powder gun matt Maltzer/Potguss
- 34 Oro opaco Matt gold Gold matt
- 35 Nichel opaco Nickel matt Nickel matt
- W2 Sabbia Sand
- W4 Corda Rope color Schnur-Beige
- W6 Tortora Dovegray Taubengrau
- W8 Caffè Coffee Kaffee-Braun

**In esaurimento / Phase out / Auslaufartikel**

**DRINK H1** min. 1 lampada - max. 6 lampade / min. 1 suspension - max. 6 suspensions / 1 bis - max. 6 Pendelleuchten

STRUCTURE	CABLE COLOR	EAN	CODE	DELIVERY	EURO
Bianco opaco / <b>Matt white</b> / Weiß matt	Trasparente / <b>Transparent</b> / Transparent	8013210204795	ADRH1 000 63 RB0	3 Weeks	<b>246,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	Nero / <b>Black</b> / Schwarz	8013210204801	ADRH1 N00 62 RB0	4 Weeks	<b>246,00</b>

**DRY H3** min. 1 lampada - max. 6 lampade / min. 1 suspension - max. 6 suspensions / 1 bis - max. 6 Pendelleuchten

STRUCTURE	DIMMING	CABLE COLOR	EAN	CODE	DELIVERY	EURO
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>2.700 Kelvin</b>	<b>On/off</b>	Trasp. / <b>Transp.</b> / Transp.	8013210204818	ADYH3 000 63 RL0	3 Weeks <b>322,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	<b>2.700 Kelvin</b>	<b>On/off</b>	Nero / <b>Black</b> / Schwarz	8013210204825	ADYH3 N00 62 RL0	4 Weeks <b>322,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>3.000 Kelvin</b>	<b>On/off</b>	Trasp. / <b>Transp.</b> / Transp.	8013210204832	ADYH3 000 63 RL1	3 Weeks <b>322,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	<b>3.000 Kelvin</b>	<b>On/off</b>	Nero / <b>Black</b> / Schwarz	8013210204849	ADYH3 N00 62 RL1	4 Weeks <b>322,00</b>

**FLOW GLASS H1** min. 1 lampada - max. 3 lampade / min. 1 suspension - max. 3 suspensions / 1 bis - max. 3 Pendelleuchten

STRUCTURE	EAN	CODE	DELIVERY	EURO
Bianco opaco / <b>Matt white</b> / Weiß matt	8013210204856	AFWH1 G01 63 RB0	3 Weeks	<b>449,00</b>

**FLOW GLASS H2** min. 1 lampada - max. 3 lampade / min. 1 suspension - max. 3 suspensions / 1 bis - max. 3 Pendelleuchten

STRUCTURE	EAN	CODE	DELIVERY	EURO
Bianco opaco / <b>Matt white</b> / Weiß matt	8013210204863	AFWH2 G01 63 RB0	3 Weeks	<b>329,00</b>

**GOCCIA H1** min. 1 lampada - max. 6 lampade / min. 1 suspension - max. 6 suspensions / 1 bis - max. 6 Pendelleuchten

STRUCTURE	EAN	CODE	DELIVERY	EURO
Bianco opaco / <b>Matt white</b> / Weiß matt	8013210202685	AGOH1 001 00 RB0	3 Weeks	<b>526,00</b>

**GOCCIA H2** min. 1 lampada - max. 6 lampade / min. 1 suspension - max. 6 suspensions / 1 bis - max. 6 Pendelleuchten

STRUCTURE	EAN	CODE	DELIVERY	EURO
Bianco opaco / <b>Matt white</b> / Weiß matt	8013210202692	AGOH2 00 100 RB0	3 Weeks	<b>413,00</b>

**LUXY H5** min. 1 lampada - max. 6 lampade / min. 1 suspension - max. 6 suspensions / 1 bis - max. 6 Pendelleuchten

TEXTILE COLOURED CABLE	DIFFUSER	EAN	CODE	DELIVERY	EURO
Bianco / <b>White</b> / Weiß	Bianco lucido / <b>Glossy white</b> / Weiß glänzend	8013210204870	ALXH5 B01 30 RR0	3 Weeks	<b>229,00</b>
Bianco / <b>White</b> / Weiß	Bianco acidato / <b>Etched white</b> / Weiß matt	8013210204887	ALXH5 B02 30 RR0	3 Weeks	<b>229,00</b>
Bianco / <b>White</b> / Weiß	Rosso lucido / <b>Glossy red</b> / Rot glänzend	8013210204894	ALXH5 B04 30 RR0	3 Weeks	<b>229,00</b>
Bianco / <b>White</b> / Weiß	Giallo lucido / <b>Glossy yellow</b> / Gelb glänzend	8013210204900	ALXH5 B05 30 RR0	3 Weeks	<b>229,00</b>
Bianco / <b>White</b> / Weiß	Nero lucido / <b>Glossy black</b> / Schwarz glänzend	8013210204924	ALXH5 B08 30 RR0	3 Weeks	<b>229,00</b>
Nero / <b>Black</b> / Schwarz	Bianco lucido / <b>Glossy white</b> / Weiß glänzend	8013210204931	ALXH5 N01 30 RR0	3 Weeks	<b>229,00</b>
Nero / <b>Black</b> / Schwarz	Bianco acidato / <b>Etched white</b> / Weiß matt	8013210204948	ALXH5 N02 30 RR0	3 Weeks	<b>229,00</b>
Nero / <b>Black</b> / Schwarz	Rosso lucido / <b>Glossy red</b> / Rot glänzend	8013210204955	ALXH5 N04 30 RR0	3 Weeks	<b>229,00</b>
Nero / <b>Black</b> / Schwarz	Giallo lucido / <b>Glossy yellow</b> / Gelb glänzend	8013210204986	ALXH5 N05 30 RR0	3 Weeks	<b>229,00</b>
Nero / <b>Black</b> / Schwarz	Nero lucido / <b>Glossy black</b> / Schwarz glänzend	8013210204962	ALXH5 N08 30 RR0	3 Weeks	<b>229,00</b>
Rosso / <b>Red</b> / Rot	Bianco lucido / <b>Glossy white</b> / Weiß glänzend	8013210204993	ALXH5 R01 30 RR0	3 Weeks	<b>229,00</b>
Rosso / <b>Red</b> / Rot	Bianco acidato / <b>Etched white</b> / Weiß matt	8013210205006	ALXH5 R02 30 RR0	3 Weeks	<b>229,00</b>
Rosso / <b>Red</b> / Rot	Rosso lucido / <b>Glossy red</b> / Rot glänzend	8013210205013	ALXH5 R04 30 RR0	3 Weeks	<b>229,00</b>
Rosso / <b>Red</b> / Rot	Giallo lucido / <b>Glossy yellow</b> / Gelb glänzend	8013210205037	ALXH5 R05 30 RR0	3 Weeks	<b>229,00</b>
Rosso / <b>Red</b> / Rot	Nero lucido / <b>Glossy black</b> / Schwarz glänzend	8013210205044	ALXH5 R08 30 RR0	3 Weeks	<b>229,00</b>

**LUXY H5 GLAM** min. 1 lampada - max. 6 lampade / min. 1 suspension - max. 6 suspensions / 1 bis - max. 6 Pendelleuchten

TEXTILE COLOURED CABLE	DIFFUSER	EAN	CODE	DELIVERY	EURO
Nero / <b>Black</b> / Schwarz	Bianco lucido / <b>Glossy white</b> / Weiß glänzend	8013210204757	ALXH5 001 31 RR0	3 Weeks	<b>229,00</b>
Nero / <b>Black</b> / Schwarz	Oro lucido / <b>Glossy gold</b> / Gold glänzend	8013210202715	ALXH5 011 31 RR0	3 Weeks	<b>242,00</b>
Nero / <b>Black</b> / Schwarz	Rame lucido / <b>Glossy copper</b> / Kupfer glänzend	8013210202722	ALXH5 012 31 RR0	3 Weeks	<b>242,00</b>
Nero / <b>Black</b> / Schwarz	Fumè / <b>Smoky</b> / Rauch	8013210203385	ALXH5 013 31 RR0	3 Weeks	<b>242,00</b>

**POMI H1** min. 1 lampada - max. 5 lampade / min. 1 suspension - max. 5 suspensions / 1 bis - max. 5 Pendelleuchten

STRUCTURE	CABLE	EAN	CODE	DELIVERY	EURO
Bianco opaco / <b>Matt white</b> / Weiß matt	Trasparente / <b>Transparent</b> / Transparent	8013210205075	APOH1 000 63 RB0	3 Weeks	<b>642,00</b>

Cable: transparent or black

**POMI H2** min. 1 lampada - max. 5 lampade / min. 1 suspension - max. 5 suspensions / 1 bis - max. 5 Pendelleuchten

STRUCTURE	CABLE	EAN	CODE	DELIVERY	EURO
Bianco opaco / <b>Matt white</b> / Weiß matt	Trasparente / <b>Transparent</b> / Transparent	8013210205143	APOH2 000 63 RB0	3 Weeks	<b>511,00</b>


Cable: transparent or black

**POMI H3** min. 1 lampada - max. 5 lampade / min. 1 suspension - max. 5 suspensions / 1 bis - max. 5 Pendelleuchten

STRUCTURE	CABLE	EAN	CODE	DELIVERY	EURO
Bianco opaco / <b>Matt white</b> / Weiß matt	Trasparente / <b>Transparent</b> / Transparent	8013210205204	APOH3 000 63 RB0	3 Weeks	<b>341,00</b>

Cable: transparent or black

## R1 LED DINA H1 - R2 LED DINA H1 - R3 LED DINA H1



R1 LED per 3 sospensioni / R1 LED per 3 sospensioni / R1 LED per 3 sospensioni

STRUCTURE	DIMMING	EAN	CODE	DELIVERY	EURO
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>On/off</b>	8013210204283	AROS1 DN3 63 ZL0	4 Weeks	<b>413,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Dali</b>	8013210205211	AROS1 DN3 63 PL0	4 Weeks	<b>457,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Push</b>	8013210205228	AROS1 DN3 63 HL0	4 Weeks	<b>457,00</b>

R1 LED per 6 sospensioni / R1 LED per 6 sospensioni / R1 LED per 6 sospensioni

STRUCTURE	DIMMING	EAN	CODE	DELIVERY	EURO
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>On/off</b>	8013210204290	AROS1 DN6 63 ZL0	4 Weeks	<b>470,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Dali</b>	8013210205235	AROS1 DN6 63 PL0	4 Weeks	<b>546,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Push</b>	8013210205242	AROS1 DN6 63 HL0	4 Weeks	<b>546,00</b>

R2 LED per 3 sospensioni / R2 LED per 3 sospensioni / R2 LED per 3 sospensioni

STRUCTURE	DIMMING	EAN	CODE	DELIVERY	EURO
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>On/off</b>	8013210204276	AROS2 DN3 63 ZL0	4 Weeks	<b>541,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Dali</b>	8013210205259	AROS2 DN3 63 PL0	4 Weeks	<b>585,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Push</b>	8013210205266	AROS2 DN3 63 HL0	4 Weeks	<b>585,00</b>

R3 LED per 3 sospensioni / R3 LED per 3 sospensioni / R3 LED per 3 sospensioni

STRUCTURE	DIMMING	EAN	CODE	DELIVERY	EURO
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>On/off</b>	8013210204269	AROS3 DN3 63 ZL0	4 Weeks	<b>695,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Dali</b>	8013210205280	AROS3 DN3 63 PL0	4 Weeks	<b>740,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Push</b>	8013210205396	AROS3 DN3 63 HL0	4 Weeks	<b>740,00</b>


R3 LED per 6 sospensioni / R3 LED per 6 sospensioni / R3 LED per 3 sospensioni

STRUCTURE	DIMMING	EAN	CODE	DELIVERY	EURO
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>On/off</b>	8013210204252	AROS3 DN6 63 ZL0	4 Weeks	<b>728,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Dali</b>	8013210205402	AROS3 DN6 63 PL0	4 Weeks	<b>816,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Push</b>	8013210205419	AROS3 DN6 63 HL0	4 Weeks	<b>816,00</b>

## DINA H1

STRUCTURE	EAN	CODE	DELIVERY	EURO
Trasparente / <b>Transparent</b> / Transparent	8013210205426	ADNH1 001 02 RL0	4 Weeks	<b>245,00</b>
Bianco / <b>White</b> / Weiß	8013210205440	ADNH1 002 02 RL0	4 Weeks	<b>245,00</b>
Cromo / <b>Chrome</b> / Chrom	8013210205457	ADNH1 003 02 RL0	4 Weeks	<b>245,00</b>
Nero / <b>Black</b> / Schwarz	8013210205464	ADNH1 004 02 RL0	4 Weeks	<b>245,00</b>
Blu / <b>Blue</b> / Blau	8013210205488	ADNH1 005 02 RL0	4 Weeks	<b>245,00</b>

## R1LED SQUIGGLE H6 - R2 LED SQUIGGLE H6 - R3 LED SQUIGGLE H6



R1 LED min. 3 lampade - max. 6 lampade / min. 3 suspensions - max. 6 suspensions / 3 bis - max. 6 Pendelleuchten

STRUCTURE	DIMMING	EAN	CODE	DELIVERY	EURO
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>On/off</b>	8013210204306	AROS1 SQ6 63 ZL0	4 Weeks	<b>480,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Dali</b>	8013210205495	AROS1 SQ6 63 PL0	4 Weeks	<b>562,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Push</b>	8013210205501	AROS1 SQ6 63 HL0	4 Weeks	<b>562,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>0/1 - 10 V</b>	8013210205525	AROS1 SQ6 63 DL0	4 Weeks	<b>562,00</b>

R2 LED min. 1 lampada - max. 3 lampade / min. 1 suspension - max. 3 suspensions / 1 bis - max. 3 Pendelleuchten

STRUCTURE	DIMMING	EAN	CODE	DELIVERY	EURO
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>On/off</b>	8013210204313	AROS2 SQ6 63 ZL0	4 Weeks	<b>613,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Dali</b>	8013210205549	AROS2 SQ6 63 PL0	4 Weeks	<b>695,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Push</b>	8013210205563	AROS2 SQ6 63 HL0	4 Weeks	<b>695,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>0/1 - 10 V</b>	8013210205570	AROS2 SQ6 63 DL0	4 Weeks	<b>695,00</b>


R3 LED min. 1 lampada - max. 6 lampade / min. 1 suspension - max. 6 suspensions / 1 bis - max. 6 Pendelleuchten

STRUCTURE	DIMMING	EAN	CODE	DELIVERY	EURO
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>On/off</b>	8013210204320	AROS3 SQ6 63 ZL0	4 Weeks	<b>795,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Dali</b>	8013210205587	AROS3 SQ6 63 PL0	4 Weeks	<b>878,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>Push</b>	8013210205600	AROS3 SQ6 63 HL0	4 Weeks	<b>878,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	<b>0/1 - 10 V</b>	8013210205617	AROS3 SQ6 63 DL0	4 Weeks	<b>878,00</b>

## SQUIGGLE H6

STRUCTURE	EAN	CODE	DELIVERY	EURO
Oro / <b>Gold</b> / Gold	8013210205631	ASQH6 000 04 RL0	4 Weeks	<b>355,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	8013210205648	ASQH6 000 62 RL0	4 Weeks	<b>355,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	8013210205655	ASQH6 000 63 RL0	4 Weeks	<b>355,00</b>

## R1 LED SQUIGGLE H1 - H2 - H3



R1 LED min. 1 lampada - max. 3 lampade / min. 1 suspension - max. 3 suspensions / 1 bis - max. 3 Pendelleuchten

STRUCTURE	DIMMING	EAN	CODE	DELIVERY	EURO
Bianco opaco / <b>Matt white</b> / Weiß matt	On/off	8013210204337	AROS1 SQH 63 ZLO	5 Weeks	<b>568,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Dali	8013210205662	AROS1 SQH 63 PLO	5 Weeks	<b>651,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Push	8013210205679	AROS1 SQH 63 HLO	5 Weeks	<b>651,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	0/1 - 10 V	8013210205686	AROS1 SQH 63 DLO	5 Weeks	<b>651,00</b>

## SQUIGGLE H1

STRUCTURE	EAN	CODE	DELIVERY	EURO
Oro / <b>Gold</b> / Gold	8013210205709	ASQH1 000 04 RLO	5 Weeks	<b>1.460,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	8013210205716	ASQH1 000 62 RLO	5 Weeks	<b>1.460,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	8013210205723	ASQH1 000 63 RLO	5 Weeks	<b>1.460,00</b>


## SQUIGGLE H2

STRUCTURE	EAN	CODE	DELIVERY	EURO
Oro / <b>Gold</b> / Gold	8013210205730	ASQH2 000 04 RLO	5 Weeks	<b>1.956,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	8013210205747	ASQH2 000 62 RLO	5 Weeks	<b>1.956,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	8013210205754	ASQH2 000 63 RLO	5 Weeks	<b>1.956,00</b>

## SQUIGGLE H3

STRUCTURE	EAN	CODE	DELIVERY	EURO
Oro / <b>Gold</b> / Gold	8013210205761	ASQH3 000 04 RLO	5 Weeks	<b>2.699,00</b>
Nero opaco / <b>Matt black</b> / Schwarz matt	8013210205815	ASQH3 000 62 RLO	5 Weeks	<b>2.699,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	8013210205860	ASQH3 000 63 RLO	5 Weeks	<b>2.699,00</b>

## R1 LED FURIN



R1 LED min. 1 lampada - max. 6 lampade / min. 1 suspension - max. 6 suspensions / 1 bis - max. 6 Pendelleuchten

STRUCTURE	DIMMING	CODE	DELIVERY	EURO
Bianco opaco / <b>Matt white</b> / Weiß matt	On/off	AROS1 FUH 63 ZL	5 Weeks	<b>413,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Dali	AROS1 FUH 63 PL	5 Weeks	<b>457,00</b>

\* 1 = 1 Tube    2 = 2 Tubes    3 = 3 Tubes    4 = 4 Tubes    5 = 5 Tubes    6 = 6 Tubes

## Example:

AROS1 FUH 63 ZL ①

Inserisci il codice corrispondente al numero di tubi desiderato  
Enter the code equivalent to the number of pendants required  
Code für die gewünschte Anzahl von Pendel angeben

R2 LED min. 1 lampada - max. 3 lampade / min. 1 suspension - max. 3 suspensions / 1 bis - max. 3 Pendelleuchten

STRUCTURE	DIMMING	CODE	DELIVERY	EURO
Bianco opaco / <b>Matt white</b> / Weiß matt	On/off	AROS2 FUH 63 ZL	5 Weeks	<b>541,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Dali	AROS2 FUH 63 PL	5 Weeks	<b>584,00</b>

\* 1 = 1 Tube    2 = 2 Tubes    3 = 3 Tubes

## Example:

AROS2 FUH 63 ZL ①

Inserisci il codice corrispondente al numero di tubi desiderato  
Enter the code equivalent to the number of pendants required  
Code für die gewünschte Anzahl von Pendel angeben

R3 LED min. 1 lampada - max. 6 lampade / min. 1 suspension - max. 6 suspensions / 1 bis - max. 6 Pendelleuchten

STRUCTURE	DIMMING	CODE	DELIVERY	EURO
Bianco opaco / <b>Matt white</b> / Weiß matt	On/off	AROS3 FUH 63 ZL	5 Weeks	<b>855,00</b>
Bianco opaco / <b>Matt white</b> / Weiß matt	Dali	AROS3 FUH 63 PL	5 Weeks	<b>899,00</b>

\* 1 = 1 Tube    2 = 2 Tubes    3 = 3 Tubes    4 = 4 Tubes    5 = 5 Tubes    6 = 6 Tubes

## Example:

AROS3 FUH 63 ZL ①

Inserisci il codice corrispondente al numero di tubi desiderato  
Enter the code equivalent to the number of pendants required  
Code für die gewünschte Anzahl von Pendel angeben



## TERMINI E CONDIZIONI DI VENDITA

### 1. GENERALITÀ

1.1. Le nostre condizioni generali di vendita hanno validità esclusiva. Eventuali deroghe alle stesse e/o clausole invocate a sua volta dall'Acquirente saranno efficaci soltanto se da noi sottoscritte. L'eventuale nullità di singole disposizioni del presente contratto non intacca la validità delle rimanenti disposizioni. Le seguenti condizioni di vendita disciplinano qualsiasi contratto di vendita (presente e futuro) concluso tra le parti. 1.2 L'ordine sottoposto dall'Acquirente sia direttamente che tramite agenti, procacciatori d'affari, rappresentanti o funzionari, ha carattere vincolante ed è irrevocabile per 30 giorni dall'effettuazione dello stesso. Tutti gli ordini pervenuti a Rotaliana S.r.l. sono sempre soggetti a conferma scritta di quest'ultima. 1.3 I prezzi indicati nel listino di vendita potranno subire variazioni, che verranno formalmente comunicate con opportuna tempestività. 1.4 I prodotti potranno essere soggetti, a ns. insindacabile giudizio, alle modifiche di carattere migliorativo ritenute necessarie. Non si garantisce pertanto che il materiale fornito corrisponda esattamente alle foto del catalogo. Nel caso di ordini di completamento non viene garantita la fornitura dell'esatta tonalità del materiale consegnato in precedenza. Il presente listino prezzi sostituisce e annulla tutte le precedenti edizioni.

### 2. TERMINI DI CONSEGNA

2.1 Il termine di consegna decorre dalla data della conferma d'ordine. Esso si intende adeguatamente prorogato: se i pagamenti non vengono effettuati puntualmente, se l'Acquirente manca di fornire in tempo utile quanto stabilito in contratto o se comunque insorgono cause indipendenti da Rotaliana S.r.l., come, ad esempio, ritardi dei subfornitori, impossibilità di approvvigionamento in Italia od all'estero, nonché casi di forza maggiore, scioperi, interruzione di linee e servizi, mancanza di mezzi di trasporto.2.2 Salvo il caso di dolo o colpa grave di Rotaliana s.r.l. è escluso qualsiasi risarcimento del danno per mancata o ritardata consegna dei prodotti 2.3 L'annullamento dell'ordine potrà avvenire solo per accordo tra le parti. È facoltà della Rotaliana S.r.l. di evadere gli ordini in diverse riprese.

### 3. LUOGO DELLA CONSEGNA

3.1 Qualsiasi riferimento a termini commerciali (come EXW, CIP ecc.) è da intendersi come richiamo agli Incoterms della Camera di Commercio Internazionale, nel testo in vigore alla data di stipulazione del contratto di vendita. Salvo patto contrario, la consegna si intende Franco Fabbrica (EXW Incoterms 2020) presso la sede di Rotaliana S.r.l. 3.2 Anche se il prezzo comprende il trasporto e/o si conviene un termine di resa diverso, il rischio passa all'Acquirente con la consegna al primo vettore presso la sede di Rotaliana s.r.l.. 3.3 Spetta al destinatario la cura e la responsabilità di verificare il numero e la condizione dei colli e di fare eventuali reclami al vettore. L'Acquirente si obbliga in ogni caso a ritirare la merce dal Vettore anche quando credesse di poter sollevare proteste od eccezioni.

### 4. GARANZIA

Rotaliana S.r.l. garantisce la buona qualità e la buona costruzione dei propri prodotti obbligandosi, durante il periodo di garanzia appresso specificato, a sostituire gratuitamente nel più breve tempo possibile quelle parti che per cattiva qualità del materiale o per difetto di lavorazione si dimostrarono difettose, sempre che ciò non dipenda da naturale logoramento, da guasti causati da imperizia o negligenza dell'Acquirente, dall'installazione effettuata da personale non qualificato, da casi fortuiti o di forza maggiore. L'acquirente è tenuto ad esaminare la merce immediatamente dopo l'arrivo. Non si accettano reclami se non per iscritto entro tre giorni dall'arrivo della merce presso il compratore. La lettera di reclamo dovrà contenere specifica descrizione dei vizi. Per vizi occulti si dà garanzia per un periodo massimo di 12 mesi dalla consegna, se reclamati per iscritto entro tre giorni dalla loro scoperta. Non si considerano occulti eventuali vizi rilevabili da un diligente esame della merce cui il compratore è tenuto al momento della consegna di ogni fornitura. Le eventuali restituzioni devono essere precedute da idonea motivazione scritta, comunque non saranno accettate se non autorizzate per iscritto da Rotaliana S.r.l. In caso di consegna di merci non rispondenti alla qualità pattuita, la Venditrice può a sua insindacabile scelta, o sostituire le merci o annullare il contratto purché l'Acquirente abbia provveduto alla tempestiva contestazione della fornitura. L'Acquirente non potrà richiedere risarcimento di danni per questo titolo fermo restando che allo stesso saranno rimborsate eventuali spese di trasporto. La garanzia di cui al presente articolo è assorbente e sostitutiva delle garanzie legali per vizi e conformità ed esclude ogni altra possibile responsabilità del Venditore, salvo il caso di dolo e colpa grave, comunque originata dai prodotti forniti; in particolare, l'Acquirente non potrà avanzare altre richieste di risarcimento del danno, di riduzione del prezzo o di risoluzione del contratto. Decorso la durata della garanzia nessuna pretesa potrà esser fatta valere nei confronti del Venditore e espressamente escluso qualsiasi diritto di regresso dell'Acquirente nei confronti del Venditore ai sensi dell'art. 134 d.lg. 6-9-205, n. 2006 (Codice del consumo), o di analoga norma di altro Stato membro basata sulla direttiva EU 2019/771 su determinati aspetti relativi alla vendita di beni., da parte dell'Acquirente che abbia posto rimedio ad un difetto di conformità nei confronti del consumatore (o che abbia subito il regresso del venditore finale par tale ragione). Inoltre, l'Acquirente si impegna a tenere il venditore indenne da qualsiasi azione di regresso che quest'ultimo possa subire da eventuali acquirenti dell'Acquirente.

### 5. PAGAMENTO

5.1 È facoltà di Rotaliana S.r.l. di non evadere ordini o di sospendere l'esecuzione qualora l'Acquirente non sia in regola con i pagamenti, o per qualsiasi altra sua inadempienza o per la sua mutata situazione economica e/o giuridica. I nostri termini di pagamento decorrono dalla data della fattura. Diverse modalità di pagamento saranno valide solo se da noi confermate per iscritto. In caso di ritardo di pagamento sono dovuti gli interessi moratori ai sensi del D.lgs 231/2001, oltre alle spese e risarcimento dei danni. I pagamenti delle merci vanno eseguiti presso la sede di Rotaliana S.r.l. in Mezzolombardo mediante bonifico bancario, salvo diverse modalità concordate e confermate per iscritto. La visita di incaricati delle riscossioni, che dovranno comunque essere sempre muniti di delega scritta, e la emissione eventuale di tratte o ricevute bancarie nonché la accettazione di cambiali o assegni, non faranno mai venire meno l'obbligo del pagamento presso la sede della Venditrice in Mezzolombardo. 5.2 La compensazione tra crediti è ammessa solo in presenza di titoli esecutivi.

### 6. RISERVATO DOMINIO

Rotaliana S.r.l. si riserva la proprietà sulla merce fornita fino a quando non sia pervenuto il pagamento integrale.

### 7. RIVENDITA DEI PRODOTTI

L'Acquirente si impegna a presentare i prodotti in modo da salvaguardare l'immagine di marca di Rotaliana s.r.l. in conformità alle indicazioni fornite da Rotaliana S.r.l., essendo inteso che il materiale promozionale che contenga i marchi e/o segni distintivi di Rotaliana s.r.l., salvo che sia stato fornito e/o previamente autorizzato da quest'ultima, dovrà essere sottoposto previamente a Rotaliana s.r.l. affinché la stessa possa verificarne la conformità alla sua immagine e valori d'azienda. Rotaliana s.r.l. fornirà all'Acquirente un listino prezzi raccomandati a cui l'Acquirente potrà fare riferimento per capire il posizionamento dei prodotti sul mercato. L'Acquirente è comunque libero di fissare i propri prezzi tenendo conto dell'immagine e del valore del marchio e dei prodotti Rotaliana.s.r.l

### 8. FORO LEGALE COMPETENTE

Per qualsiasi controversia relativa alle presenti condizioni generali e ai contratti di vendita è esclusivamente competente il foro di Trento, Italia.

### 9. DIRITTO APPLICABILE

Ove l'Acquirente abbia la propria sede d'affari fuori dall'Italia, per quanto non contemplato nelle presenti condizioni di vendita si applica quanto stabilito dalla Convenzione delle Nazioni Unite del 1980 sulla vendita di cose mobili e, in mancanza di sua previsione, dal diritto italiano.

Ai sensi e per gli effetti di cui all'art. 1341 c.c. l'Acquirente accetta espressamente le seguenti clausole 1.2 (Ordine irrevocabile); 2.2 (responsabilità per omessa o ritardo nella consegna); 3.2 (passaggio del rischio); 4 (Garanzia); 5.2 (limite alle compensazioni); 7 (rivendita dei prodotti); 8 (foro competente).

## GENERAL TERMS OF SALE

### 1. GENERAL

1.1 Our general terms of sale have exclusive validity. Any possible exceptions to them and/or clauses invoked by the Buyer on his part shall be effective only if we undersign them. The invalidity of any single condition of contract does not limit the validity of the other terms. The following conditions of sale shall govern any contract of sale (present and future) entered into between the parties. 1.3 Any order submitted by the Buyer either directly or through agents, dealers, representatives or company officers, is binding and cannot be revoked for 30 days after placing such order. All orders received by Rotaliana S.r.l. are always subject to written confirmation by the latter. 1.3 The prices shown in the pricelist may be subject to modification which will be formally communicated without delay. 1.4 Products may be subject, at our sole discretion, to any improving modifications which we consider necessary. Therefore, we do not guarantee that the items supplied correspond exactly to the photographs in the catalogue. In the case of completion orders the exact colour of the items supplied is not guaranteed to be the same as that of the previous supply. This pricelist replaces and cancels all preceding versions.

### 2. DELIVERY TERMS

2.1 The delivery schedule runs from the date of the order confirmation. This may in certain circumstances be extended: if payments are not made on time; if the Buyer does not meet in good time any obligations under the contract; or if any cause arises, independently of Rotaliana S.r.l., such as delays by sub-contractors, impossibility of supply in Italy or abroad, causes of force majeure, strikes, interruptions of lines and services, lack of means of transport.2.2 Except in the case of fraud or gross negligence on the part of Rotaliana s.r.l., any compensation for damages for non-delivery or delayed delivery of the products is excluded. 2.3 The order can be cancelled only by an agreement between the parties. Rotaliana S.r.l. can fulfil orders with partial shipments.

### 3. PLACE OF DELIVERY

3.1 Any reference to trade terms (such as EXW, CIP, etc.) shall be construed as a reference to the Incoterms of the International Chamber of Commerce, in the text in force on the date of conclusion of the contract of sale. Unless otherwise agreed, delivery is understood to be Ex Works (EXW Incoterms 2020) at the premises of Rotaliana S.r.l. 3. Even if the price includes the cost of transport and/or a different delivery term is agreed, the risk passes to the Buyer with delivery to the first carrier at the premises of Rotaliana s.r.l. 3.3 It is the care and responsibility of the Buyer to verify the number of packages and the condition of the goods and to make any eventual claims on the carrier. The Buyer binds himself to accept the goods from the carrier even if he considers grounds exist for raising objections or claiming breaches.

### 4. GUARANTEE

Rotaliana S.r.l. guarantees the good quality and construction of its products and commits itself during the guarantee period hereunder specified to the replacement free of charge and as soon as possible of those parts that due to inadequate quality of the material or to faulty manufacturing are shown to be defective, always providing that this does not arise from normal wear and tear, from faults caused by incapacity or negligence of the Buyer, from installation by unqualified personnel, or from unforeseeable or force majeure circumstances. The Buyer undertakes to examine the goods immediately on arrival. Claims will not be accepted unless in writing and made within three days of the arrival of the goods by the Buyer. The claim notice must contain a specific description of the defects. For hidden defects the guarantee covers a maximum period of twelve (12) months from the delivery, provided that the Buyer gives notice of the defect in writing within three days of their discovery. Defects are not considered to be hidden if they could be revealed by the diligent inspection of the goods that the Buyer must make on delivery of each supply. Any goods returned must be preceded by a suitable written motivation, and in any case will not be accepted unless authorized in writing by Rotaliana S.r.l. In the case of delivery of goods that do not conform to the agreed quality, the Seller can at his exclusive discretion either replace the goods or cancel the contract if the Buyer has made a claim within the deadlines indicated herein. The Buyer cannot file any claims for damages under this clause, although eventual shipping costs will be reimbursed. The guarantee under this clause overrides and replaces all other legal guarantees for defects and conformity and excludes any other possible responsibility of the Seller however caused by the products supplied, except in the case of fraud and gross negligence; in particular, the Buyer cannot make any other claims for damages, price reductions or seek resolution of contract. On expiry of the guarantee period no claim can be made against the Seller.

Any Buyer's right of redress against the Seller is expressly excluded with reference to Consumer Code, Article 134 d.lg. 6-9-205, n. 2006, or under similar norms of other Member States as to the Directive 2019/771 EC concerning specific aspects of the sale of goods. Furthermore, the Buyer undertakes to hold the Seller harmless from any regress action that the latter may suffer from any parties purchasing from the Buyer.

### 5. PAYMENT

5.1 Rotaliana S.r.l. can decide not to satisfy orders or to suspend execution of the order if the Buyer has not made payments to schedule, or for any other default, or due to his changed economic and/or juridical situation. Our terms of payment start from the date of the invoice: alternative forms of payment will be valid only if confirmed by us in writing. In the event of late payment, interest for late payment shall be due pursuant to Legislative Decree 231/2001, in addition to costs and damages. Payments for goods must be made to the premises of Rotaliana S.r.l. in Mezzolombardo by bank transfer, save any other form of payment agreed and confirmed in writing. The visit of persons charged with collecting amounts due, who will in all cases be provided with written authority, and any emission of drafts or bank receipts or the acceptance of bills of exchange and cheques do not modify the obligation to effect payment at the head office of the Seller in Mezzolombardo. 5.2 The offsetting of credits is allowed only if on the basis of enforcement titles.

### 6. RESERVED PROPERTY

Rotaliana S.r.l. retains ownership of the goods supplied until full payment is received.

### 7. RESALE OF PRODUCT

The Buyer undertakes to present the products in such a way as to safeguard the brand image of Rotaliana s.r.l. in accordance with the indications provided by Rotaliana s.r.l., it being understood that promotional material containing the trademarks and/or distinctive signs of Rotaliana s.r.l., unless provided and/or authorized in advance by Rotaliana s.r.l., must be submitted in advance to Rotaliana s.r.l. so that the latter may verify its conformity with its corporate image and values. Rotaliana s.r.l. will provide the Buyer with a recommended price list to which the Buyer may refer in order to understand the positioning of the products on the market. The Buyer is however free to set its own prices taking into account the image and value of the brand and products of Rotaliana s.r.l.

### 8. PLACE OF JURISDICTION

Any disputes relating to these general terms and conditions and contracts of sale shall be settled exclusively by the Court of Trento, Italy.

### 9. APPLICABLE LAW

If the Buyer's registered office is outside Italy, the provisions of the 1980 United Nations Convention on the Sale of (Movable) Goods and, in the absence thereof, of Italian law shall apply to all matters not covered by these terms and conditions of sale.

Rotaliana srl  
via Trento 115 - 117  
38017 Mezzolombardo  
Trento, Italia

T. +39 0461 60 23 76  
info@rotaliana.it  
www.rotaliana.it



